

KIC METALIKS LIMITED

"OM Tower" 32, Jawahar Lal Nehru Road, 3rd Floor, Room No. 304, Kolkata - 700 071 Phone: +91 33 3517 3005, 3507 2679

Ref. No. KIC/POLLU/Half-yr.-ret/2025-26/048

To
The IGF & Incharge,

Date: 24.06.2025

GOI,MoEF & CC Integrated Regional Office, Kolkata 1B-198, Salt Lake City, Sector – III, Kol. –700106

IA.II (I) Dated 24.05.2011

Sub.: EIA Notification 2006 under the E (P) Act, 1986, in respect of submission of half-yearly Compliance Report.

File No.:1. Ministry's Environmental clearance No. J-11011/556/2009 – IA.II (I) Dated 11.09.2019 and 2...Ministry's Environmental clearance No. J-11011/556/2009 –

Dear Sir,

With reference to the above subject, as per EIA Notification 2006 under the E (P) Act, 1986, submission of the half-yearly EC Compliance report (Period from October' 2024 to March' 2025) on behalf of implementation of the stipulated conditions and environmental safe guard report, are being enclosed herewith for your kind perusal.

We would be obliged for your kind cooperation in this regard.

Regards,

Yours sincerely,

For KIC METALIKS LTD.

Arun Kumar Das Asst. Vice President

Mob. No. 9874943305/32

Copy to: **The Environmental Engineer** Durgapur Regional office, West Bengal Pollution Control Board City Centre, Durgapur - 16

Encl: As above

CIN: L01409WB 1986PLC041169

Factory: Raturia, Angadpur, Durgapur - 713 215, Phone: 9874943345 Email: info@kicmetaliks.com • Website: www.kicmetaliks.com

	Name of the Project	: KIC METALIKS LIMITED
	Clearance File No. with date: F.No.J-11011/556/2009-IA -II (I) DATED 11.09.2019	Project No: IA/WB/IND/60981/2016 dated 9th December, 2016
	Period of Compliance Report:	October' 2024 - March'2025
	CONDITION	COMPLIANCE STATUS
i		We ensure that our water consumption per ton of pig iron production is well within the specified permission limit given for Pig iron industries details in Annexure-1
ii	Project proponent shall ensure 100% utilization of solid waste generated by the plant and also ensure that no dumping of solid waste ensure.	MBF: Coarse particles from dust catcher dumped directly on to the dumper and send to the sinter plant for reuse. Slurry from settling tank sends to the sinter plant for reuse. Sinter Plant: Dust from gravity de-duster and from Head ESP directly used in process through Haulage Chain mechanism. Dust from Tail ESP directly used into the process through screw conveyor. We are using under size sinter generating at RMHS as raw material of sinter plant. Above ways we are utilizing 100% solid waste which are generating during process. We ensure that no dumping of solid waste.
iii	Project proponent shall provided the top Recovery Turbine over the blast furnace	 The blast furnace gas quantity is not sufficient for the required heat content of TRT (Top Recover Turbine) as per designer by M/s. Mecon Limited. As we don't have BLT equipment, the BF gas pressure could not be well controlled and it is less than requires pressure for TRT. As per the designer it is not advisable to install TRT with less than 600 cu. m Blast Furnace. But, in next up gradation we will discuss with the designer for suitability and viabilities.
iv	water equivalent to the consumption in the plant, or more shall be carried out in the project premises, in case, rain water recharge is not	Two Nos. water ponds have been made available to store rain water. Our pond is sufficient enough to collect the rainwater from the entire catchment of the plant area. Although ground water table recharging is not allowed by WBPCB. Rain water harvesting system is being used in Slag granulation plant, watering for plantation & in dust suppression through an installed system. We have planned to increase pond area in near future after the final layout of upcoming plants. Attached photocopy in (Annexure-2)

FOR KIC METALIKS CTD

PRADIR DAS DY. MANAGER

B.	GENERAL CONDITION:-	Compliance Status
	Statutory Compliance	
i	establish /Operate under the provisions of Air (Prevention & Control of pollution) Act 1981 and the water (Prevention & Control of pollution) Act, 1974 from the concerned State Pollution Control	We obtained Consent to establish & Operate under the provisions of Air (Prevention & Control of pollution) Act 1981 and the water (Prevention & Control of pollution) Act 1974 from the State Pollution Control Board. Copy attached in previous compliance report.(April'2024 to Sept'2024)
ii	Water Authority, in case of drawl of ground	We have permission for ground water from competent authority for drinking & purpose but we are not using Ground Water neither in project nor in process. Copy attached.
iii	The Project proponent shall also obtain authorization under the Hazardous and other waste Management Rules, 2016 as amended from time to time.	We already have the Authorization letter/permission under the Hazardous and Other Waste Management Rules, 2006. (Annexure- 3)
II	Air quality monitoring and preservation	
i	The Project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standard prescribed in Environment(Protection) Rules 1986 issued vide G.S.R.277 (E) Dated 31 st March 2012 (Integrated iron & Steel); G.S.R.414(E) DATED 30 th May 2008 (Sponge Iron) as amended from time to time; S.O. 3305 (E) Dated 7 th December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers, and calibrate the plant monitoring system from time to time according to equipment supplier specification using services of Lab recognized under Environment(Protection) Act, 1986, or NABL accredited laboratories.	24x7 continuous emission monitoring system at process stacks has been installed to monitor stack emission with respect to standard prescribed in Environment (Protection) Rules 1986 and also connected to SPCB and CPCB online servers, and doing calibration the plant monitoring systems from time to time according to equipment supplier specification. We are taking services from Labracognized under Environment (Protection) Act, 1986 or NABL accredited laboratories. (Please see Annexure - 4)
ii	The Project proponent shall monitor fugitive emission in the plant premises at least once in every quarter using services of Lab recognized under Environment (Protection) Act, 1986	

FOR KIC METALIKS COD

PRADIR DAS DY. MANAGER

	Statutory Compliance	Compliance Status
iii	to carryout Continuous Ambient Air Quality monitoring for common / criteria parameters relevant to the main pollutants released (e.g.PM10 and PM 2.5 in reference to PM Emission, SO2 and NOx in reference to SO2	
iυ	The cameras shall be install at suitable location for 24x7 recording of battery emissions on both side of coke oven batteries and video recording shall be preserved for at least one-month after recording data.	We don't have Coke Oven Plant.
υ	Sampling facility at process stacks and at quenching towards shall be provided by the project proponent as per CPCB guidelines for manual monitoring of emissions.	No coke oven plant is present in the project site.
vi	The Project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality / fugitive emissions to Regional Office of MoEF & CC ,Zonal office of CPCB and Regional office of SPCB along with six-monthly monitoring report.	see Annexure – 3 for Stack Monitoring Please see Annexure – 8 / Monthly received copy
vii	system shall be provided for all the dust generating points including fugitive dust form all vulnerable sources, so as to comply with the	We have already installed Air Pollution Control System (APC) for all our dust generating units including for the fugitive dust, to comply with the prescribed stack emission and fugitive emission standards. All the sketch copy attached in previous compliance report.
viii	The project proponent shall provided leakage detection and mechanized bag cleaning facility for efficient maintenance of bags.	
ix	Secondary emission control system shall be provided by the project proponent at SMS Converters.	No SMS unit is present in the project site.
x	Pollution Control System in the steel plant shall be provided by the project proponent as per the CREP Guidelines of CPCB.	The status of implementation of the recommendation as per CREP for the steel sector is enclosed in Annexure – 9

FOR KIC METALIKS CTD

PRADIP DAS DY. MANAGER

	Statutory Compliance	Compliance Status
xi	Sufficient numbers of mobile or stationery vacuum cleaners shall be provided by the	We are using road cleaners for cleaning inside of the plants roads, shop floor and others area regularly.
xii		Every fines generated in our blast furnace process are directly using in the agglomeration process in
xiii		
χίυ	Wind shelter fence and chemical spraying shall be provided on the raw materials stock piles by the project proponent to check release of raw materials dust into atmosphere.	with tarpaulin cover.
χυ	The project proponent shall install Dry Gas Cleaning Plant with bag filter(s) for Blast Furnace and SMS converter.	It has been by M/s Mecon Limited And
Ш	Water quality monitoring and preservation	
i		The plant is not discharging any process effluent outside of the plant. Waste water is being treated & utilized as process make up & dust suppression. Quarterly monitoring & analysis By Regional office WBPCB and Half yearly monitoring & analysis by

PRADIR DAS DY. MANAGER

	Statutory Compliance	Compliance Status
ii	The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient number wells in the plant and adjacent areas using services of labs recognized under Environment (Protection) 1986 or NABL accredited Laboratories.	Ground water analysis done by NABL accredited laboratory twice in a year, as per the direction .
iti	monitoring and results of manual effluent testing and manual monitoring of ground water	We have a single bore well within the plant premises, it is not possible to analyses water qualities more than one well. For ground water we are using for drinking purposes only, neither we are
iυ	Project Proponent shall adhere to Zero Liquid Discharge;	We are maintaining 'Zero Discharge" unit. Process water is being treated & utilized as make up, watering of plants & for dust suppression.
υ	Sewage Treatment Plant shall be provided by the project proponent for treatment of domestic waste water to meet the prescribed standards.	We have already installed Sewge Treatment plant for domestic waste water to meet the prescribed standards. PL. sees the attached Photo copy. Annexure- 14
vi	Garland drains and collection pits shall be provided by the project proponent for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run-off.	Rain water harvesting system installed on main
N.		We are pleased to inform you that during the financial year 2022-23 we have completed construction of 1.5 km long and 24 feet wide concrete road within our factory premises to reduce dust generation approx 80 to 90%.
vii	Vehicle tyre washing facilities shall be provided by the project proponent at the entrance gates of the plant.	
		A

PRADIA DAS DY. MANAGER

	Statutory Compliance	Compliance Status
viii	CO2 injection shall be provided by the project proponent in GCP OF SMS to reduce pH in circulating water to ensure optimal recycling of treated water for converter gas cleaning.	No SMS unit is present in the project site.
ix	The project proponent shall undertake rainwater harvestings to collect maximum precipitation.	We have 2 Nos. of Rain water harvesting pond & 6 Nos. of dosing sumps to collect maximum amount of water. We will increase the area of pond for more storage of water after final layout of upcoming plants. See Annexure - 2
x	Water meters shall be provided by the project proponent at the inlet(s) of all units using water in the steel plant.	We have water meters at the inlet of all units. Annexure – 15
xi	The project proponent shall make efforts to minimize water consumption in the steel plant complex by segregation of used water, practicing cascade method and by recycling treated water.	The plant is not discharging any process effluent. Entire waste water is treated and is recycled back for different processes. Zero Discharge concepts have been adopted.
IV	Noise monitoring and prevention	
i	Noise level survey shall be carried as per the prescribed guidelines and report in this regard	We are monitoring Noise level by NABL accredited laboratory and the same submitted to the Regional office (CPCB & SPCB) that is a part of six monthly compliance reports. Test copy attached in Annexure - 16.
ii	Project proponent shall ensure that the ambient noise levels conform to the standards prescribed under E(P)A Rules 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.	The noise level study is being done & it is observed that the level is within the standards prescribed under E(P)A Rules 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.) And also we have a Noise Level Meter, for measuring the sound level time to time manually. Annexure 17.
V	Energy Conservation measure	
i	The project proponent shall provided TRTs to recover energy from top gases of Blast Furnaces.	
ii	Waste heat shall be recovered from Sinter Plant coolers and Sinter Machines	We have installed the heat recovery System from sinter plant cooler and using for Coke drying. To install WHRS in our annular & smaller size Sinter Machines are not possible, because the outlet flue gas temperature is about 100 degree C which is required to maintain for the process.

FOR KIC METALIKS

PRADIP DAS DY. MANAGER

	Statutory Compliance	Compliance Status
iti	metal transfer to the maximum extent possible.	As the ladles are kept below cast house, cover is not possible to put on ladle. The transport distance after cast house to PCM hardly 10 meters and the travelling time less than 1 minute
iv	Project proponent shall use hot charging of slabs and billets/blooms to the maximum extent possible	We don't have SMS/Rolling Mill.
υ	Waste heat recovery systems shall be provided by the project proponent in all units where the	Waste heat recovery systems already installed to recover heat from Stove flue gas and using to heat up BFG and Combustion air to reduce BFG consumption.
vi	Project proponent shall study feasibility to install WHRS to utilize Waste Gases from BF stove; Sinter Machine, Sinter Cooler, and all reheating furnaces.	We have already installed system, at CPP, BF Stove
vii	Project proponent shall restrict Gas flaring to < 1 %.	We are using 100% BF gas in CPP (Captive Power Plant), PCI (Pulverized Coal Injection), Blast furnace Stoves and balance amount in our Sinter Plant for process .So utilizing 100% BF Gas.
viii	Project Proponent shall provide solar panels for power generation on roof tops of buildings, for lighting of all common areas, street lighting, parking area lighting and also carry out regular maintenance of the same.	
ix	Project proponent shall provide LED lights in their offices and residential areas of the project.	We have already provided LED lights in most of the par including Office area and rest will be implemented very soon.
х	Project proponent shall ensure installation of regenerative type burners on all reheating furnaces.	
VI	Waste management	
i	An attrition grinding unit to improve the bulk density of BF granulated slag from 1.0 to 1.5 Kg/l shall be installed by the project proponent to use slag in place of river sand in construction industry.	We are waiting for the design/suggestion from
ii	Carbon recovery plant to recover the elemental carbon present in GCP slurries for use in sinter plant shall be installed by the project proponent	We are utilizing GCP Slurries in Sinter plant directly and getting benefits of carbon by reducing coke rate,.

PRADIS DAS DY. MANAGER

	Statutory Compliance	Compliance Status
iii	Waste recycling plant shall be installed by the project proponent to recover scrap, metallic waste and flux for recycling to sinter plant and SMS.	No SMS and is present in the project site.
ίυ	Used refectories shall be recycled by the project proponent as far as possible.	Hardly any generation of refectories in our plant. Ever generated refectories are reusing as grogs to make clay.
υ	SMS slag after metal recovery in waste recycling facility shall be conditioned and used for road making, as railway track ballast and in other applications. The project proponent shall install a waste recycling facility to recover metallic waste and flux for recycling to Sinter plant. The project proponent shall establish linkage for 100% reuse of rejects from Waste Recycling Plant.	
vi	100% utilization of fly ash shall be ensured by the project proponent. All the fly ash shall be provided to Cement and Brick manufactures for further utilization and memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office	Our CPP (Captive Power Plant) is BFG based, hence,
vii	Oil Collection pits shall be provided by the project proponent in oil cellars to collect and reuse / recycle spilled oil. Additionally, oil collection trays shall be provided under coils on saddles in cold rolled coil storage area.	It is not applicable.
viii	The waste oil, grease and other hazardous waste like acidic sludge from pickling, galvanizing ,chrome plating mills, etc. shall be disposed of as per the Hazardous & Other Waste (Management & Transboundary Movement) Rules 2016 Coal tar	It is not applicable as, we don't have pickling, galvanizing, chrome plating mills and coke oven etc. Here only generates used Oil & oil Filters and used Safety shoes & Hand Gloves. These items disposed of as per the Hazardous & Other Waste (Management & Trans boundary Movement) Rules 2016 Please see FORM – 10, for your perusal. In Annexure-19
ix	Kitchen waste shall be composted or converted to biogas for further use.	Our all kitchen waste carried out by Durgapur Municipal Corporation (DMC). Receipt Voucher Copy enclosed in. Annexure-20
VII	Green Belt	
i	Green belt shall be developed by the project proponent in an area equal to 33% of the total plant area with native broad - leaved tree species in accordance with CPCB guideline .The green belt shall interlay, cover the entire periphery of the plant.	of tress in 19.5 acres of land. Company's target to plant 3500 trees of species in 5.5 acres of land in couple of years. As per CPCB guideline we are in

PRADIP DAS DY. MANAGER

	Statutory Compliance	Compliance Status
		GHG emissions inventory for the plant and reduction of the same through carbon sequestration/ by raising plantation. We already planted 15256 trees from 2018 - 2025. We have decided for more tree plantation in next couple of years. A detailed sheet attached for your perusal in Annexure - 22
ii	The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programmed for reduction of the same including through carbon sequestration, including by raising plantation.	To reduce GNG emission we are in process to reduce fuel rate. Some of the projects already completed like; 1.Coke drying system by recovering heat from Sinter cooler. 2.BFG and combustion air Heating system by recovering heat from stove flue gases.
		3.Pulverized coal injection into the Blast furnace. 4.We are injecting steam into the Blast furnace to use Hydrogen as reducing agent in place of Carbon to some extent.
VIII	Public hearing and Human health issues	
i	Emergency preparedness plan based on the Hazard Identification and Risk Assess ment (HIRA) and Disaster Management Plan shall be prepared and implemented.	
ii		
		. From the next compliance report we will make a practice to submit. (heat stress analysis report)

FOR KIC METALIKS LTD

	Statutory Compliance	Compliance Status
iii	Provision shall be made for proper housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, and crèche, etc. The housing may be in the form of temporary structures, which may be removed after the completion of the project.	Do not have any housing for the construction labor/employees within the factory premises.
		Occupational health check-up in the year of 2025 was completed on 20.01.2025 and records maintained as per the Factories Act. The summarized Occupational Health Checkup includes Blood test, PFT, ECG, general health checkup, Eye test etc. Test report Data and some photo copy of medical test's attached for your perusal in Annexure - 25
iv	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	SL.No Department Name Total Emp Med.Test 1 KIC Metaliks Ltd 232 Done 2 Contractor Emp 268 Done Total 500
		Before joining as employee health check up mandatory by the Plant Medical Officer and Induction training carried out by Safety officers, for contractor labor same procedure follows.
		We have an Occupational Health Centre, where first aid facilities are available. Ambulance is available in the plant 24*7 for immediate shifting of patients to nearby hospital in case of emergency.
IX	Corporate Environment Responsibility	
i	The project proponent shall comply with the provisions contained in the Mini s try OM issued vide F. No. 22 - 65 / 2017-IA. dated 1st May 2018, as applicable, while preparing the Corporate Env ironme Responsibility Plan.	We are in process to maintain it as per the direction, please see in Annexure - 9
iti	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.	We already make a separate Environmental Cell both at the project and company head quarter level, with qualified personnel as per your direction. Copy enclosed in Annexure-26

PRADIR DAS

	Statutory Compliance	Compliance Status
iυ	Action Plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise fund earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the ministry/regional office along with six monthly compliance reports.	Pl. see the Annexure - 27
υ	Self- environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.	We are continuously monitoring, trying to improve by consulting to different agencies. From the next compliance report we will make a practice to submit.
vi	All the recommendation made in the charter on corporate responsibility for environment protection (CREP) for the iron & steel plants shall be implemented.	
X	Miscellaneous	
i	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local news papers of the district or state, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.	Done it as per the direction
ii	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of the local bodies, Panchayet and Municipal Bodies in addition to the relevant offices of the government who in term as to display the same for 30 days from the date of receipt.	Done it as per the direction.
iii	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including result of monitored data on their website and update the same on half-yearly basis.	We have already done it as per the direction

FOR KIC METALIKE LTD PRADIP DAS

	Statutory Compliance	Compliance Status
iv	The project proponent shall monitor the criteria pollutants level namely; PM 10, S02, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.	1) We already installed OCEMS in every stack of our plant as per your direction and also monitoring the criteria pollutants and also connected with CPCB & SPCB server. 2) We also provided a display board about our pollutants level beside main gate for public.
υ	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at env ironm clearance portal.	Following as per the direction.
vi	in Form-V to the concerned State Pollution Control Board as prescribed under the	We have submitted the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently. Pls. see in Annexure-28
vii	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	The information is shared as per directions.
viii	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF & CC).	Further any expansion or modification of the plant shall be carried out with prior approval of this Ministry as per norms.
ix	Concealing factual data or submission of false / fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted the point.
x	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory	
xi	The Ministry reserves the right to stipu late additional conditions if found necessary. The company in a time bond manner shall implement this condition.	

FOR KIC METALIKS LTD

PRACIP DAS

	Statutory Compliance	Compliance Status
хii	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/information/monitoring reports.	It will be done as per the direction.
xiii	The above conditions shall be enforced, interalia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 the Air (Prevention & Control of P o llu Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Trans boundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.	Noted for compliance and It will be done as per the direction.
χίυ	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act,2010	

FOR KIC METALIKS LTD

PRADIP DAS DY. MANAGER

DETAILS REPORT OF WATER CONSUMPTION OF PER MT PIG IRON PRODUCTION

We ensure that our water consumption per MT of Pig Iron production is within the permission limit: Details herein below:-

- In this period from 1st October 2024 to 31st March 2025) of our total Pig Iron production is 75522.440 MT and
- Total water consumption in this period (from 1st October 2024 to 31st March 25) 61558 KL

Therefore our total water consumption 61558 KL / total Pig Iron production is 75522.440 MT = 0.815 KL.

Both Annexure copy (Production report and water consumption) attached for your perusal.

FOR KIC METALIKE LI

DY. MANAGER

KIC METALIKS LIMITED ETAILS PRODUCTION REPORT FROM OCTOBER'2024 TO MARCH' 2

Date	24-Oct	24-Nov	24-Dec	25-Jan	25-Feb	25-Mar
1	0.000	622.940	652.970	622.290	640.530	0.000
2	0.000	623.000	638.460	634.330	661.000	0.000
3	0.000	612.710	647.160	378.060	624.540	0.000
4	0.000	620.850	646.270	624.180	622.950	0.000
5	0.000	622,130	653.960	645.580	144.240	0.000
6	0.000	642.040	641.050	618.710	0.000	0.000
7	36.800	648.800	653.300	639.070	0.000	0.000
8	368.140	649.040	647.040	633.710	0.000	0.000
9	626.740	659.280	672,720	637.710	0.000	0.000
10	637.890	647.710	651.150	604.010	0.000	0.000
11	657.650	653.720	625.190	636.370	0.000	0.000
12	651.250	641.500	634.380	631.100	0.000	0.000
13	653.700	651.200	646.730	633.190	0.000	0.000
14	641.900	658.700	637.660	630.910	0.000	0.000
15	638.520	649.160	621.090	641.490	0.000	0.000
16	650.880	652.250	634,300	643.420	0.000	0.000
17	642.160	649.810	629.910	643.380	0.000	0.000
18	645.740	653.330	632.940	639.270	0.000	0.000
19	617.560	661.520	648.250	641.520	0.000	0.000
20	625.530	662.140	587.220	652.710	0.000	0.000
21	606.070	660.790	607.030	645.880	0.000	0.000
22	634.570	645.690	592.980	652.110	0.000	0.000
23	624.300	640.440	126.510	644.850	0.000	0.000
24	628.710	654.960	607.760	645.330	0.000	0.000
25	589.490	641.540	597.680	643.170	0.000	0.000
26	602.490	646.490	615.930	647.080	0.000	0.000
27	607.090	631.180	632,930	646.730	0.000	0.000
28	599.910	641.930	623.110	645.580	0.000	0.000
29	617.290	650.470	613.690	651.960		0.000
30	631.260	652.300	615.950	652.010		0.000
31	631.060		621.390	652.440		0.000
TOTAL	14866.700	19347.620	19056.710	19558.150	2693.260	0.000

75522.440

FOR KIC METALIKETATE

PRADIP DAS

œ	KL	2565	2275	2135	2355	1965	1954				13249
TER RESERVE	YEAR	2024	2024	2024	2025	2025	2025				
FROM RAIN WATER RESERVER	TO										TOTAL CONSUMPTION
FR	FROM	OCTOBER	NOVEMBER	DECEMBER	JANUARY	FEBRUARY	MARCH				TOTAL CC
	KL	408.80	1001.40	734.40	772.60	230.10	11.50				3158.80
DRT WISE	YEAR	2024	2024	2024	2025	2025	2025				PTION
AS PER DMC REPORT WISE	TO										TOTAL CONSUMPTION
AS PER	FROM	OCTOBER '2024	NOVEMBER	DECEMBER '2024	JANUARY '2025	FEBRUARY	MARCH	X			TOTAL
	KL	2990	25250	11910							45150
RT WISE	YEAR	2024	2024-25	2025							
AS PER DPL REPORT WISE	TO	NOVEMBER	JANUARY,2025	MARCH 2025							TOTAL CONSUMPTION
	FROM	OCTOBER'2024 NOVEMBER	DECEMBER	FEBRUARY							TOTAL

TOTAL WATER CONSUMPTION FROM 1ST OCTOBER' 2024 TO 31ST MARCH'2025

61558 KL

INDUSTRIAL PURPOSE USED APPROX 11080.40
COOLING PURPOSE USED APPROX 49246.24
DOMESTIC PURPOSE USED APPROX 1231.16
61557.8

DPL - DURGAPUR PROJECT LIMITED

DMC - DURGAPUR MUNICIPAL CORPORATION

ETALIKS HO DASER

RAIN WATER HARVESTING SYSTEM





FOR KIC METALIKS LTD

PRADIP DAS DY. MANAGER



Government of West Bengal

This document having UDIN 24-G-GA000004-C-1712132612089 has been created by WEST BENGAL POLLUTION CONTROL BOARD with authorised person's Aadhaar no XXXXXXXXX7775 on 01:53PM, April 03, 2024.

This document is available at UDIN platform till 01:53PM, April 03, 2029.



Si bourse Multip

Authorised Signatory (E-signed) Department of IT&E

The document is downloaded from https://udin.wb.gov.in/



WEST BENGAL POLLUTION CONTROL BOARD

Paribesh Bhawan, 10A, Block LA, Sector III Salt Lake City, Bidhan Nagar, Kolkata – 700 106, INDIA

Website: www.wbpcb.gov.in, e-mail: wbpcbnet@wbpcb.gov.in

Category of the Industry: RED

Application Type: CTO

CTO No.: WBPCB/4826544/2024

Date: 03/04/2024

Consent to Operate (CTO) under Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974 as amended and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended.

Reference: Application No.: 4826544

The West Bengal Pollution Control Board (hereinafter referred to as State Board) under the provisions of Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974 as amended and Section 21 of the Air (Prevention and control of Pollution) Act, 1981 as amended, and Rules and Orders made thereunder hereby grants Consent to KIC Metaliks Limited (hereinafter referred to as Applicant) for its unit located at Raturia Industrial Area, P.O.- Angadpur, P.S.- Coke Oven, Paschim Bardhaman- 713215. for the period from 03/04/2024 to 31/03/2029 to operate the industrial unit/project and to discharge liquid effluent and gaseous emission from the premises / land of the industrial unit/project, in accordance with the conditions as mentioned below, provided that on any day at any instance the quantity and quality of liquid discharge and gaseous emission shall not exceed the permissible limit as specified in this consent letter and in the Environment (Protection) Act, 1986 and Rules thereunder, as amended.

Breach of the conditions and / or failure to comply with the directions as mentioned below shall render the industry/project liable for prosecution under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 as amended and Section 21 of the Air (Prevention and control of Pollution) Act, 1981 as amended.

The State Board reserve the right to revoke, withdraw or make any reasonable variation / change / alter the conditions of this consent letter giving one month's notice to the industry.

Conditions:

1 This Consent is valid for the following activities:

SLNo	Name of Activity/Products/By-products	Production Capacity (Per Month)			
	Captive power	4.7 Megawatt			
2	Oxygen (for in-house use)	4500 Cubic Meters/Hour			
3	Nitrogen (for in-house use)	5500 Cubic Meters/Hour			
4	Portland Slag Cement	30000 Metric Tonnes/Year			
5	Pulverised coal (for in-house consumption)	32000 Metric Tonnes/Year			
6	Sinter (for in-house consumption)	360000 Metric Tonnes/Year			
7	Pig Iron	235000 Metric Tonnes/Year			

- 2 The industry shall remain responsible for quantity and quality of liquid effluent and air emission.
- 3 Daily waste water generation and discharge shall not exceed:

"This is computer generated document from OCMMS by WBPCB"

WBPCB/4826544/2024

Pagel



No. of outlets	Source of Waste Water	Quantity in Kilo Liters/day	Place of discharge	
	WC, toilet, etc.	20 KLD	Soakpit via septic tank	
	DM plant, sinter plant, blowdowns, wash basins, etc.	206 KLD	Recycled in process, slag granulation, gas cleaning, etc.	

- 4 To bring into any altered or new outlet / outfall or to change the place of discharge, the industry shall have to inform the Board and obtain prior permission of the Board in this effect.
- 5 The industry shall provide comprehensive facility for treatment of industrial liquid waste and domestic liquid waste (sewage, sullage and liquid effluent generated from canteen), and operate and maintain the same continuously so that the quality of final effluent conforms to the Standard as given below:

Outlet No.	Nature of	Para	Frequency of			
	effluent	Parameters	Standards	Unit	sampling	
1	Domestic	pН	5.5 - 9.0			
		Total suspended Solid (TSS)	100	mg/L		
		Chemical Oxygen Demand (COD)	250	mg/L		
		Biological Oxygen Demand (BOD)	30	mg/L		
		Oil & Grease	10	mg/L		

Provisions shall be made to install sensor-based Water Quality monitoring system and flow meter to share the information with the state board on a Real Time basis.

6 Daily water consumption for the following purposes shall not exceed

SL NO.	Purpose of Water Use	Quantity (KL/Day)
1.	Domestic	33.0
2,	Cooling	200.0
3.	Others(Dust Suppression)	50.0
4,	Others(Plantation)	50.0
5.	Process	700.0

- 7 The Industry shall install suitable digital device for measuring the volume of water consumed for different purposes as mentioned above giving correct result to the satisfaction of the State Board. The device shall be able to provide information to disseminate the quantity on a real time basis.
- 8 All the stacks connected to various sources of emissions must be designated by numbers.
- 9 The industry shall install comprehensive pollution control equipment and operate and maintain the same to conform to the standard as given below:

"This is computer generated document from OCMMS by WBPCB"

WBPCB/4826544/2024

Page 2



	Stack		Cons	Fuel e	details	Cont	Concentrations of parameters not to exceed							Freq	Rem
heigh t from grou nd level (m	attac hed to emiss ion sourc es	city of emiss ion sourc e	up- Unit	Fuel used	Quan tity	rol syste m(if any)	PM(mg/N m3)	CO(%)	Acid Mist(mg/N m3)	Pb(m g/Nm 3)	SO2(mg/N m3)	NOX (mg/ Nm3)	Othe rs	uenc y of samp ling	ark
50 Meter s	Sinter Plant- 1 Head ESP	25	Meter Squar e	BF Gas	3500 Cubic Meter s/Hou r	ESP	75	<1 (v/v)						Quart erly	
50 Meter s	Sinter Plant- 2 Head ESP	25	Meter Squar e	BF Gas	3500 Cubic Meter s/Hou r	ESP	75	<1 (v/v)						Quart erly	
37.5 Mtr	Pulver izer	100	Metri c Tonne s/Day	NA	0 Metri c Tonne s/Day	Bagfil ter	75							Quart erly	Stack for Pulve ized Coal Inject on unit
32 Mtr	Driers	50	Metri c Tonne s/Day	Coal	50 Kg/H our	Gravit y settler	15	<1 (v/v)					erly C	Stac Conr cted to Slag Drye	
					9	EST	BE	NGA	1						of Cem nt Plan
55 Mtr	Boiler	22	Metri c Tonne s/Hou r	BF Gas	14000 Cubic Meter s/Hou r	Ţ	25 (at. 6% dry O2)	<1 (v/v)			300 (at 6% dry O2)	225 (at 6% dry O2)		Quart erly	for CPP boile
40 Mtr	Sinter Plant- 2 Tail ESP	00	Metri c Tonne s/Day	NA	0 Metri c Tonne s/Day	ESP	75							Quart erly	
40 Mtr	Sinter Plant- 1 Tail ESP	00	Metri c Tonne s/Day	NA	0 Metri c Tonne s/Day	ESP	75							Quart erly	
15 Mtr	Flux Crush er of Sinter Plant	30	Metri c Tonne s/Hou r	NA	0 Metri c Tonne s/Day	Bagfil ter	75	1.						Quart erly	
16 Mtr	Finish ed Sinter Bin	960	Metri c Tonne s/Day	NA	0 Metri c Tonne s/Day	Bagfil ter	75							Quart erly	

"This is computer generated document from OCMMS by WBPCB"

WBPCB/4826544/2024

Page3



17 Mtr	Flux Scree n of Sinter Plant	30	Metri c Tonne s/Hou r	NA	0.8 Metri c Tonne s/Day	Bagfil ter	75					Quart	
50 Mtr	MBF Stove s	245	Cubic Meter s	BF Gas	2500 Cubic Meter s/Hou r	Spray Tower Water Scrub ber, Ventu ri Scrub ber	25	<1 (v/v)		125	75	Quart	Com mon stack for Stove s-3 nos.
32 Mtr	Ball mill	100	Metri c Tonne s/Day	NA	0 Metri c Tonne s/Day	Bagfil ter	15					Quart	Stack for Ball Mill of Ceme nt Plant.

- The industry shall provide ports in the stack(s) and other necessary permanent facilities such as ladder, platform etc. for monitoring / sampling the air emissions and the same shall be made available for inspection and use by the State Board's staff as well as State Board's authorized agencies.
- 11 Waste generation, treatment and disposal shall be as specified below:

S.No	Description of Waste	Quantity	Treatment and Disposal
I I	ETP sludge	180 Metric Tonnes/Month	To be reused in sinter plant
2	APC dust	180 Metric Tonnes/Month	To be reused in sinter plant
3	BF slag	5875 Metric Tonnes/Month	To be reused in-house or sold out to cement plants

The Industry shall obtain Authorisation for waste and also register for EPR wherever applicable.

The industry shall take adequate measures for control of noise level from its own sources within the premises within the limit given below:

Time	Limit in dB (A) Leq			
Day time (06 a.m. to 10 p.m.)	65			
Night time (10 p.m. to 06 a.m.)	55			

Noise barriers should be installed if the Noise Level is found to be exceeding the desired levels.

- 13 The industry shall at all times maintain good house-keeping and control pollution (including fugitive emissions) from all sources to maintain clean environment in & around factory premises and in surrounding areas.
- 14 The Industry shall bring about at least 33% of the total land area under the tree cover.
- 15 The Industry shall provide sufficient alternate electric power source like Green DG or Storage Battery System etc. to operate all pollution control facilities. In absence of such alternate power source, the production shall be stopped/controlled to conform to the conditions of the Consent.
- The industry shall install a separate energy meter showing the consumption of energy for operation of pollution control devices and shall install suitable device for measuring the volume of water consumed for different purposes as mentioned in Sl.No. 3.
- 17 The Industry shall provide drainage system for discharge of industrial and domestic effluent and a separate drainage system for storm-water.

"This is computer generated document from OCMMS by WBPCB"

WBPCB/4826544/2024

Paye4



- 18 The industry shall maintain a separate register showing consumption of chemicals used in pollution control systems.
- 19 The Industry shall get the samples of hazardous wastes / leachates analysed at least once in a year from a laboratory recognised by the West Bengal Pollution Control Board and ensure that they conform to the limits stipulated. Test reports shall be sent to the Board.
- 20 The Industry shall submit the Environmental Statement Report for the financial year ending 31st March of the current year in the prescribed form (Form V) as required under the provisions of Rule 14 of the Environment (Protection) [Second Amendment] Rules 1992 by 30th September of every year, to the WBPCB.
- 21 The Industry shall allow the officers of the State Board to enter into the premises of the unit at any reasonable time to inspect the pollution control systems and shall provide adequate and safe facility for collection of air, wastewater and solid waste samples for monitoring by the State Board as well as by authorized agencies of the State Board, as and when required by them.
- 22 The industry shall maintain an Inspection Book in the factory premises which shall be made available to inspecting officers of the State Board for inspection, review and to write down any direction or observation as is deemed necessary during the inspection.
- 23 The Industry shall furnish to the State Board all information in respect of quality, quantity, rate of discharge, place of discharge of liquid effluent and air emission.
- 24 The Industryshall maintain adequate number of qualified and trained personnel among its staff for propermaintenance and operation of the effluent treatment and/or emission control devices and for overallenvironment management of the industry.
- 25 The Industry shall have to make registration for the use of groundwater if any, with State Water Investigation Directorate (SWID).
- The Industry shall intimate to the State Board immediately of any occurrence or apprehension of occurrence of discharge of any poisonous, noxious or pollutants in excess of quality as well as quantity as mentioned earlier to any receiving water body/receiving system or to atmosphere owing to accident or other unforeseen incident/event including natural disaster. The Applicant shall (i) take all steps adequate to prevent such accident discharge / release of poisonous, noxious or pollutants and to limit their consequences to persons and the environment, (ii) provide to the persons working on the site with the information, training and equipment including antidotes necessary to ensure their safety and mitigate the accidental release of poisonous noxious or pollutants to the environment.
- 27 If the Industry is using Diesel Generator set or generating any other hazardous waste, it should install a Digital Display Board to discriminate all information as stipulated in this regard.
- The industry shall make an application to the State Board in the prescribed form for renewal of the consent at lease 120 (one hundred & twenty) days before the date of expiry of this Consent.
- 29 The industry shall not make any alteration / expansion / modification in the existing manufacturing process and equipment, pollution control system and shall not alter or bring in any new outlet/outfall or stack or change the place of discharge, without prior approval of the Board.
- 30 The industry shall comply with all applicable Environmental Acts and Rules.
- 31 The Industry shall comply with the provisions of relevant Waste Management Rules and also submit Annual Returns / Manifests on regular basis.
- 32 Concealing factual data or submission of false or fabricated data/information may result in revocation of Consent to Operate and attract action under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981.

Special Conditions:

 Unit shall install a suitable air pollution control device for the Rotary Eccentric Burden Distributor (REBD) of MBF and shall dismantle the 'black' DG sets existing within its premises. A report of compliance in this regard shall

"This is computer generated document from OCMMS by WBPCB"

WBPCB/4826544/2024

Page5



be submitted within three months from hereof,

- 2) Unit shall install continuous ambient air quality monitoring system as per the condition given in the Consent to Establish certificate having no. NO159428 dated 10/12/2019 granted by the State Board.
- 3) Hazardous wastes like used oil, oil-contaminated cloth/jute/gloves, discarded oil filters, etc. shall be disposed as per the provisions of Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016 & as amended and the unit shall always operate with valid Hazardous Waste Authorization certificate of the State Board.
- 4) No kind of industrial waste water is permitted to be discharged outside. Instead, such water shall be entirely reused after appropriate treatment.
- 5) This consent may be revoked in case of any valid public complaint against the unit for creating environmental hazard.

Any violation of the aforesaid conditions shall entail cancellation of this Consent for Operate.

For and on behalf of West Bengal Pollution Control Board



Hoy

03/04/2024

Environmental Engineer Durgapur Regional Office

"This is computer generated document from OCMMS by WBPCB"

WBPCB/4826544/2024

Радеб







WEST BENGAL POLLUTION CONTROL BOARD

(Department of Environment, Govt. of West Bengal)
Paribesh Bhawan

Bldg. No. 10 A, Block-LA, Sector-III, Bidhan Nagar,

Kolkata - 700 098 Tel: 0091 (033) 2335-9088 / 8861 / 8211 / 8073 / 6731

2335-0261 / 8212 / 8213 / 7428 / 5975 Fax: 0091 (033) 2335 6730 / 2813

Website: www.wbpcb.gov.in, e-mail: wbpcbnet@wbpcb.gov.in

Memo No. 130 /2S (HW) -3503/2018

Date: 03 08 2023

FORM 2

Grant of Authorization under the provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

Ref.: Application authorization dated 22.07.2023 for management & handling of hazardous waste under Hazardous & Other Waste (Management & Transboundary) Rules, 2016 and its amendment thereafter.

M/s. KIC Metaliks Ltd.

Raturia, Angadpur Industrial Area, Durgapur, P.O.: Angadpur, P.S.: Coke Oven, Burdwan, Pin: 713215 is hereby granted an authorisation for generation, eollection, reception, storage, transport, reuse, recycling, recovery, pre-processing, co-processing, utilisation, treatment, disposal, or any other use of hazardous or other wastes or both on the premises located at Raturia, Angadpur Industrial Area, Durgapur, P.O.: Angadpur, P.S.: Coke Oven, Burdwan, Pin: 713215.

Details of Authorisation:

SI. no.	Category of Hazardous Waste as per the Schedule I, II and III of these rules	Authorised mode of disposal or recycling or utilization or co-processing etc.	Quantity (MT/year)	
1.	5.1	Recycling through authorized recyclers.*	3.36	
2.	3.3	Disposal to CHWTSDF.*	0.06	
3.	33.2	Disposal to CHWTSDF. *	1.00	

^{*} For detail refer to Specific Conditions.

- (1) Authorization shall be valid for a period upto 30.04.2028 with effect from the date of issue
- (2) The authorization is subject to the following general and specific conditions:

|Chief Engineer| |West Bengal Pollution Control Board

W. B. Pollution Control Board Sept. of Environment, Govt. of W.B.

A. General conditions of authorization:

- 1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
- The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
- 3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorisation.
- Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
- The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
- 6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty"
- It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
- The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
- The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
- 10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation.
- 11. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
- An application for the renewal of an authorisation shall be three months before the expiry of such authorisation.
- 13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
- Annual return shall be filed by June 30th every year for the period ending 31st March of that year.

B. Specific conditions:

- The unit shall store the hazardous wastes (category wise separately) under shade in an
 environment friendly safe manner within the premises at designated places and the
 unit shall not store hazardous waste on site for more than 90 days.
- Oil contaminated cotton waste (5.2), discarded/used DG set filter (36.2) shall be disposed to the CHWTSDF, West Bengal through Manifest system (Form-10).
- 3. Used oil (5.1) and contaminated containers/drums/barrels (33.1) shall be sold through manifest system (Form 10) to the authorized recyclers having valid authorization of the State Pollution Control Board. During each sale, original Pass-book issued by SPCB to the authorized recyclers shall be endorsed mentioning the quantity and copy of the same shall be kept as record. If not fit for recycling shall be sent to CHWTSDF, West Bengal facility with manifest system.

4. The unit shall submit copies of Form 10 to the State Board on a regular basis.

5. Transport of hazardous and other waste shall be in accordance with the Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016, guidelines issued by the Central Pollution Control Board (CPCB) and rules made under the Motor Vehicle's Act, 1988. The responsibility of safe transport shall be either of the sender or the receiver whosoever arranges the transport and this responsibility shall be clearly indicated in the Manifest.

 Records of hazardous waste generation, storage and disposal shall be maintained properly as per Form 3 of Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016 and shall be available to the inspecting officials of the State Board during inspection.

 The unit shall update regularly the environmental information in Display Boards as per the order of the Hon'ble Supreme Court dated. 14.10.2003 in W.P.(C) NO.657 of 1995.

8. Authorisation will be revoked in case of non-compliances with any of the above conditions.

M/s. KIC Metaliks Ltd.

Raturia, Angadpur Industrial Area,

Durgapur, P.O.: Angadpur, P.S.: Coke Oven,

Burdwan, Pin: 713215

[Chief Engineer]
West Bengal Pollution Control Board

W. B. Pollution Control Board Seat of Environment, Govt. of W.B.



INDICATIVE CONSULTANT INDI





(GOVT. REGISTERED TEST HOUSE)



EMAIL: indicativeconsultantindia@gmail.com / indicativeconsultantindia.kol@gmail.com

TEST	REP	ORT
------	-----	-----

Date: 12.02.2025		Report No: ICI/HL/A/RN-064A/2025	Format No: ICI/FM/H/58				
		M/s. KIC METALIKS LIMITED	Sample ID No	3	2025/AC-064A		
Customer Name	*				V STATES A SECTION		
Address	:	Raturia, Angadpur, Durgapur –713215, Bardhaman	Sampling Date	:	01.02.2025		
		Did difference	Sampling Time	:	10:05 AM		
#Customer Representative Name & Contact Number	:	Dy. Manager	Analysis Start Date	1	06.02.2025		
#Work Order No.	:	Quotation Ref. No. – ICI/EQ/ENV/2025/141 Dtd. 27.01.2025	Analysis complete Date	1	07.02.2025		
#Sample Description	:	STACK AIR		_			
#Location	-1	MBF (STOVE)		_			
Sample Condition	1	In Glass Microfibre Thimble & Plastic Bottle					
Sampling Method	:	CPCB, Emission Regulation (Part III)	CT GROUP: ATMOSPH	EDI	POLLUTIO		
DICCIDI DIE, CHEMIC	AT	PRODU	CI GROUP: AIMOSIN	ENT	CIULLOITO		

DISCIPLINE: CHEMICAL

A.] # GENERAL INFORM	IATIC	IN ABOUT STACK:	Shape of Stack	:	Circular
Particulars of the Plant		MBF (STOVE)	Material of Construction	:	M.S.
Stack attached to			The state of the s	4	2.00
Emission due to	3	Combustion of Cleaned B.F. Gas	Stack ID at sampling point (M)		· (M. 9.54.56.)
S. 111d		B.F. Gas	At Bottom (M)	:	-
Fuel Used			At Top (M)		-
Rated Fuel Consumption		All the same of th	Height Details:		
Working Fuel Consumption	:	2900 m ³ /Hr.		-	50.00
Calorific Value(Kcal/kg)	1.0	2.0	a) Total Ht. Of stack from GL(M)		30.00
Calorine value(Keankg)			b) Total Ht. Of stack from RL(M)		
and the second second	2.	All the same in some	c) Ht. of sampling port from GL(M)	:	40.00
Sulphur Content (% by Wt)	*		d) Ht. of port from disturbance zone (M)	1	
Ash Content (% by Wt.)			U) THE OF POST HOLE CONTINUED CONTIN		
Pollution Control Device	:	DUCT CATCHER, SATURAT	ORY, VENTURY SCRUBBER		

Whether Stack is provided with permanent Platform / Ladder

B. PHYSICAL DATA:					
Flue Gas Temperature (°C)		162	Generation Capacity:		
Barometric Pressure,(mm Hg)	- 1	753	a) Rated	:	26
		500	b) Running	:	26.8 MT/Hr.
Velocity of Gas flow (m/s)	•	8.26			- 2
Quantity of Gas flow (Nm3/hr)		60241.22	Load: a) Rated		
Dearctire			b) Running		•

CIR	ESULT	OF SA	MPLING	:

C. RE	SULT OF SAMPLING:		Result Obtained	Test Method
SI. No.	Parameters Particulate Matter (mg/Nm³)	:	22.0	IS 11255 (Part -1): 1985 (RA 2019)
02.	Particulate Matter Normalized to 12% CO ₂ (V/V) - (mg/Nm ³)	ŧ		
03.	Sulphur di-oxide (mg/ Nm³)	1	14.23	IS 11255 (Part -2): 1985(RA 2019)
04.	Carbon mono oxide (as CO)- % (V/V)	:	<0.2	IS 13270:1992 (RA 2019)
05.	Carbon di oxide (as CO ₂)-% (V/V)	1	11.4	IS 13270:1992 (RA 2019)
535			Fo	r, INDICATIVE CONSULTANT I

Checked By: A

Test Witnessed By: Nil (Sampling was done in front of customer representatives)

Parbati Golui (Quality Manager)

Parbati Goldi

Quality Manager

INDICATIVE CONSULTANT INDIA

Information provided by customer

Sample is drawn by M/s. Indicative Consultant India.

Sample submitted and identified by customer as: NA

Test results shown in this test report relate only to the sample (s) only.

The test results referred in test report are based on observations & measurements under the stated environmental conditions.

The reproduction of the report except in full is invalid without written approval of the laboratory.

Once issued, the test report/certificate is in public domain and laboratory is not responsible for the authenticity of photocopie Retention period of tested samples (Thimble) is 180 days from the date of issue of test report unless otherwise specified.

Location of Testing: Haldla Laboratory

Estimated Uncertainty: Not Required

End of Report



CENTRAL LABORATORY :



INDICATIVE CONSULTANT IND





(GOVT, REGISTERED TEST HOUSE)



EMAIL: indicativeconsultantindia@gmail.com / indicativeconsultantindia.kol@gmail.com

TEST REPORT

Date: 12.02.2025	:	Report No: ICI/HL/A/RN-064D/2025	Format No: ICI/FM/H/58	3	
Customer Name	1	M/s. KIC METALIKS LIMITED	Sample ID No	:	2025/AC- 064D
Address	:	Raturia, Angadpur, Durgapur -7132 15, Bardhaman	Sampling Date	:	01.02.2025
#Customer Representative			Sampling Time		03:15 PM
me & Contact Number : Dy, Manager A Outstion Ref. No. — ICUFO/FNV/2025/141 Dtd	Analysis Start Date	1	06.02.2025		
#Work Order No.	:	Quotation Ref. No. – ICI/EQ/ENV/2025/141 Dtd. 27.01.2025	Analysis complete Date	:	07.02.2025
#Sample Description	:	STACK AIR			
#Location		CPP			
Sample Condition	:	In Glass Microfibre Thimble & Plastic Bottle			
Sampling Method	1	CPCB, Emission Regulation (Part III)			
DISCIPLINE: CHEMICA	VI.	PRODUCT	GROUP: ATMOSPHERI	CPC	OLLUTION

ALECENERAL INCOMMATION APOUT STACK

Particulars of the Plant			Shape of Stack	:	Circular
Stack attached to		CPP	Material of Construction	:	M.S.
Emission due to		Combustion of B.F. Gas	Stack ID at sampling point (M)	:	1.90
Fuel Used	1	B.F. Gas	At Bottom (M)	:	•
Rated Fuel Consumption	- 4		At Top (M)		
Working Fuel Consumption		(a)	Height Details:		
Calorific Value(Kcal/kg)	:		a) Total Ht. Of stack from GL(M)	:	50.00
			b) Total Ht. Of stack from RL(M)	:	
Sulpher Content (% by Wt)			c) Ht. of sampling port from GL(M)	:	15.00
Ash Content (% by Wt.)	1		d) Ht. of port from disturbance zone (M)		
Pollution Control Device	: N	ii ii		more design	uncernant control of

B.I PHYSICAL DATA:

Di Listoroccio pristri					
Flue Gas Temperature (°C)		268	Steam Generation Capaci	tv:	
Barometric Pressure,(mm Hg)	1	753	a) Rated	1	22 TPH
Velocity of Gas flow (m/s)	1	14.15	b) Running		11 TPH
Quantity of Gas flow (Nm3/hr)	- 1	70890.00	Load: a) Rated		4.7 MW
Pressure			b) Running	1	2.2 MW

CURESULT OF SAMPLING:

Sl. No.	Parameters		Result Obtained	Test Method
01.	Particulate Matter (mg/Nm³)	1	20.0 at 10.8% CO2	IS 11255 (Part -1)
02.	Particulate Matter Normalized to 12% CO ₂ (V/V) - (mg/Nm ³)	1	22.0	1985 (RA 2019)
03.	Sulphur di-oxide (mg/Nm³)	10	18.57 at 9.2% O ₂	IS 11255 (Part -2)
04.	Sulphur di-oxide Normalized to 6% O ₂ - (mg/Nm ³)		22.60	1985 (RA 2019)
05.	Carbon mono oxide (as CO)- % (V/V)	4	<0.2	IS 13270.1992 (RA 2019)
06.	Carbon di oxide (as CO2)-% (V/V)	4	10.8	IS 13270:1992 (RA 2019)

Prepared By:

Checked By.

For, INDICATIVE CONSULTANT INDIA

Parbati Gelui (Quality Manager) Signatory Authority

Test Witnessed By: Nil (Sampling was done in front of customer representatives) Estimated Uncertainty: Not Required

Parbati Golui Quality Manager INDICATIVE CONSULTANT INDIA

Note:

- # Information provided by customer Sample is drawn by M/s. Indicative Consultant India.
- Sample submitted and identified by customer as: NA
- Test results shown in this test report relate only to the sample (s) only.
- The test results referred in test report are based on observations & measurements under the stated environmental conditions
- The reproduction of the report except in full is invalid without written approval of the laboratory.

 Once issued, the test report/certificate is in public domain and laboratory is not responsible for the authenticity of photocopied is strep.
- Retention period of tested samples (Thimble) is 180 days from the date of issue of test report unless otherwise specified
- Location of Testing: Haldia Laboratory

End of Report



CENTRAL LABORATORY :



INDICATIVE CONSULTANT INDI





(GOVT. REGISTERED TEST HOUSE)



EMAIL: indicativeconsultantindia@gmail.com / indicativeconsultantindia.kol@gmail.com

THE COLD	TABLE	TODA
TEST	KLI	UKI

Date: 12.02.2025	:	Report No: ICI/HL/A/RN-064C/2025	Format No: ICI/FM/H/58	1	
Customer Name	:	M/s. KIC METALIKS LIMITED	Sample ID No	:	2025/AC- 064C
Address	:	Raturia, Angadpur, Durgapur -7132 15, Bardhaman	Sampling Date	:	01.02.2025
#Customer Representative Name		Du Managar	Sampling Time	:	01:25 PM
& Contact Number		Dy. Manager	Analysis Start Date		06.02.2025
#Work Order No.	:	Quotation Ref. No. – ICI/EQ/ENV/2025/141 Dtd. 27.01.2025	Analysis complete Date	:	07.02.2025
#Sample Description	:	STACK AIR			
#Location	;	SINTER PLANT -1 (HEAD ESP)			
Sample Condition	:	In Glass Microfibre Thimble & Plastic Bottle			
Sampling Method	:	CPCB, Emission Regulation (Part III)			

Particulars of the Plant			Shape of Stack	:	Circula
Stack attached to		SINTER MACHINE (HEAD)	Material of Construction	:	M.S.
Emission due to	ŧ	Combustion of B.F. Gas & Coke Fines	Stack ID at sampling point (M)	:	2.98
Fuel Used	:	B.F. Gas & Coke Fines	At Bottom (M)	#	
Rated Fuel Consumption	1	B.F. Gas - 2900 Nm ³ /Hr. Coke Fines - 58 MT/Day	At Top (M)) (*)
Working Fuel Consumption	:		Height Details :		
Calorific Value(Kcal/kg)	1		a) Total Ht. Of stack from GL(M)	:	50.00
		All the same of the same of	b) Total Ht. Of stack from RL(M)	:	
Sulpher Content (% by Wt)	:		c) Ht. of sampling port from GL(M)		36.00
Ash Content (% by Wt.)	:		d) Ht of port from disturbance zone (M)		
Pollution Control Device	:	ESP			

B. PHYSICAL DATA:					
Flue Gas Temperature (°C)	1	140	Generation Capacity:		
Barometric Pressure,(mm Hg)	7	753	a) Rated		*
Velocity of Gas flow (m/s)	;	9.36	b) Running	:	13 MT/Hr.
Quantity of Gas flow (Nm³/hr)		153898.11	Load: a) Rated		15.1
Pressure	:		b) Running		

CURESULT OF SAMPLING:

Sl. No.	Parameters	Result Obtained	Test Method
01.	Particulate Matter (mg/Nm³)	: 22.0	10 Mass (D. + 12 1005 (D.) 2010)
02.	Particulate Matter Normalized to 12% CO ₂ (V/V) - (mg/Nm ³)	-	IS 11255 (Part -1): 1985 (RA 2019)
03.	Sulphur di-oxide (mg/ Nm ³)	15.03	IS 11255 (Part -2): 1985(RA 2019)
04.	Carbon mono oxide (as CO)- % (V/V)	: <0.2	IS 13270:1992 (RA 2019)
05.	Carbon di oxide (as CO ₂)-% (V/V)	: 7.6	IS 13270:1992 (RA 2019)

Remarks: Only one (1) port hole available.

For, INDICATIVE CONSULTANT INDIA

Parbati Colu (Quality Manager)
Parbati Golui Quality Manager

INDICATIVE CONSULTANT INDIA

Note:

Information provided by customer

Estimated Uncertainty: Not Required

Sample is drawn by M/s. Indicative Consultant India.

Sample submitted and identified by customer as: NA

Test results shown in this test report relate only to the sample (s) only.

The test results referred in test report are based on observations & measurements under the stated environmental condition,

The reproduction of the report except in full is invalid without written approval of the laboratory.

Test Witnessed By: Nil (Sampling was done in front of customer representatives)

Once issued, the test report/certificate is in public domain and laboratory is not responsible for the authenticity of photocological test repo

Retention period of tested samples (Thimble) is 180 days from the date of issue of test report unless otherwise specified

Location of Testing: Haldia Laboratory

End of Report





INDICATIVE CONSULTANT INDIA





(GOVT. REGISTERED TEST HOUSE)



EMAIL: indicativeconsultantindia@gmail.com / indicativeconsultantindia.kol@gmail.com

TEST REPORT

Date: 12.02.2025	:	Report No: ICI/HL/A/RN-064B/2025	Format No: ICL/FM/H/58					
Customer Name : M/s. KIC METALIKS LIMITED Sa		Sample ID No	:	2025/AC-064B				
Address	1	Raturia, Angadpur, Durgapur –7132 15, Bardhaman	Sampling Date		01.02,2025			
#Customer Representative Name & Contact Number		Dec Manager	Sampling Time	:	11:35 AM			
	1	: Dy. Manager	Analysis Start Date	:	06.02.2025			
#Work Order No.	Vork Order No. : Quotation Ref. No. – ICI/EQ/ENV/2025/141 Dtd. 27.01.2025		Analysis complete Date		07.02.2025			
#Sample Description	:	STACK AIR						
#Location	1	SINTER PLANT -1 (TAIL ESP)	SINTER PLANT -1 (TAIL ESP)					
Sample Condition	;	In Glass Microfibre Thimble						
Sampling Method	3	CPCB, Emission Regulation (Part III)						
DISCIPLINE: CHEMICA	L	PRODUCT	GROUP: ATMOSPHER	ICI	POLLUTION			

A.] # GENERAL INFORMATION ABOUT STACK:

Particulars of the Plant			Shape of Stack		Circular
Stack attached to	:	HOT SCREEN SINGLE ROLL CRUSHER, CIRCULAR COOLER, HOT DISE (TAIL)	Material of Construction	:	M.S.
Emission due to	:	During Processing / Coating	Stack ID at sampling point (M)	10	2.40
Fuel Used			At Bottom (M)		
Rated Fuel Consumption	:		At Top (M)		
Working Fuel Consumption	2		Height Details:		
Calorific Value(Kcal/kg)	:	AND DESCRIPTION OF REAL PROPERTY.	a) Total Ht. Of stack from GL(M)	¥3	40.00
		The same of the same of	b) Total Ht. Of stack from RL(M)	:	
Sulpher Content (% by Wt)	1		c) Ht. of sampling port from GL(M)		25.00
Ash Content (% by Wt.)	1	-	d) Ht. of port from disturbance zone (M)		
Pollution Control Device		ESP		************	-00193-0-0-0037

B. PHYSICAL DATA:

D. I HI SICAL DATA.					
Flue Gas Temperature (°C)	1	108	Steam Generation Capacity		
Barometric Pressure,(mm Hg)		753	a) Rated	1	
Velocity of Gas flow (m/s)	4	10.26	b) Running	4	-
Quantity of Gas flow (Nm3/hr)		118725.17	Load: a) Rated		(a)
Pressure	1		b) Running		*

C. RESULT OF SAMPLING:

Sl. No.	Parameters	Result Obtained	Test Method
01.	Particulate Matter (mg/Nm³)	20.0	IS 11255 (Part -1): 1985
02.	Particulate Matter Normalized to 12% CO ₂ (V/V) - (mg/Nm ³)	-	(RA 2019)
03.	Carbon mono oxide (as CO)+ % (V/V)	< 0.2	IS 13270:1992 (RA 2019)

Remarks: Only one (1) port hole available.

Estimated Uncertainty: Not Required

Prepared By: N. Mondal

Checked By: A Patra

For, INDICATIVE CONSULTANT INDIA

(Quality Manager) Signatory Authority

Quality Manager

INDICATIVE CONSULTANT INDIA

Note: 1 # Information provided by customer

2 Sample is drawn by M/s. Indicative Consultant India.

Sample submitted and identified by customer as: NA

4 Test results shown in this test report relate only to the sample (s) only.

5 The test results referred in test report are based on observations & measurements under the stated environmental conditions.

6 The reproduction of the report except in full is invalid without written approval of the laboratory.

Test Witnessed By: Nil (Sampling was done in front of customer representatives)

7 Once issued, the test report/certificate is in public domain and laboratory is not responsible for the authenticity of photocopied test report

8 Retention period of tested samples (Thimble) is 180 days from the date of issue of test report unless otherwise specified.

9 Location of Testing: Haldia Laboratory

-End of Report-



CENTRAL LABORATORY :



INDICATIVE CONSULTANT IND





(GOVT. REGISTERED TEST HOUSE)



EMAIL: indicativeconsultantindia@gmail.com / indicativeconsultantindia.kol@gmail.com

T	EST	DI	PP	OR	T
	LUJI	L	200	$\mathbf{v}_{\mathbf{r}}$	

Date: 12.02.2025		Report No: ICI/HL/A/RN-064E/2025	Format No: ICI/FM/H/58					
Customer Name	mer Name : M/s. KIC METALIKS LIMITED Sample ID No		: M/s. KIC METALIKS LIMITED Sample ID No		M/s. KIC METALIKS LIMITED Sample ID No		2025/AC-064E	
Address	- ;	Raturia, Angadpur, Durgapur -7132 15, Bardhaman	Sampling Date	1	04.02.2025			
#Customer Representative : D		Dy. Manager	Sampling Time		10:30 AM			
		Dy. Manager	Analysis Start Date		06.02.2025			
#Work Order No.	î	Quotation Ref. No ICI/EQ/ENV/2025/141 Dtd. 27.01.2025	Analysis complete Date	:	07.02.2025			
#Sample Description	- ;	STACK AIR						
#Location	:	SINTER PLANT -2 (HEAD ESP)	SINTER PLANT -2 (HEAD ESP)					
Sample Condition	1	In Glass Microfibre Thimble & Plastic Bottle						
Sampling Method		CPCB, Emission Regulation (Part III)						
DISCIPLINE: CHEMICAL		PRODUCT G	ROUP: ATMOSPHERIC	PO	LLUTION			

A 1# GENERAL INFORMATION ABOUT STACKS

Particulars of the Plant		APG	Shape of Stack	- 1	Circular
Stack attached to		SINTER MACHINE (HEAD)	Material of Construction		M.S.
Emission due to	4	Combustion of B.F. Gas & Coke Fines	Stack ID at sampling point (M)	3	2.98
Fuel Used		B.F. Gas & Coke Fines	At Bottom (M)		
Rated Fuel Consumption	:	B.F. Gas - 2900 Nm³/Hr. Coke Fines - 58 MT/Day	At Top (M)	:	
Working Fuel Consumption			Height Details :		
Calorific Value(Kcal/kg)	:		a) Total Ht. Of stack from GL(M) b) Total Ht. Of stack from RL(M)		50.00
Sulpher Content (% by Wt)	1		c) Ht of sampling port from GL(M)	÷	36.00
Ash Content (% by Wt.)	:	All for the state of the state of	d) Ht. of port from disturbance zone (M)		Barreri -
Pollution Control Device	: E	SP	A CONTRACTOR OF THE PARTY OF TH		
Whether Stack is provided with	permaner	t Platform / Ladder: YES			

B. | PHYSICAL DATA:

Flue Gas Temperature (°C)	(\$1	150	Generation Capacity:		
Barometric Pressure,(mm Hg)		753	a) Rated	:	
Velocity of Gas flow (m/s)	4	9.26	b) Running	:	13 MT/Hr.
Quantity of Gas flow (Nm³/hr)		147754.22	Lond: a) Rated	;	
Pressure			b) Running		

C.| RESULT OF SAMPLING:

Sl. No.	Parameters		Result Obtained	Test Method
01.	Particulate Matter (mg/Nm³)	:	16.0	In Hoss (P. + I) Long (P.) 20101
02.	Particulate Matter Normalized to 12% CO ₂ (V/V) - (mg/Nm ³)	1		IS 11255 (Part -1): 1985 (RA 2019)
03.	Sulphur di-oxide (mg/ Nm³)	:	12.22	IS 11255 (Part -2): 1985(RA 2019)
04.	Carbon mono oxide (as CO)- % (V/V)	1	< 0.2	IS 13270:1992 (RA 2019)
05.	Carbon di oxide (as CO ₂)-% (V/V)		6.6	IS 13270:1992 (RA 2019)

Remarks: Only one (1) port hole available.

For, INDICATIVE CONSULTANT INDIA

Parbati Golui (Quality Manager) Signatory Authority

300-2020ge

Parbati Golui Quality Manager
INDICATIVE CONSULTANT INDIA

Test Witnessed By: Nil (Sampling was done in front of customer representatives) Estimated Uncertainty: Not Required

Note

- # Information provided by customer Sample is drawn by M/s. Indicative Consultant India. Sample submitted and identified by customer as: NA
- Test results shown in this test report relate only to the sample (s) only.
- The test results referred in test report are based on observations & measurements under the stated environmental condition
- The reproduction of the report except in full is invalid without written approval of the laboratory.
- Once issued, the test report/certificate is in public domain and laboratory is not responsible for the authenticity of photocol
- Retention period of tested samples (Thimble) is 180 days from the date of issue of test report unless otherwise specified
- Location of Testing: Haldia Laboratory

End of Report



CENTRAL LABORATORY :

Phone No.: 03224-275765, 9434017584, 9232395890, 7797506973



INDICATIVE CONSULTANT IND





(GOVT. REGISTERED TEST HOUSE)



EMAIL: indicativeconsultantindia@gmail.com / indicativeconsultantindia.kol@gmail.com

TEST REPORT

Date: 12.02.2025		Report No: ICI/HL/A/RN-064F/2025	Format No: ICL/FM/H/58					
Customer Name		M/s. KIC METALIKS LIMITED	Sample ID No		2025/AC- 064F			
Address	: Raturia, Angadpur, Durgapur-7132 15, Bardhaman Sampling Date		1	04.02.2025				
#Customer Representative Name & Contact Number			Sampling Time	1	12:30 PM			
		Dy. Manager	Analysis Start Date		06.02.2025			
#Work Order No.	:	Quotation Ref. No. – ICI/EQ/ENV/2025/141 Dtd. 27.01.2025	:	07.02.2025				
#Sample Description	1	STACK AIR						
#Location	:	SINTER PLANT -2 (TAIL ESP)						
Sample Condition		In Glass Microfibre Thimble						
Sampling Method	1	CPCB, Emission Regulation (Part III)	CPCB, Emission Regulation (Part III)					
DISCIPLINE: CHEMICAL		PRODUCT GRO	UP: ATMOSPHERIC P	OL	LUTION			

A L# GENERAL INFORMATION ABOUT STACKS

Particulars of the Plant			Shape of Stack	:	Circular
Stack attached to		HOT SCREEN SINGLE ROLL CRUSHER, CIRCULAR COOLER, HOT DISE (TAIL)	Material of Construction	:	M.S.
Emission due to	1	During Processing / Coating	Stack ID at sampling point (M)	:	2.40
Fuel Used	:		At Bottom (M)	:	
Rated Fuel Consumption	22		At Top (M)	- 1	-
Working Fuel Consumption	:	All the same	Height Details:		
Calorific Value(Kcal/kg)			a) Total Ht. Of stack from GL(M)	1	40.00
			b) Total Ht. Of stack from RL(M)		-
Sulpher Content (% by Wt)	1		c) Ht of sampling port from GL(M)	12	25.00
Ash Content (% by Wt.)	:	Andrew Print all bridge	d) Ht. of port from disturbance zone (M)		
Pollution Control Device		ESP			

BI PHYSICAL DATA

Flue Gas Temperature (°C)		105	Steam Generation Capacity	:	
Barometric Pressure (mm Hg)	1	753	a) Rated	1	(*)
Velocity of Gas flow (m/s)	- 1	9.33	b) Running	1	-
Quantity of Gas flow (Nm3/hr)	- 1	108415.63	Load: a) Rated	:	
Pressure	- 1		b) Running	:	-

C.I RESULT OF SAMPLING:

SL No.	Parameters		Result Obtained	Test Method
01.	Particulate Matter (mg/Nm³)	1	20.0	15 11255 (P. + 1) 1005 (P. + 2010)
02.	Particulate Matter Normalized to 12% CO ₂ (V/V) - (mg/Nm ³)	į.		IS 11255 (Part -1): 1985 (RA 2019)
03.	Carbon mono oxide (as CO)- % (V/V)	:	<0.2	IS 13270:1992 (RA 2019)

Remarks: Only one (1) port hole available.

For, INDICATIVE CONSULTANT INDIA

Prepared By

Checked By: A

Parbati Golui (Quality Manager)

Parbati Gold Quality Manager

Test Witnessed By: Nil (Sampling was done in front of customer representatives) Estimated Uncertainty: Not Required

Note:

Information provided by customer

Sample is drawn by M/s. Indicative Consultant India. Sample submitted and identified by customer as: NA

Test results shown in this test report relate only to the sample (s) only.

The test results referred in test report are based on observations & measurements under the stated environmental co

The reproduction of the report except in full is invalid without written approval of the laboratory.

Once issued, the test report/certificate is in public domain and laboratory is not responsible for the authenticity

Retention period of tested samples (Thimble) is 180 days from the date of issue of test report unless otherwise

Location of Testing: Haldia Laboratory

End of Report



INDICATIVE CONSULTANT INDIA



INDICATIVE CONSULTAN'I INDIA







(GOVT. REGISTERED TEST HOUSE)

EMAIL: indicativeconsultantindia@gmail.com / indicativeconsultantindia.kol@gmail.com

TEST REPORT

		I LIGIT TOTAL					
Date: 12.02.2025	:	Report No: ICI/HL/A/RN-064G/2025	Format No: ICI/FM/H	o: ICI/FM/H/61			
Customer Name	;	M/s. KIC METALIKS LIMITED	Sample ID No	:	2025/AC-064G		
Address	r	Raturia, Angadpur, Durgapur –713215, Bardhaman	Sampling Date	:	01.02.2025 to 02.02.2025		
#Customer Representative		75 177	Analysis Start Date	:	06.02,2025		
Name & Contact Number		Dy. Manager	Analysis complete Date	:	10.02.2025		
#Work Order No.	:	Quotation Ref. No ICI/EQ/ENV/2025/141 Dtd. 2	27.01.2025				
#Sample Description	:	AMBIENT AIR					
#Location	:	NEAR TEMPLE (MANDIR)					
Sample Condition	:	In Glass Microfibre Filter Paper & Plastic Bottle, S Teflon tube and in Plastic Bottle					
Sampling Method	:	CPCB, Emission Regulation (Part III) / Air Sampli	ng & Analysis 3rd Edition, CF	CB C	iuideline (Vol. – 1)		
Test Specification	:	National Ambient Air Quality Standards vide C New Delhi Notification dated 18th November 200	entral Pollution Control Bo 9	ard,			
DISCIPLINE: CHEMICAL		PRO	DUCT GROUP: ATMOSP	HER	IC POLLUTION		

			SA	AMPLING TIN	4E				
SI. No.	Parameters	Unit	10:10 AM to 06:10 PM	06:25 PM to 02:25 AM	02:40 AM to 10:40 AM	24 Hours Average	Test Method		
1,	Respirable Particulate Matter (PM ₁₀)	μg / m³	72.12	93.52	62.18	75.94	IS 5182 (Part - 23):2006 (RA 2022)		
2.	Respirable Particulate Matter (PM25)	μg / m³	22.44	40.57	35.52	32.84	IS 5182 (Part - 24);2019		
3.	Sulphur Dioxide (SO ₂)	µg/m³	12.22	24.58	16.57	17.79	IS 5182 (Part - 2):2001 (RA 2022)		
4.	Oxides of Nitrogen (NO2)	μg/m³	34.56	41.76	30.86	35.73	IS 5182 (Part - 6):2006 (RA 2022)		
5.	Lead (as Pb)	µg / m³	BLQ	BLQ	BLQ	BLQ	Guidelines for Measurement of ambient air pollutant (Vol.1) NAAQMS/36/2012 13 Atomic AAS Method		
6.	Benzene (as C ₆ H ₆)	μg/m³	BLQ	BLQ	BLQ	BLQ	IS 5182 (Part - 11):2006 (RA 2017)		
7.	Ammonîa (as NH ₃)	μg / m³	BLQ	BLQ	BLQ	BLQ	Method of Air Sampling & Analysis 3 rd Edition, 1988 Method No. 408		
8.	Ozone (as O ₃)	μg / m³	42.1			42.1	Guidelines for Measurement of ambient air pollutant (Vol.1) NAAQMS/36/2012 13 (Chemical Method)		
9.	Carbon Monooxide (as CO)	mg/m³	0.2987	0.3745	0.4125	0.3619	Non-Dispersive Infrared Spectrometry Method		
10.	Benzo(a)Pyrene (BaP)	ng/m³	BLQ	BLQ	BLQ	BLQ	IS 5182 (Part - 12):2004 (RA 2019)		
TI.	Arsenic (as As)	ng/m³	BLQ	BLQ	BLQ	BLQ	AAS Method		
12.	Nickel (as Ni)	ng/m³	BLQ	BLQ	BLQ	BLQ	AAS Method		
13.	Ambient Temperature (Average)	°C	32.0	30.0	28.0	30.0	Hygrometer		

BLQ= Below Limit of Quantification

Limit: (µg / m²) Ambient Air Quality standard (National)

PM₁₂= 100 µg/m², PM₂=60 µg/m², SO₂=80 µg/m², NO₂=80 µg/m², Lead=1.0 µg/m², Ammonia=400 µg/m², 24 hours basis, Carbon mono oxide=2 mg/m², O₃100µg/m² 8hours basis, Benzene=5 µg/m², Benzopyrene=1 ng/m², Arsenic =6 ng/m², Nickel=20ng/m², Annual basis. For, Industrial, Residential, Rural & Other Area and Ecologically Sensitive Area

Ref : National Ambient Air Quality Standards vide Central Pollution Control Board, New Delhi Notification dated 18th November 2009

Checked By

For, INDICATIVE CONSULTANT INDIA

(Quality Manager) Signatory Authority

Parbati Golui

INDICATIVE GONSULTANT INDIA

Quality Manager

Test Witnessed By: Nil (Sampling was done in front of customer representatives) Estimated Uncertainty: Not Required

Note:

Information provided by customer

Sample is drawn by M/s. Indicative Consultant India.

Sample submitted and identified by customer as: NA

Test results shown in this test report relate only to the sample (s) only.

The test results referred in test report are based on observations & measurements under the stated environmental conditions

The reproduction of the report except in full is invalid without written approval of the laboratory.

Once issued, the test report/certificate is in public domain and laboratory is not responsible for the authenticity of phonocopie

Retention period of tested samples (Filter Paper) is 180 days from the date of issue of test report unless otherwise special

Location of Testing : Haldia Laboratory



HPL Link Road, Basudevpur, Khanjanchak, Haldia, Purba Medjopur, Pin-72160 Phone No.: 03224-275765, 9434017584, 9232395890, 7797506973



NDICATIVE CONSULTANT IN







(GOVT. REGISTERED TEST HOUSE)

EMAIL: indicativeconsultantindia@gmail.com / indicativeconsultantindia.kol@gmail.com

		TEST REPORT					
Date: 12.02.2025		Report No: ICI/HL/A/RN-064H/2025	Format No: ICI/FM/H/61				
Customer Name	102	M/s. KIC METALIKS LIMITED	Sample ID No	:	2025/AC-064H		
Address	:	Raturia, Angadpur, Durgapur –713215, Bardhaman	Sampling Date	:	01.02.2025 to 02.02.2025		
#Customer Representative		Police & Paracologicals	Analysis Start Date	:	06.02.2025		
Name & Contact Number		Dy. Manager	Analysis complete Date	:	10.02,2025		
#Work Order No.	:	Quotation Ref. No ICI/EQ/ENV/2025/141 Dtd. 2	7.01.2025				
#Sample Description		AMBIENT AIR					
#Location	;	NEAR ADMINISTRATIVE BUILD					
Sample Condition	:	In Glass Microfibre Filter Paper & Plastic Bottle, So Teflon tube and in Plastic Bottle					
Sampling Method	:	CPCB, Emission Regulation (Part III) / Air Samplin	ng & Analysis 3rd Edition, CP	CB G	uideline (Vol. – 1)		
Test Specification	:	National Ambient Air Quality Standards vide Co New Delhi Notification dated 18th November 2009	entral Pollution Control Boa	ırd,			
DISCIPLINE: CHEMICAL		PROI	DUCT GROUP: ATMOSPH	ERI	C POLLUTION		

			SA	MPLING TIN	1E				
Sl. No.	Parameters	Unit	10:30 AM to 06:30 PM	06:45 PM to 02:45 AM	03:00 AM to 11:00 AM	24 Hours Average	Test Method		
1.	Respirable Particulate Matter (PM ₁₀)	μg / m ³	78.45	97.22	67.53	81.10	IS 5182 (Part - 23):2006 (RA 2022)		
2.	Respirable Particulate Matter (PM _{2.5})	μg / m³	26.85	38.43	24.77	30.02	IS 5182 (Part - 24):2019		
3.	Sulphur Dioxide (SO ₂)	µg/m³	12.87	18.95	11.53	14.45	IS 5182 (Part - 2):2001 (RA 2022)		
4.	Oxides of Nitrogen (NO ₂)	μg/m³	31.22	43.56	30.76	35.18	IS 5182 (Part -6):2006 (RA 2022)		
5.	Lead (as Pb)	μg/m³	BLQ	BLQ	BLQ	BLQ	Guidelines for Measurement of ambient air pollutant (Vol.1) NAAQMS/36/2012-13 Atomic AAS Method		
6	Benzene (as C ₆ H ₆)	µg/m³	BLQ	BLQ	BLQ	BLQ	IS 5182 (Part - 11):2006 (RA 2017)		
7.	Ammonia (as NH ₃)	μg/m³	BLQ	BLQ	BLQ	BLQ	Method of Air Sampling & Analysis 3rd Edition, 1988 Method No. 408		
8.	Ozone (as O ₃)	μg / m³	40.7	f.		40.7	Guidelines for Measurement of ambient air pollutant (Vol.1) NAAQMS/36/2012-13 (Chemical Method)		
9	Carbon Monooxide (as	mg/m³	0.2587	0.3657	0,4211	0.3485	Non-Dispersive Infrared Spectrometry Method		
10.	Benzo(a)Pyrene (BaP)	ng/m³	BLQ	BLQ	BLQ	BLQ	IS 5182 (Part - 12):2004 (RA 2019)		
11.	Arsenic (as As)	ng/m³	BLQ	BLQ	BLQ	BLQ	AAS Method		
12.	Nickel (as Ni)	ng/m³	BLQ	BLQ	BLQ	BLQ	AAS Method		
13.	Ambient Temperature (Average)	°C	31.0	30.0	27.0	29.0	Hygrometer		

BLO= Below Limit of Quantification

Limit: (µg/m²) Ambient Air Quality standard (National)

PM₁= 100 µg/m², PM₂=60 µg/m², SO;=80 µg/m², NO;=80 µg/m², Lead=1.0 µg/m², Ammonia=400 µg/m², 24 hours basis, Carbon mono oxide=2 mg/m², O;100µg/m² Shours basis, Benzene=5 µg/m², Benzopyrene=1 ng/m², Arsenic =6 ng/m², Nickei=20ng/m², Annual basis. For, Industrial, Residential, Rural & Other Area and Ecologically Sensitive Area

Ref : National Ambient Air Quality Standards vide Central Pollution Control Board, New Delhi Notification dated 18th November 2009

Checked B

For, INDICATIVE CONSULTANT INDIA

Parbait Gold (Quality Manager) Signatory Authority

Parbati Golui Quality Manager INDICATIVE GONSULTANT INDIA

Note:

Information provided by customer Sample is drawn by M/s. Indicative Consultant India.

Sample submitted and identified by customer as: NA

Test results shown in this test report relate only to the sample (s) only.

Test Witnessed By: Nil (Sampling was done in front of customer representatives)


The test results referred in test report are based on observations & measurements under the stated environmental condition. The reproduction of the report except in full is invalid without written approval of the laboratory.

Once issued, the test report/certificate is in public domain and laboratory is not responsible for the authenticity of phriocop Resention period of tested samples (Filter Paper) is 180 days from the date of issue of test report unless otherwise specified.

Location of Testing: Haldia Laboratory

Estimated Uncertainty: Not Required

End of Report





IDICATIVE CONSULTANT INDIA





(GOVT. REGISTERED TEST HOUSE)

EMAIL: indicativeconsultantindia@gmail.com / indicativeconsultantindia.kol@gmail.com

TECT DEPORT

		TEST REPORT			
Date: 12.02.2025	:	Report No: ICI/HL/A/RN-064I/2025	Format No: ICI/FM/H	1/61	
Customer Name	1	M/s. KIC METALIKS LIMITED	Sample ID No	:	2025/AC-064I
Address	:	Raturia, Angadpur, Durgapur –713215, Bardhaman	Sampling Date	;	04.02.2025 to 05.02.2025
#Customer Representative		THE COLUMN TWO IS NOT	Analysis Start Date		06.02.2025
Name & Contact Number	1	Dy. Manager	Analysis complete Date	1	10.02.2025
#Work Order No.	:	Quotation Ref. No ICI/EQ/ENV/2025/141 Dtd. 2	27.01.2025		
#Sample Description	:	AMBIENT AIR			
#Location	:	AT THE BACK SIDE OF THE PL	ANT		
Sample Condition	:	In Glass Microfibre Filter Paper & Plastic Bottle, S Teflon tube and in Plastic Bottle			
Sampling Method		CPCB, Emission Regulation (Part III) / Air Samplin	ng & Analysis 3rd Edition, CP	CB G	uideline (Vol. – 1)
Test Specification	:	National Ambient Air Quality Standards vide C New Delhi Notification dated 18th November 200	entral Pollution Control Bos 9	ird,	
DISCIPLINE: CHEMICAL		PRO	DUCT GROUP: ATMOSPI	HERI	C POLLUTION

				SAMPLING TIME			
SI. No.	Parameters	Unit	10:20 AM to 06:20 PM	06:35 PM to 02:35 AM	02:50 AM to 10:50 AM	24 Hours Average	Test Method
ji.	Respirable Particulate Matter (PM ₁₀)	μg / m ³	77.45	86.97	72.33	78.92	IS 5182 (Part - 23) 2006 (RA 2022)
2.	Respirable Particulate Matter (PM _{2.5})	μg/m³	21.13	33.66	20.08	24.96	IS 5182 (Part - 24):2019
3.	Sulphur Dioxide (SO ₂)	μg/m³	14.12	20.23	16.22	16.86	IS 5182 (Part - 2) 2001 (RA 2022)
4.	Oxides of Nitrogen (NO ₂)	µg/m³	35.23	39.87	32.32	35.81	IS 5182 (Part - 6) 2006 (RA 2022)
5.	Lead (as Pb)	μg / m ³	BLQ	BLQ	BLQ	BLQ	Guidelines for Measurement of ambient air pollutant (Vol.1) NAAQMS/36/2012 13 Atomic AAS Method
6.	Benzene (as C ₆ H ₆)	µg/m³	BLQ	BLQ	BLQ	BLQ	IS 5182 (Part - 11):2006 (RA 2017)
7.	Ammonia (as NH ₃)	μg/m³	BLQ	BLQ	BLQ	BLQ	Method of Air Sampling & Analysis 3 rd Edition, 1988 Method No. 408
8.	Ozone (as O ₃)	μg / m³	41.7	6. 1		41.7	Guidelines for Measurement of ambient air pollutant (Vol.1) NAAQMS/36/2012 13 (Chemical Method)
9,	Carbon Monooxide (as	mg/m³	0.2812	0.3605	0.3987	0.3468	Non-Dispersive Infrared Spectrometry Method
10.	Benzo(a)Pyrene (BaP)	ng/m³	BLQ	BLQ	BLQ	BLQ	IS 5182 (Part - 12):2004 (RA 2019)
11.	Arsenic (as As)	ng/m³	BLQ	BLQ	BLQ	BLQ	AAS Method
12.	Nickel (as Ni)	ng/m³	BLQ	BLQ	BLQ	BLQ	AAS Method
13.	Ambient Temperature (Average)	°C	31.0	29.0	28.0	31.0	Hygrometer

BLQ= Below Limit of Quantification

Limit: (μg / m²) Ambient Air Quality standard (National)

Limit: (μg / m²) Ambient Air Quality standard (National)

PM₁₀= 100 μg/m², PM₂=60 μg/m², SO₂=80 μg/m², NO₂=80 μg/m², Lead=1.0 μg/m², Ammonia=490 μg/m², 24 hours basis, Carbon mono oxide=2 mg/m², O₃
100μg/m² 8hours basis, Benzene=5 μg/m², Benzopyrene=1 ng/m², Arsenic =6 ng/m³, Nickei=20ng/m², Annual basis. For, Industrial, Residential, Rural & Other

Area and Ecologically Sensitive Area Ref : National Ambient Air Quality Standards vide Central Pollution Control Board, New Delhi Notification dated 18th November 2009

Note:

For, INDICATIVE CONSULTANT INDIA

Parham Peluin (Quality Manager) Signatory Authority

Parbati Golui Quality Manager INDICATIVE GONSULTANT INDIA

Estimated Uncertainty: Not Required # Information provided by customer

Sample is drawn by Ms. Indicative Consultant India.

Sample submitted and identified by customer as: NA

Test results shown in this test report relate only to the sample (s) only.

Test Witnessed By: Nil (Sampling was done in front of customer representatives)

The test results referred in test report are based on observations & measurements under the stated environmental condutors of

The reproduction of the report except in full is invalid without written approval of the laboratory.

Once issued, the test report/certificate is in public domain and laboratory is not responsible for the authenticity of photocopied test

Retention period of tested samples (Filter Paper) is 180 days from the date of issue of test report unless otherwise specified

Location of Testing : Haldia Laboratory

End of Report







DICATIVE CONSULTANT INDIA



(GOVT. REGISTERED TEST HOUSE)





EMAIL: indicativeconsultantindia@gmail.com / indicativeconsultantindia.kol@gmail.com

		TEST REPORT			
Date: 12.02,2025	:	Report No: ICI/HL/A/RN-064J/2025	Format No: ICI/FM/F	1/61	
Customer Name	:	M/s, KIC METALIKS LIMITED	Sample ID No	:	2025/AC-064J
Address	:	Raturia, Angadpur, Durgapur –713215, Bardhaman	Sampling Date	:	04.02.2025 to 05.02.2025
#Customer Representative	Representative Analysis Start D		Analysis Start Date	2	06.02.2025
Name & Contact Number	1	Dy. Manager	Analysis complete Date	:	10.02,2025
#Work Order No.	1	Quotation Ref. No ICI/EQ/ENV/2025/141 Dtd. 2	27,01,2025		
#Sample Description		AMBIENT AIR			
#Location	:	NEAR PIG YARD			
Sample Condition	:	In Glass Microfibre Filter Paper & Plastic Bottle, S Teflon tube and in Plastic Bottle			
Sampling Method	:	CPCB, Emission Regulation (Part III) / Air Samplin	ng & Analysis 3rd Edition, CPG	CB G	uideline (Vol 1)
Test Specification	:	National Ambient Air Quality Standards vide Co New Delhi Notification dated 18th November 2009	entral Pollution Control Boa 9	rd,	
DISCIPLINE: CHEMICAL		PRO	DUCT GROUP: ATMOSPI	IERI	C POLLUTION

DISC	IPLINE; CHEMICAL				PRODI	JCT GROUP	: ATMOSPHERIC POLLUTION	
			S/	MPLING TIM	AE .			
SI. No.	Parameters	Unit	09:45 AM to 05:45 PM	06:00 PM to 02:00 AM	02:15 AM to 10:15 AM	24 Hours Average	Test Method	
1.	Respirable Particulate Matter (PM ₁₀)	μg / m³	88.53	96.74	79.25	88.17	IS 5182 (Part - 23):2006 (RA 2022)	
2	Respirable Particulate Matter (PM25)	μg / m³	21.12	35.58	18.73	25.14	IS 5182 (Part - 24):2019	
3.	Sulphur Dioxide (SO ₂)	μg/m³	12.56	17.87	10.85	13.76	IS 5182 (Part - 2):2001 (RA 2022)	
4.	Oxides of Nitrogen (NO ₂)	μg/m³	33.65	41.15	31.53	35.44	IS 5182 (Part - 6):2006 (RA 2022)	
5.	Lead (as Pb)	μg / m³	BLQ	BLQ	BLQ	BLQ	Guidelines for Measurement of ambient air pollutant (Vol.1) NAAQMS/36/2012- 13 Atomic AAS Method	
6	Benzene (as C ₆ H ₆)	μg/m³	BLQ	BLQ	BLQ	BLQ	IS 5182 (Part - 11) 2006 (RA 2017)	
7.	Ammonia (as NH ₃)	μg / m³	BLQ	BLQ	BLQ	BLQ	Method of Air Sampling & Analysis 3 rd Edition, 1988 Method No. 408	
8.	Ozone (as O ₁)	μg / m³	40.6			40.6	Guidelines for Measurement of ambient air pollutant (Vol.1) NAAQMS/36/2012- 13 (Chemical Method)	
9.	Carbon Monooxide (as	mg/m³	0.2982	0.4023	0.4362	0.3789	Non-Dispersive Infrared Spectrometry Method	
10.	Benzo(a)Pyrene (BaP)	ng/m³	BLQ	BLQ	BLQ	BLQ	IS 5182 (Part - 12):2004 (RA 2019)	
11.	Arsenic (as As)	ng/m³	BLQ	BLQ	BLQ	BLQ	AAS Method	
12	Nickel (as Ni)	ng/m³	BLQ	BLQ	BLQ	BLQ	AAS Method	
13.	Ambient Temperature (Average)	°C	31.0	28.0	27.0	29.0	Hygrometer	

BLQ= Below Limit of Quantification

Limit: (µg/m²) Ambient Air Quality standard (National)

PM₁₀= 100 µg/m², PM_{2.5}=60 µg/m², SO₂=80 µg/m², NO₂=80 µg/m², Lead=1.0 µg/m², Ammonia=400 µg/m², 24 hours basis, Carbon mono oxide=2 mg/m², O₂100µg/m² 8hours basis, Benzene=5 µg/m², Benzopyrene=1 ng/m², Arsenic =6 ng/m², Nickel=20ng/m², Annual basis. For, Industrial, Residential, Rural & Other Area and Ecologically Sensitive Area
Ref : National Ambient Air Quality Standards vide Central Pollution Control Board, New Delht Notification dated 18th November 2009

For, INDICATIVE CONSULTANT INDIA

Parbati Cohn (Quality Manager) Signatory Authority

Parbati Golui Quality Manager INDICATIVE GONSULTANT INDIA

Note:

Estimated Uncertainty: Not Required

Information provided by customer Sample is drawn by M/s. Indicative Consultant India.

Sample submitted and identified by customer as: NA

Test results shown in this test report relate only to the sample (s) only.

Test Witnessed By: Nil (Sampling was done in front of customer representatives)

The test results referred in test report are based on observations & measurements under the stated environmental conditions

The reproduction of the report except in full is invalid without written approval of the laboratory.

Once issued, the test report/certificate is in public domain and laboratory is not responsible for the authenticity of photocopied lest report Retention period of tested samples (Filter Paper) is 180 days from the date of issue of test report unless otherwise specified,

Location of Testing: Haldia Laboratory

End of Report



HPL Link Road, Basudevpur, Khanjanchak, Haldia, Purba Med higur, Pin-721602 Phone No.: 03224-275765, 9434017584, 9232395890, 7797506973

CAAQMS STATION



PRADIP DAS DY. MANAGER

Militar.	RATURIA	KIC METALIKS LTD. ,ANGADPUR,DURGAPUR-15, WEST B. ENVIRONMENTAL INFORM	ARDHAMAN (W.B)	INEXURE -
1	Consent to Operate Certificate N	No.: WBPCB/4826544/20240 Dt.03.0		DATE OF ANALYSIS FROM 06.02.2025 -
		3.2023 valid - 30.04.2028	TO 10.02.2025	
2		CPP BOILER		DATE OF SAMPLING
1	Stack Analysis Report :	Concentration Limit	Result	01.02.2025
	Parameter	Concentration Limit	20.0	
- 1	PM (mg/Nm³)	50	10.8	
	CO2 (v/v)	50	< 0.2	
	CO %(v/v)	SINTER PLANT - 1 (HEAD ESP)		01.02.2025
	Stack Analysis Hepert	Concentration Limit	Result	
	Parameter	Concentration Linit	22.0	
	PM (mg/Nm³)	75	7.6	
	CO2 % (v/v)	/3	< 0.2	
	CO % (v/v)	SINTER PLANT - 1 (TAIL ESP)		01.02.2025
	Stack Analysis Report :	THE RESERVE OF THE PARTY OF THE	Result	
	Parameter	Concentration Limit	20.0	
	PM (mg/Nm ³)		20.0	
	CO2 % (v/v)	75	< 0.2	_
	CO % (v/v)		< 0.2	04.02.2025
)	Stack Analysis Report :	SINTER PLANT - 2 (HEAD ESP)	D-v-It	04.02.2323
П	Parameter	Concentration Limit	Result	
	PM (mg/Nm ³)		16.0	
	CO2 % (v/v)	75	6.6	
	CO % (v/v)		< 0.2	04.02.2025
	Stack Analysis Report :	SINTER PLANT - 2 (TAIL ESP)		04.02.2025
T	Parameter	Concentration Limit	Result	
	PM (mg/Nm ³)		20.0	
	CO2 % (v/v)	75		
	CO % (v/v)		< 0.2	
F	Stack Analysis Report :	MBF-STOVE (MINI BLAST FURNACE)		01.02.2025
	Parameter	Concentration Limit	Result	
	PM (mg/Nm ³)		22.0	
	CO2 (v/v)	25	11.4	
	CO % (v/v)		< 0.2	
-	Liquid Effluent Analysis Report :		DATE OF SAMPLING :	04.02.2025
-	Parameter .	Concentration Limit	Result	
		5,5 - 9.0	6.87	
	pH Tes (//)	100	96.0	DATE OF ANALYSI
	TSS (mg/L)	30	26.0	FROM 06.02.2025
	BOD [3days 27 c](mg/L)	250	202.7	11.02.2025
	COD (mg/L)	10	9.5	
-	Oil & Grease(mg/L)			
	Hazardous Chemicals Analysis Rep	Quantity used/Month	Maximum storage	Stock as on 01.04.
	Name of the Chemicals	NIL NIL	NIL	NIL
L	No.Hazardous Chemicals used	Generation/Annum	Storage/ Disposal	Stock as on 01.04.
L	Name of the Hazardous Waste		2.395 MT	0.25 MT
1	1 USED OIL	2.395 MT	A SOCIAL SECTION ASSESSMENT OF THE PARTY OF	O DAG NAT

0.016 MT

1.95 MT

USED OIL

OIL FILTER

4 SAFETY SHOE & HAND GLOVES

3

FOR KIC METALIKATIO

0

1.95 MT

PRADIA DAS DY. MANAGER

0.016 MT

0 MT



K I C METALIKS LIMITED

"OM Tower" 32, Jawahar Lal Nehru Road, 3rd Floor, Room No. 304, Kolkata - 700 071 Phone: +91 33 3517 3005, 3507 2679

Ref. No. KIC/POLLU/2024-25/120

To

The Environmental Engineer

Durgapur Regional office, West Bengal Pollution Control Board City Centre, Durgapur – 16 Date 01.11.2024

Sub: Submitting monthly summary report of continuous stack emission and air quality monitoring.

Dear Sir,

Please find enclosed herewith the monthly summary reports of continuous stack emission (for the month of October' 2024). Copy attached herewith for your perusal.

This is for your information and does the needful.

Regards,

Yours faithfully,

For KIC METALIKS LTD.

PRADIP DAS GEN

Mob. No.9874943332

Encl: as above



CIN: L01409WB 1986PLC041169

Factory: Raturia, Angadpur, Durgapur - 713 215, Phone: 9874943345 Email: info@kicmetaliks.com • Website: www.kicmetaliks.com

EnviroConnect	HNL SYSTEMS PVT. LTD.	Historical Data
Plant Name	KIC METALIKS LTD	
Plant Address	KIC Mataliks Ltd. Raturia, Angadpur	Durgapur (West Bangal)
Station Name	MBF	
From Date	1/10/2024 0:00	
To Date	31/10/2024 09:43:00	
Interval	Daily	
Function	Average	
Parameter	PM	
Unit	mg/Nm3	
Limit	0.00 - 25.00	
1/10/2024 0:00	10.93	
2/10/2024 0:00	10.93	
3/10/2024 0:00	10.93	
4/10/2024 0:00	11.07	
5/10/2024 0:00	11.09	
6/10/2024 0:00	10.86	
7/10/2024 0:00	11.1	
8/10/2024 0:00	11.16	
9/10/2024 0:00	10.99	
10/10/2024 0:00	11.12	
11/10/2024 0:00	10.97	
12/10/2024 0:00	11.04	
13-10-2024 00:00:00	11.05	
14-10-2024 00:00:00	11.02	
15-10-2024 00:00:00	10.99	
16-10-2024 00:00:00	11.15	
17-10-2024 00:00:00	11.16	
18-10-2024 00:00:00	11,18	
19-10-2024 00:00:00	11.15	
20-10-2024 00:00:00	11.16	
21-10-2024 00:00:00	11.17	
22-10-2024 00:00:00	11.16	
23-10-2024 00:00:00	11.16	
24-10-2024 00:00:00	11.17	
25-10-2024 00:00:00	11.18	
26-10-2024 00:00:00	11.2	
27-10-2024 00:00:00	11.18	
28-10-2024 00:00:00	11.18	
29-10-2024 00:00:00	11.17	
30-10-2024 00:00:00	11.15	
31-10-2024 00:00:00	11.15	

FOR KIC METALING LTD

BRABIP DAS

BY. MANAGER

EnviroConnect	HNL SYSTEMS PVT. LTD.	Historical Data
Plant Name	KIC METALIKS LTD	
Plant Address	KIC Mataliks Ltd. Raturia, Angadpur	Durgapur (West Bang II)
Station Name	CPP	
From Date	1/10/2024 0:00	
To Date	31/10/2024 10:21:00	
Interval	Daily	
Function	Average	
Parameter	PM	
Unit	mg/Nm3	
Limit	0.00 - 50.00	
5/10/2024 0:00	26.06	<
9/10/2024 0:00	45.41	<
10/10/2024 0:00	45.24	< H
11/10/2024 0:00	46.24	
12/10/2024 0:00	45.86	
13-10-2024 00:00:00	44.88	
14-10-2024 00:00:00	46.32	
15-10-2024 00:00:00	45.33	<
16-10-2024 00:00:00	45.77	Н
17-10-2024 00:00:00	47.28	< H
18-10-2024 00:00:00	49.18	< H
19-10-2024 00:00:00	46.92	Н
20-10-2024 00:00:00	47.59	H
21-10-2024 00:00:00	45.04	<
22-10-2024 00:00:00	45.66	
23-10-2024 00:00:00	45.92	H
24-10-2024 00:00:00	43.18	
25-10-2024 00:00:00	42.84	<
26-10-2024 00:00:00	44.87	
27-10-2024 00:00:00	47.19	< H
28-10-2024 00:00:00	49.91	Н
29-10-2024 00:00:00	50.1	Н
30-10-2024 00:00:00	49.85	
31-10-2024 00:00:00	47.56	< H

FOT KIC METALING LTD

PRADIP DAS
DY. MANAGER

EnviroConnect	HNL SYSTEMS PVT. LTD.	Historical Data
Plant Name	KIC METALIKS LTD	
Plant Address	KIC Mataliks Ltd. Raturia, Angadpur	Durgapur (West Bangal)
Station Name	SINTER - 1 (HEAD)	
From Date	1/10/2024 0:00	
To Date	31/10/2024 10:25:00	
Interval	Daily	
Function	Average	
Parameter	PM	
Unit	mg/Nm3	
Limit	0.00 - 25.00	
1/10/2024 0:00	197.17	< H
2/10/2024 0:00	35.82	
3/10/2024 0:00	18.46	<
4/10/2024 0:00	18.78	<
5/10/2024 0:00	18.72	
6/10/2024 0:00	18.65	
7/10/2024 0:00	18.8	
8/10/2024 0:00	18.77	
9/10/2024 0:00	18.84	
10/10/2024 0:00	41.8	H
11/10/2024 0:00	213.15	Н
12/10/2024 0:00	160.72	H
13-10-2024 00:00:00	41.75	H
14-10-2024 00:00:00	18.28	
15-10-2024 00:00:00	19.7	< H
16-10-2024 00:00:00	18.1	
17-10-2024 00:00:00	17.96	
18-10-2024 00:00:00	18.01	
19-10-2024 00:00:00	17.98	<
20-10-2024 00:00:00	17.98	
21-10-2024 00:00:00	18.32	
22-10-2024 00:00:00	18.45	<
23-10-2024 00:00:00	18.17	
24-10-2024 00:00:00	18.17	
25-10-2024 00:00:00	17.92	<

FOI KIC METALIKS LTD


PRADIP DAS

PRADIP DAS

OY. MANAGER

EnviroConnect	HNL SYSTEMS PVT. LTD.	Historical Data
Plant Name	KIC METALIKS LTD	
Plant Address	KIC Mataliks Ltd. Raturia, Angadpur	Durgapur (West Bangal)
Station Name	SINTER - 1 (TAIL)	
From Date	1/10/2024 0:00	
To Date	31/10/2024 10:29:00	
Interval	Daily	
Function	Average	
Parameter	PM	
Unit	mg/Nm3	
Limit	0.00 - 25.00	
1/10/2024 0:00	19.45	< H
3/10/2024 0:00	19.2	< H
4/10/2024 0:00	19.59	< H
5/10/2024 0:00	19.7	< H
6/10/2024 0:00	19.19	< H
7/10/2024 0:00	19.38	< H
14-10-2024 00:00:00	18.71	< H
15-10-2024 00:00:00	19.28	< H
16-10-2024 00:00:00	18.78	< H
17-10-2024 00:00:00	18.8	< H
18-10-2024 00:00:00	19.07	< H
19-10-2024 00:00:00	18.72	< H
20-10-2024 00:00:00	18.57	< H
21-10-2024 00:00:00	18.91	< H
22-10-2024 00:00:00	19.75	C. Land
23-10-2024 00:00:00	19.62	< H
24-10-2024 00:00:00	19.23	
25-10-2024 00:00:00	18.87	< H
26-10-2024 00:00:00	18.96	< H
27-10-2024 00:00:00	18.73	< H
29-10-2024 00:00:00	18.66	< H
30-10-2024 00:00:00	18.81	< H
31-10-2024 00:00:00	19.5	< H

FOT KIC METALING LITO DAS ER OY, MANAGER



NA- Disabled By CPCB

Not Meeting Standard

Continuous Emission Monitoring System

24 Hours Average Data from 01-10-2024 00:00 HRS to 31-10-2024 09:54 HRS

Company Name	KIC Metaliks I	Limited
Station Name	Stack_1_Sinter Main Plant_Head ESP	Stack_2_Sinter Plant_Tail ESP
Parameter Name	PM (mg/Nm3)	PM (mg/Nm3)
Permissible Range	150	150
31-10-2024 00:00:00	11.76	17.74
30-10-2024 00:00:00	12.30	16.22
29-10-2924 00:00:00	12.19	15.84
28-10-2024 00:00:00	12,10	16.44
27-10-2024 00:00:00	12.21	18.23
26-10-2024 00:00:00	11.88	18.24
25-10-2024 00:00:00	12,01	17.37
24-10-2024 00:00:00	11.99	16.72
23-10-2024 00:00:00	11.67	16.28
22-10-2024 00:00:00	12.31	16,99
21-10-2024 00:00:00	11.84	16.70
20-10-2024 00:00:00	11.67	16.61
19-10-2024 00:00:00	12,21	18,55
18-10-2024 00:00:00	12.48	17.47
17-10-2024 00:00:00	11,87	16.43
16-10-2024 00:00:00	11.34	16.37
15-10-2024 00:00:00	11.70	15.65
14-10-2024 00:00:00	11.21	16.67
13-10-2024 00:00:00	11.10	17.20
12-10-2024 00:00:00	11.13	16.20
11-10-2024 00:00:00	11.83	17.12
10-10-2024 00:00:00	11.90	16.50

07-10-2024 00:00 00	11.98	16.19	
06-10-2024 00:00:00	12.29	15.08	
05-10-2024 00:00:00	12.07	16.93	
04-10-2024 00:00 00	12.23	15.53	
03-10-2024 00:00:00	11.72	15,89	
02-10-2024 00:00:00	11,48	15,96	

Nevco Engineers Pvt. Ltd. 2024.

Server Current Date & Time 01-Nov-2024 09:55

Powered by Srijan Webmatics Pvt. Ltd.

FOT KIC METALIKS LTD

PRADIP DAS
DY. MANAGER



"OM Tower" 32, Jawahar Lal Nehru Road, 3rd Floor, Room No. 304, Kolkata - 700 071 Phone: +91 33 3517 3005, 3507 2679

Ref. No. KIC/POLLU/2024-25/138

To

Date 02.12.2024

The Environmental Engineer

Durgapur Regional office, West Bengal Pollution Control Board City Centre, Durgapur – 16

Sub: Submitting monthly summary report of continuous stack emission and air quality monitoring.

0/6

Dear Sir,

Please find enclosed herewith the monthly summary reports of continuous stack emission (for the month of November' 2024). Copy attached herewith for your perusal.

This is for your information and does the needful.

Regards,

Yours faithfully,

For KIC METALIKS LTD.

PRADIP DASCIWI Dy. Manager Mob. No.9874943332

Encl: as above

RECEIVED TO THE POLICE OF THE

CIN: L01409WB 1986PLC041169

Factory: Raturia, Angadpur, Durgapur - 713 215, Phone: 9874943345 Email: info@kicmetaliks.com • Website: www.kicmetaliks.com Envirotionnect

Hant Name : KIC METALIKS LTD

Plant Address : KIC Mataliks Ltd. Raturia, Angadpur., Durgapur (West Bangal)

Station Name : Stack | MBF From Date: 01-11-2024 00:00:00 To Date: 30-11-2024 09:20:00

nterval : Daily function : Average

11.15

11.10

11.05


17,00

10.95

0.90

10:80

Nov



egends : < - Average with less data, C - Calibration mode, M - Maintenance mode, S - Data under scrutiny,

Parameter	PM	
	mg/Nm3	
mil	0.00 - 25.00	
01-11-2024 00:00:00	11.13	
04-11-2024 00:00:00	11.15	
05-11-2024-00:00:00	11.17	
06-11-2024-00:00:00	11.18	
07-11-2024 00:00:00	11.11	
08-11-2024 00:00:00	11.09	
09-11-2024 00:00:00	11.09	
10-11-2024 00:00:00	11.08	
11-11-2024 00:00:00	11.17	
12-11-2024 00:00:00	11.19	
13-11-2024 00:00:00	11.01	
14-11-2024 00:00:00	10.95	
15-11-2024 00:00:00	10.96	
16-11-2024 00:00:00	11.04	
17-11-2024 00:00:00	11.14	<
18-11-2024 00:00:00	11.01	
19-11-2024-00:00:00	11.02	
20-11-2024 00:00:00	11.01	
21-11-2024 00:00:00	10,97	
22-11-2024 00:00:00	10.85	
23-11-2024 00:00:00	10.90	
24-11-2024 00:00:00	11.05	
25-11-2024 00:00:00	10.83	
26-11-2024-00:00:00	10.84	
27-11-2024 00:00:00	10.93	
28-11-2024-00:00:00	10.92	
29-11-2024 00:00:00	11.01	
30-11-2024 00:00:00	10.98	

FOR KIC METALIKS LTD


PRADIP DAS DY. MANAGER Connect

Plant Name: KIC METALIKS LTD

Plant Address : KIC Mataliks Ltd. Raturia, Angadpur,, Durgapur (West Bangal)

Station Name : Stack 2_CPP From Date : 01-11-2024 00:00:00 fo Date : 30-11-2024 09:22:00

nterval : Daily function : Average



egends : < - Average with less data, C - Calibration mode, M - Maintenance mode, S - Data under scrutiny,

Bad data, H - High limit crossed, L - Low permissible limit crossed

Parameter	PM	
	mg/Nm3	
nit	0.00 - 50.00	
01-11-2024 00:00:00	45.29	<
04-11-2024 00:00:00	48.68	< H
05-11-2024 00:00:00	47.73	H
06-11-2024 00:00:00	47,80	H
07-11-2024 00:00:00	47.63	H
08-11-2024 00:00:00	48.47	< H
09-11-2024 00:00:00	51.32	< H
10-11-2024 00:00:00	49.23	< H
11-11-2024 00:00:00	54.50	< H
12-11-2024 00:00:00	51.92	H
13-11-2024 00:00:00	51.89	H
14-11-2024 00:00:00	51.79	H
15-11-2024 00:00:00	51.06	< H
16-11-2024 00:00:00	52.94	H
17-11-2024 00:00:00	52.57	<h< td=""></h<>
18-11-2024 00:00:00	54.02	< H
19-11-2024 00:00:00	52.63	< H
20-11-2024 00:00:00	51.98	< H
21-11-2024 00:00:00	51.94	H
22-11-2024 00:00:00	52.70	H
23-11-2024 00:00:00	53,03	< H
24-11-2024 00:00:00	53.32	Н
25-11-2024 00:00:00	53.72	H
26-11-2024 00:00:00	53.59	< H
27-11-2024 00:00:00	52.77	< H
28-11-2024 00:00:00	54.05	< H
29-11-2024 00:00:00	53.88	< H
30-11-2024 00:00:00	52.53	< H


PRADIP DAS DY. MANAGER

LOGO

Plant Address: KIC Mataliks Ltd. Raturia, Angadpur., Durgapur (West Bangal)

tation Name : STACK 1_Exhaust Fan rum Date : 01-11-2024 00:00:00 u Date : 30-11-2024 09:22:00

nterval : Daily unction : Average



gends : < - Average with less data, C - Calibration mode, M - Maintenance mode, S - Data under scrutiny,

Bud data, H - High limit crossed, L - Low permissible limit crossed

Parameter	PM	
	mg/Nm3	
	0.00 - 25.00	
05-11-2024 00:00:00	18.07	<
06-11-2024-00:00:00	17.89	
07-11-2024 00:00:00	17.83	
08-11-2024 00:00:00	17.80	<
09-11-2024 00:00:00	18.39	<
10-11-2024 00:00:00	18.31	<
11-11-2024 00:00:00	18.50	<
12-11-2024 00:00:00	18.37	
13-11-2024 00:00:00	18.98	
14-11-2024 00:00:00	19.13	
15-11-2024 00:00:00	18.95	
16-11-2024 00:00:00	19.14	Н
17-11-2024 00:00:00	18.80	<
18-11-2024 00:00:00	18.96	<
19-11-2024 00:00:00	18.85	
20-11-2024 00:00:00	19.02	
21-11-2024 00:00:00	18.94	
22-11-2024 00:00:00	18.82	
23-11-2024 00:00:00	18.88	
24-11-2024 00:00:00	19.01	
25-11-2024 00:00:00	18.99	
26-11-2024 00:00:00	18.82	
27-11-2024 00:00:00	19.34	<
28-11-2024 00:00:00	19.17	<
29-11-2024 00:00:00	18.89	
30-11-2024 00:00:00	18.74	< /

FOR KIC METALIKE LTD


PRADIP DAS

DY. MANAGER

Plant Address : KIC Mataliks Ltd. Raturia, Angadpur,, Durgapur (West Bangal)

Station Name: Stack2 Tail_ID_Fan From Date: 01-11-2024 00:00:00 To Date: 30-11-2024 09:23:00

nterval : Daily unction : Average




egends : < - Average with less data, C - Calibration mode, M - Maintenance mode, S - Data under scrutiny,

	Parameter	PM	
		mg/Nm3	
űt		0.00 - 25.00	
	01-11-2024 00:00:00	19.23	< H
	02-11-2024 00:00:00	18.99	<h< td=""></h<>
	03-11-2024 00:00:00	18.94	<h< td=""></h<>
	04-11-2024 00:00:00	19.19	< H
	05-11-2024 00:00:00	19.04	<h< td=""></h<>
	06-11-2024-00:00:00	19.17	< H
	07-11-2024 00:00:00	19.15	< H
	08-11-2024 00:00:00	19,04	<h< td=""></h<>
	09-11-2024-00:00:00	19.41	< H
	10-11-2024 00:00:00	19.50	< H
	11-11-2024 00:00:00	19.25	<h< td=""></h<>
	12-11-2024 00:00:00	19.24	< H
	13-11-2024 00:00:00	19.45	< H
	14-11-2024 00:00:00	19.55	< H
	15-11-2024 00:00:00	19.45	< H
	16-11-2024-00:00:00	19.59	< H
	17-11-2024 00:00:00	19.57	< H
	18-11-2024 00:00:00	19.14	< H
	19-11-2024 00:00:00	19,17	< H
	20-11-2024 00:00:00	18.83	< H
	21-11-2024 00:00:00	18.98	< H
110	22-11-2024 00:00:00	19.09	< H
	23-11-2024 00:00:00	19.30	< H
133	24-11-2024 00:00:00	19.34	< H
	25-11-2024 00:00:00	19.22	< H
	26-11-2024 00:00:00	19.23	< H
	27-11-2024 00:00:00	19.76	< H
	28-11-2024 00:00:00	20.09	< H
	29-11-2024 00:00:00	19.32	<h <="" td=""></h>
	30-11-2024 00:00:00	18.85	<h <="" td=""></h>

FOR KIC METALIKS LTD

PRADIP DAS DY. MANAGER



Continuous Emission Monitoring System

24 Hours Average Data from 01-11-2024 00:00 HRS to 30-11-2024 09:26 HRS

Company Hamo	RIC Metallica Limited		
Station Name	Stack_1_Sinter Main Plant_Head ESP	Stack 2 Sinter Plant_Tall ESP	
Parameter Marks	PM (mg/Nm2)	PM (mg/Nmm)	
Permissible Range	150	150	
30-11-2024 00:00:00	12.45	18.35	
29-11-2024 00:00:00	12.18	17.15	
28-11-2024-00:00:00	11,98	18.07	
27-11-2024-00:00:00	12.28	, 18.05	
26-11-2024-00:00:00	12.53	17.45	
25-11-2024 00:00:00	12.22	17.89	
24-11-2024 00:00:00	12.43	16.35	
23-11-2024 00:00:00	12.11	17.55	
22-11-2024-00-00:00	12.26	16.46	
21-11-2024 00:00:00	11.97	16.53	
20-11-2024 00:00:00	12.42	16,12	
19-11-2024-00:00:00	12.21	16,95	
18-11-2024 00:00:00	12.43	17.10	
17-11-2024 00:00:00	12.04	17.00	
16-11-2024-00:00:00	12,15	17.25	
15-11-2024 00:00:00	11,96	17.49	
14-11-2024 00:00:00	11,97	16.06	
13-11-2024 00:00:00	12:33	17.06	
12-11-2024 00:00:00	11.66	16,31	

PRADIR DAS

10-11-2024-00:00:00	11.93	16.68
09-11-2024 00:00:06	11.54	17.28
08-11-2024-00:00:00	11.54	16:15
07-11-2024 00:00:00	11.06	15.62
06-11-2024 00:00:00	11.94	17.21
05-11-2024 00:00:00	12.23	16.52
04-11-2024 00:00:00	11.40	16.29
03-11-2024-00:00:00	11.58	17.42
02-11-2024 00:00:00	11.39	15.71

Server Current Date & Time 02-Dec-2024 09:28

Powered by Srijan Webmatics Pvt. Ltd.

FOT KIC METALIKS ATD

PRADIO DAS

OY. MANAGER



K I C METALIKS LIMITED

"OM Tower" 32, Jawahar Lal Nehru Road, 3rd Floor, Room No. 304, Kolkata - 700 071 Phone: +91 33 3517 3005, 3507 2679

Ref. No. KIC/POLLU/2024-25/ 171

To

Date 02.01.2025

The Environmental Engineer

Durgapur Regional office, West Bengal Pollution Control Board City Centre, Durgapur – 16

Sub: Submitting monthly summary report of continuous stack emission and air quality monitoring.

Dear Sir,

Please find enclosed herewith the monthly summary reports of continuous stack emission (for the month of December' 2024). Copy attached herewith for your perusal.

This is for your information and does the needful.

Regards,

Yours faithfully,

For KIC METALIKS LTD.

PRADIP DAS

Dy. Manager Mob. No.9874943332

Encl: as above



CIN: L01409WB 1986PLC041169

Factory: Raturia, Angadpur, Durgapur - 713 215, Phone: 9874943345 Email: info@kicmetaliks.com • Website: www.kicmetaliks.com



Plant Address : KIC Mataliks Ltd. Raturia, Angadpur,, Durgapur (West Bangal)

Station Name: Stack 1_MBF From Date: 01-12-2024 00:00:00 To Date: 31-12-2024 09:58:00

Interval: Daily Function: Average



egends: < - Average with less data, C - Calibration mode, M - Maintenance mode, S - Data under scrutiny,

Parameter	PM	
it	mg/Nm3	
nit	0.00 - 25.00	
01-12-2024 00:00:00	11.03	
02-12-2024 00:00:00	11.15	
03-12-2024 00:00:00	11.22	
04-12-2024 00:00:00	11.28	
05-12-2024 00:00:00	11.27	
06-12-2024-00:00:00	11.17	
07-12-2024-00:00:00	11.20	
08-12-2024 00:00:00	11.22	
09-12-2024 00:00:00	11.23	
10-12-2024 00:00:00	11.12	
11-12-2024 00:00:00	11.06	
12-12-2024 00:00:00	11.04	
13-12-2024 00:00:00	11.02	
14-12-2024 00:00:00	10.95	
15-12-2024 00:00:00	10.96	
16-12-2024 00:00:00	10.92	
17-12-2024 00:00:00	10.76	
18-12-2024 00:00:00	10.75	
19-12-2024 00:00:00	10.77	
20-12-2024 00:00:00	10.73	
21-12-2024 00:00:00	10.75	
22-12-2024 00:00:00	10.73	
23-12-2024 00:00:00	10.68	
24-12-2024 00:00:00	10.76	
25-12-2024 00:00:00	10.70	
26-12-2024 00:00:00	10.71	
27-12-2024 00:00:00	10.70 TALK 6	
28-12-2024 00:00:00	10.70 10.71 10.70 10.70 10.72 10.73 11.09 FOR METALIKS HTD PRADIP DAS PRADIP DAS PRADIP DAS PRADIP DAS PARAMANAMEN DY. MIANAMANAMEN	
29-12-2024 00:00:00	10.73 NIC SANDANA	
30-12-2024 00:00:00	11.09 60¢ , 67 Mrs.	


LOGO

Plant Name: KIC METALIKS LTD

Plant Address : KIC Mataliks Ltd. Raturia, Angadpur., Durgapur (West Bangal)

Station Name : Stack 2_CPP From Date : 01-12-2024 00:00:00 To Date : 31-12-2024 09:59:00

Interval : Daily Function : Average



.egends: < - Average with less data, C - Calibration mode, M - Maintenance mode, S - Data under scrutiny,


Parameter	PM	
	mg/Nm3	
it	0.00 - 50.00	
01-12-2024 00:00:00	53.67	< H
02-12-2024 00:00:00	42.67	< H
03-12-2024 00:00:00	27.45	
04-12-2024 00:00:00	27.44	
05-12-2024 00:00:00	27.89	<
06-12-2024 00:00:00	28.32	
07-12-2024 00:00:00	28.31	
08-12-2024 00:00:00	29,30	
09-12-2024 00:00:00	28.26	
10-12-2024 00:00:00	28.22	<
11-12-2024 00:00:00	28.51	< H
12-12-2024 00:00:00	28.43	
13-12-2024 00:00:00	28.95	<
14-12-2024-00:00:00	29.68	<
15-12-2024 00:00:00	27.65	<
16-12-2024 00:00:00	29.17	<
17-12-2024 00:00:00	30.43	<
18-12-2024 00:00:00	29.94	<
19-12-2024 00:00:00	31.27	
20-12-2024 00:00:00	31.51	<
21-12-2024 00:00:00	31.40	<
22-12-2024 00:00:00	31.15	
23-12-2024 00:00:00	28.15	<
24-12-2024 00:00:00	29.74	< /
25-12-2024 00:00:00	32.00	< U / Ko
26-12-2024 00:00:00	30.51	OF THE PRACTICAL PRACTICAL PROPERTY OF THE PRACTICAL PRA
27-12-2024 00:00:00	30,41	OF WE TALING DAS
28-12-2024 00:00:00	30.31	WE THE
29-12-2024 00:00:00	30.28	IC CRALAN



Plant Address : KIC Mataliks Ltd. Raturia, Angadpur, Durgapur (West Bangal)

Station Name : STACK | Exhaust Fan From Date: 01-12-2024 00:00:00 To Date: 31-12-2024 09:59:00

Interval: Daily Function: Average




.egends: < - Average with less data, C - Calibration mode, M - Maintenance mode, S - Data under scrutiny,

Parameter	PM	
nit	mg/Nm3	
mit	0.00 - 25.00	
01-12-2024 00:00:00	18.94	<
02-12-2024 00:00:00	19,38	
03-12-2024 00:00:00	37.96	H
04-12-2024 00:00:00	18.87	
05-12-2024 00:00:00	18.78	<
06-12-2024 00:00:00	18.84	
07-12-2024 00:00:00	19.13	
08-12-2024 00:00:00	19.32	<
09-12-2024 00:00:00	19.27	<
10-12-2024 00:00:00	19.71	
11-12-2024 00:00:00	19.57	
12-12-2024 00:00:00	19.35	
13-12-2024 00:00:00	19.35	<
14-12-2024 00:00:00	19.41	
15-12-2024 00:00:00	19.35	
16-12-2024 00:00:00	19.29	<
17-12-2024 00:00:00	19.02	<
18-12-2024 00:00:00	18.97	
19-12-2024 00:00:00	18.82	
20-12-2024 00:00:00	18.92	<
21-12-2024 00:00:00	19.66	H
22-12-2024 00:00:00	19.05	
23-12-2024 00:00:00	19.15	2/10
24-12-2024 00:00:00	19.21	5
25-12-2024 00:00:00	18.74	a XML
26-12-2024 00:00:00	18.48	WE WOOKER
27-12-2024 00:00:00	18.74	FOI KIC METALIKS TO DASER
28-12-2024 00:00:00	18.78	COLLEGE BY WAY
29-12-2024 00:00:00	18.60	4.
30-12-2024 00:00:00	18.50	

Plant Address: KIC Mataliks Ltd. Raturia, Angadpur,, Durgapur (West Bangal)

Station Name: Stack2_Tail_ID_Fan From Date: 01-12-2024 00:00:00 To Date: 31-12-2024 10:00:00


Interval : Daily Function : Average



.egends: < - Average with less data, C - Calibration mode, M - Maintenance mode, S - Data under scrutiny,

Parameter	PM	
	mg/Nm3	
nit	0.00 - 25.00	
01-12-2024 00:00:00	19.10	< H
02-12-2024 00:00:00	19.24	<h< td=""></h<>
03-12-2024 00:00:00	19.22	< H
04-12-2024 00:00:00	18.99	< H
05-12-2024 00:00:00	18.88	< H
06-12-2024 00:00:00	19.26	< H
07-12-2024 00:00:00	19.69	< H
08-12-2024 00:00:00	19.74	< H
09-12-2024 00:00:00	19.52	< H
10-12-2024 00:00:00	20.64	< H
11-12-2024 00:00:00	21.67	< H
12-12-2024 00:00:00	21.93	< H
13-12-2024 00:00:00	22.63	< H
14-12-2024 00:00:00	22.69	< H
15-12-2024 00:00:00	22.84	<h< td=""></h<>
16-12-2024 00:00:00	22.66	< H
17-12-2024 00:00:00	21.48	< H
18-12-2024 00:00:00	21.44	< H
19-12-2024 00:00:00	20.51	< H
20-12-2024 00:00:00	20.44	< H
21-12-2024 00:00:00	20,22	< H
22-12-2024 00:00:00	19.99	< H
23-12-2024 00:00:00	19.33	< H
26-12-2024 00:00:00	19.57	< PK
27-12-2024 00:00:00	19.59	< H \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
28-12-2024 00:00:00	19.37	(XXC)H>
29-12-2024 00:00:00	19,39	KIE ME CH CON ANA ER
30-12-2024 00:00:00	19.14	WE WE SHOW ON SHORE
31-12-2024 00:00:00	20.75	KIO < HARA AND

Check All



NA = Not Available

NA- Disabled By CPCB

Not Meeting Standard

Validate

Continuous Emission Monitoring System

24 Hours Average Data from 01-12-2024 00:00 HRS to 31-12-2024 09:57 HRS

Company Name	KIC Metaliks Limited		
Station Name	Stack_1_Sinter Main Plant_Head ESP	Stack_2_Sinter Plant_Tail ESF	
Parameter Name	PM (mg/Nm3)	FM (ag/Nm3)	
Permissible Range	150	150	
31-12-2024 00:00:00	11.73	NA	
30-12-2024 00:00:00	11.78	NA NA	
29-12-2024 00:00:00	12.38	NA:	
28-12-2024 00:00:00	12.12	NA.	
27-12-2024 00:00:00	12.66	NA.	
26-12-2024 00:00:00	12.02	NA.	
25-12-2024-00:00:00	12.73	NA.	
24-12-2024 00:00:00	13.31	NA.	
23-12-2024 00:00:00	13.43	NA.	
22-12-2024 00:00:00	12.16	NA	
21-12-2024 00:00:00	12.44	NA	
20-12-2024 00:00:00	12.19	NA	
19-12-2024 00:00:00	11.96	NA	
18-12-2024 00:00:00	12,25	NA.	
17-12-2024 00:00:00	12.37	NA	
16-12-2024 00:00:00	12.37	NA	
15-12-2024 00:00:00	12.21	NA	
14-12-2024 00:00:00	11,63	NA	
13-12-2024 00:00:00	12.48	NA.	

KIC METALIKS WED DASER

11-12-2024 00:00:00	12.33	NA
10-12-2024 00:00:00	12:12	15.10
09-12-2024 00:00:00	12.27	16.09
08-12-2024 00:00:00	11,92	16.54
07-12-2024 00:00:00	12.32	16.50
06-12-2024 00:00:00	11.86	16.77
05-12-2024 00:00:00	12,02	16.68
04-12-2024 00:00:00	12.14	15.99
03-12-2024 00:00:00	12.11	15.26
02-12-2024 00:00:00	12.31	16.49

Nevco Engineers Pvt. Ltd. 2025

Server Current Date & Time 02-Jan-2025 09:58

Powered by Srijan Webmatics Pvt. Ltd.

FOR KIC METALIKE LTD

PRADIP DAS

PRADIP D



K I C METALIKS LIMITED

"OM Tower" 32, Jawahar Lal Nehru Road, 3rd Floor, Room No. 304, Kolkata - 700 071 Phone: +91 33 3517 3005, 3507 2679

Ref. No. KIC/POLLU/2024-25/183

To

Date 01.02.2025

The Environmental Engineer

Durgapur Regional office, West Bengal Pollution Control Board City Centre, Durgapur – 16

Sub: Submitting monthly summary report of continuous stack emission and air quality monitoring.

Dear Sir.

Please find enclosed herewith the monthly summary reports of continuous stack emission (for the month of January' 2025). Copy attached herewith for your perusal.

This is for your information and does the needful.

Regards,

Yours faithfully,

For KIC METALIKS LTD.

PRADIP DAS

Dy. Manager Mob. No. 9874943332

Encl: as above




CIN: L01409WB 1986PLC041169

Factory: Raturia, Angadpur, Durgapur - 713 215, Phone: 9874943345 Email: info@kicmetaliks.com • Website: www.kicmetaliks.com

Plant Address: KIC Mataliks Ltd. Raturia, Angadpur, Durgapur (West Bangal)

Station Name: Stack 1 MBF From Date: 01-01-2025 00:00:00 To Date: 31-01-2025 09:45:00

Interval : Daily Function : Average



.egends : < - Average with less data, C - Calibration mode, M - Maintenance mode, S - Data under scrutiny,

Parameter	PM	
Jnit	mg/Nm3	
imit	0.00 - 25.00	
01-01-2025 00:00:00	11.06	
02-01-2025 00:00:00	11.12	
03-01-2025 00:00:00	11.22	
04-01-2025 00:00:00	. 11.14	
05-01-2025 00:00:00	11,19	
06-01-2025 00:00:00	11.23	
07-01-2025 00:00:00	11.23	
08-01-2025 00:00:00	11.25	
09-01-2025 00:00:00	11.26	
10-01-2025 00:00:00	11.22	
11-01-2025 00:00:00	11.27	
12-01-2025 00:00:00	11.25	
13-01-2025 00:00:00	11.25	
14-01-2025 00:00:00	11.27	
15-01-2025 00:00:00	11.25	
16-01-2025 00:00:00	11.17	
17-01-2025 00:00:00	10.97	
18-01-2025 00:00:00	10.83	
19-01-2025 00:00:00	10.78	
20-01-2025 00:00:00	10.86	
21-01-2025 00:00:00	10.93	
22-01-2025 00:00:00	11.05	
23-01-2025 00:00:00	11.02	
24-01-2025 00:00:00	10.99	
25-01-2025 00:00:00	10.82	
26-01-2025 00:00:00	11.00	
27-01-2025 00:00:00	11.02	
28-01-2025 00:00:00	11.03	
29-01-2025 00:00:00	11,04	
30-01-2025 00:00:00	11.14	NI.
31-01-2025 00:00:00	11.14	11/

FOR KIC METALIKS


PRADIP DAS DY. MANAGER



Plant Address: KIC Mataliks Ltd. Raturia, Angadpur,, Durgapur (West Bangal)

Station Name: Stack 2 CPP From Date: 01-01-2025 00:00:00 To Date: 31-01-2025 09:38:00

Interval : Daily Function : Average



.egends: < - Average with less data, C - Calibration mode, M - Maintenance mode, S - Data under scrutiny,

Parameter	PM	
nit	mg/Nm3	
imit	0.00 - 50.00	
02-01-2025 00:00:00	30.52	<
03-01-2025 00:00:00	29.48	H
04-01-2025 00:00:00	30.26	
05-01-2025 00:00:00	30.11	
06-01-2025 00:00:00	29.98	
07-01-2025 00:00:00	28.91	<
08-01-2025 00:00:00	29.87	
09-01-2025 00:00:00	29.90	
10-01-2025 00:00:00	32.56	Н
11-01-2025.00:00:00	30.66	
12-01-2025 00:00:00	31.16	<
13-01-2025 00:00:00	30.79	<
14-01-2025 00:00:00	29.92	
15-01-2025 00:00:00	28.63	<
16-01-2025 00:00:00	28.93	
17-01-2025 00:00:00	29.52	<
18-01-2025 00:00:00	29.75	
19-01-2025 00:00:00	29.57	
20-01-2025 00:00;00	30.76	
21-01-2025 00:00;00	30.52	
22-01-2025 00:00:00	31.49	< H
23-01-2025 00:00:00	30.94	
24-01-2025 00:00:00	30.18	
25-01-2025 00:00:00	29.98	<
26-01-2025 00:00:00	30.38	
27-01-2025 00:00:00	29.92	<
28-01-2025 00:00:00	30.50	
29-01-2025 00:00:00	31.09	<
30-01-2025 00:00:00	32.04	
31-01-2025 00:00:00	28.26	< N .


FOR KIC METALI

PRADIP DAS DY. MANAGER

Plant Address: KIC Mataliks Ltd. Raturia, Angadpur,, Durgapur (West Bangal)

Station Name ; STACK 1 Exhaust Fan From Date: 01-01-2025 00:00:00 To Date: 31-01-2025 09:39:00

Interval: Daily Function : Average



regends : < - Average with less data, C - Calibration mode, M - Maintenance mode, S - Data under scrutiny,

Parameter	PM	
nit	mg/Nm3	
imit	0.00 - 25.00	
01-01-2025 00:00:00	19.54	
02-01-2025 00:00:00	19.76	
03-01-2025 00:00:00	20.33	
04-01-2025 00:00:00	19.72	
05-01-2025 00:00:00	19.60	
06-01-2025 00:00:00	19.39	
07-01-2025 00:00:00	19.24	
08-01-2025 00:00:00	19.27	
09-01-2025 00:00:00	19.33	
10-01-2025 00:00:00	19.37	
11-01-2025 00:00:00	19.32	
12-01-2025 00:00:00	19.10	
13-01-2025 00:00:00	18.82	
14-01-2025 00:00:00	18.87	
15-01-2025 00:00:00	19.28	
16-01-2025 00:00:00	19.42	
17-01-2025 00:00:00	19.29	
18-01-2025 00:00:00	19.41	
19-01-2025 00:00:00	19.42	<
20-01-2025 00:00:00	19.40	<
21-01-2025 00:00:00	19.00	
22-01-2025 00:00:00	18.64	
23-01-2025 00:00:00	19.02	
24-01-2025 00:00:00	19.07	
25-01-2025 00:00:00	19.01	
26-01-2025 00:00:00	18.95	
27-01-2025 00:00:00	18.80	
28-01-2025 00:00:00	19.10	
29-01-2025 00:00:00	18.95	
30-01-2025 00:00:00	18.77	~ 1
31-01-2025 00:00:00	18.66	< 11/

PRADIN DAS DY. MANAGER


LOGO

Plant Name: KIC METALIKS LTD

Plant Address: KIC Mataliks Ltd. Raturia, Angadpur,, Durgapur (West Bangal)

Station Name: Stack2_Tail_ID_Fan From Date: 01-01-2025 00:00:00 To Date: 31-01-2025 09:40:00

Interval : Daily Function: Average



regends: < - Average with less data, C - Calibration mode, M - Maintenance mode, S - Data under scrutiny,

Parameter	PM	
it	mg/Nm3	
mit	0.00 - 25.00	
01-01-2025 00:00:00	23.51	< H
02-01-2025 00:00:00	23.58	< H
03-01-2025 00:00:00	23.71	< H
04-01-2025 00:00:00	23.61	< H
05-01-2025 00:00:00	23.53	< H
06-01-2025 00:00:00	22.53	< H
07-01-2025 00:00:00	20.99	< H
08-01-2025 00:00:00	20.96	< H
09-01-2025 00:00:00	21.84	< H
10-01-2025 00:00:00	22,33	< H
11-01-2025 00:00:00	22.27	< H
12-01-2025 00:00:00	21.52	< H
13-01-2025 00:00:00	20.11	< H
14-01-2025 00:00:00	20.04	< H
15-01-2025 00:00:00	19.80	< H
16-01-2025 00:00:00	21.22	< H
17-01-2025 00:00:00	20.88	< H
18-01-2025 00:00:00	21.15	< H
19-01-2025 00:00:00	22.27	< H
20-01-2025 00:00:00	22.06	< H
21-01-2025 00:00:00	20.69	< H
22-01-2025 00:00:00	19.46	< H
23-01-2025 00:00:00	19.55	< H
24-01-2025 00:00:00	19.41	<h< td=""></h<>
25-01-2025 00:00:00	19.12	< H
26-01-2025 00:00:00	19.61	< H
27-01-2025 00:00:00	20.35	< H
28-01-2025 00:00:00	20.34	< H
29-01-2025 00:00:00	19.84	< H
30-01-2025 00:00:00	19.40	< H
31-01-2025 00:00:00	18.64	<h <="" td=""></h>

FOR KIC METALIKA LTD

PRADIP DAS DY. MANAGER

Welcome KIC Metaliks Limited VALIDATION REPORTS DEFLINE STATIONS REASON Nect Data Type letect an Owner and Station and Click add to see its air data. You may add multiple stations and select the parameters. idustry Type: Iron and Steel (1) Company Name: KIC METALIKS LIMITED intion : KIC METALIKS LIMITED:STA > Add multiple stations to view its data Check All JC METALIKS : STACK 1 SINTER MAIN PLANT HEAD ESP. O Select All O Unselect All X 1M 🖾 HC METALIKS : STACK 2 SINTER PLANT TAIL ESP (Select All O Unselect All X 94 E Advance Search Quick Reports ram) 01-01-2025 00:00 31-01-2025 09:42 ime Base 24 Hours

NA = Not Available

NA- Disabled By CPCB

Not Meeting Standard

Continuous Emission Monitoring System

24 Hours Average Data from 01-01-2025 00:00 HRS to 31-01-2025 09:42 HRS

Stack Stac	Company Name	FOG Metaliku Limited	
Permissible Range 150 150 150 31-01-2025 00:00:00 12.79 NA 30-01-2025 00:00:00 13.01 NA 30-01-2025 00:00:00 15.20 NA 30-01-2025 00:00:00 15.20 NA 30-01-2025 00:00:00 14.48 NA 30-01-2025 00:00:00 12.48 NA 30-01-2025 00:00:00 12.48 NA 30-01-2025 00:00:00 12.47 NA 30-01-2025 00:00:00 12.47 NA 30-01-2025 00:00:00 12.47 NA 30-01-2025 00:00:00 12.48 NA 30-01-2025 00:00:00 12.48 NA 30-01-2025 00:00:00 12.49 NA 30-01-2025 00:00:00 11.94 NA 30-01-2025 00:00:00 11.94 NA 30-01-2025 00:00:00 12.12 NA 30-01-2025 00:00:00 12.12 NA 30-01-2025 00:00:00 12.42 NA 30-01-2025 00:00:00 12.42 NA 30-01-2025 00:00:00 12.48 NA 30-01-2025 00:00:00 12.49 NA 30-01-2025 00:00:00 12.93 NA 30-01-2025 00:00:00 12.93 NA 30-01-2025 00:00:00 12.94 NA 30-01-2025 00:00:00 12.95 NA 30-01-2025 00:0	Station Name	Stack_1_Sinter Main Plant_Head ESP	Stack_2_Sinter Plant_Tall ESP
\$1-01-2025 00:00:00 \$10-2025 00	Paramotor Name	PM (rog/hmb)	PM (rig(Net3)
30-01-2025 00:00:00	Permissible Range	150	150
29-01-2025 00:00:00 15-20 14-48 NA 27-01-2025 00:00:00 13-04 NA 26-01-2025 00:00:00 12-48 NA 25-01-2025 00:00:00 12-47 NA 24-01-2025 00:00:00 12-68 NA 23-01-2025 00:00:00 11-68 NA 22-01-2025 00:00:00 12-33 NA 21-01-2025 00:00:00 12-19 NA 20-01-2025 00:00:00 11-94 NA 18-01-2025 00:00:00 11-69 NA 16-01-2025 00:00:00 11-76 NA 15-01-2025 00:00:00 12-88 NA 13-01-2025 00:00:00 13-84 NA 13-01-2025 00:00:00 14-01 15-01-2025 00:00:00 14-01 NA 15-01-2025 00:00:00 12-88 NA 13-01-2025 00:00:00 14-00 NA 13-01-2025 00:00:00 14-00 NA 13-01-2025 00:00:00 14-00 NA 13-01-2025 00:00:00 14-00 NA 14-01-2025 00:00:00 14-00 NA 14-01-2025 00:00:00 14-00 NA 14-01-2025 00:00:00 14-00 NA 14-01-2025 00:00:00 12-58 NA	31-01-2025 00:00:00	12.79	NA
28-01-2025 00:00:00	30-01-2025 00:00:00	13.01	NA.
27-01-2025 00:00:00 13.04 NA NA 26-01-2025 00:00:00 12.48 NA NA 25-01-2025 00:00:00 12.47 NA NA 24-01-2025 00:00:00 12.68 NA 23-01-2025 00:00:00 11.68 NA 22-01-2025 00:00:00 12.33 NA 21-01-2025 00:00:00 12.19 NA 20-01-2025 00:00:00 12.55 NA 19-01-2025 00:00:00 11.94 NA 18-01-2025 00:00:00 11.69 NA 16-01-2025 00:00:00 12.12 NA 16-01-2025 00:00:00 11.76 NA 15-01-2025 00:00:00 11.76 NA 15-01-2025 00:00:00 12.88 NA 13-01-2025 00:00:00 13.84 NA 13-01-2025 00:00:00 14.00 NA 13-01-2025 00:00:00 14.00 NA 11-01-2025 00:00:00 12.93 NA 11-01-2025 00:00:00 12.58 NA	29-01-2025 00:00:00	15.20	NA
26-01-2025 00:00:00	28-01-2025 00:00:00	14.48	NA
25-01-2025 00:00:00 12:47 NA 24-01-2025 00:00:00 12:68 NA 23-01-2025 00:00:00 11:66 NA 22-01-2025 00:00:00 12:33 NA 21-01-2025 00:00:00 12:19 NA 12:01-2025 00:00:00 12:55 NA 18-01-2025 00:00:00 11:69 NA 16-01-2025 00:00:00 12:12 NA 16-01-2025 00:00:00 11:76 NA 15-01-2025 00:00:00 12:68 NA 13-01-2025 00:00:00 13:84 NA 13-01-2025 00:00:00 14:00 NA 13-01-2025 00:00:00 14:00 NA 14-01-2025 00:00:00 14:00 NA	27-01-2025-00:00:00	13.04	NA
24-01-2025 00:00:00 12:68 NA 23-01-2025 00:00:00 11:56 NA 22-01-2025 00:00:00 12:33 NA 21-01-2025 00:00:00 12:19 NA 20-01-2025 00:00:00 12:55 NA 19-01-2025 00:00:00 11:94 NA 18-01-2025 00:00:00 11:69 NA 17-01-2025 00:00:00 12:12 NA 16-01-2025 00:00:00 12:12 NA 16-01-2025 00:00:00 12:68 NA 15-01-2025 00:00:00 12:68 NA 13-01-2025 00:00:00 13:84 NA 13-01-2025 00:00:00 14:00 NA 13-01-2025 00:00:00 12:93 NA 11-01-2025 00:00:00 12:58 NA	26-01-2025 00:00:00	12.48	NA
23-01-2025 00:00:00 11.56 NA 22-01-2025 00:00:00 12.19 NA 20-01-2025 00:00:00 12.19 NA 19-01-2025 00:00:00 11.94 NA 18-01-2025 00:00:00 11.69 NA 17-01-2025 00:00:00 12.12 NA 16-01-2025 00:00:00 11.76 NA 15-01-2025 00:00:00 12.68 NA 14-01-2025 00:00:00 13.84 NA 13-01-2025 00:00:00 14.00 NA 11-01-2025 00:00:00 14.00 NA 11-01-2025 00:00:00 14.00 NA 11-01-2025 00:00:00 14.00 NA 11-01-2025 00:00:00 12.58 NA	25-01-2025 00:00:00	12,47	NA
22-01-2025 00:00:00	24-01-2025 00:00:00	12.68	NA
21-01-2025 00:00:00	23-01-2025-00:00:00	11.56	NA
20-01-2025 00:00:00	22-01-2025 00:00:00	12.33	NA
19-01-2025 00:00:00 11.94 NA 18-01-2025 00:00:00 11.69 NA 17-01-2025 00:00:00 12.12 NA 16-01-2025 00:00:00 11.76 NA 15-01-2025 00:00:00 12.68 NA 14-01-2025 00:00:00 13.84 NA 13-01-2025 00:00:00 14.00 NA 12-01-2025 00:00:00 12.93 NA 11-01-2025 00:00:00 12.58 NA	21-01-2025 00:00:00	12.19	NA.
18-01-2025 00:00:00 11.69 NA 17-01-2025 00:00:00 12.12 NA 16-01-2025 00:00:00 11.76 NA 15-01-2025 00:00:00 12.68 NA 14-01-2025 00:00:00 13.84 NA 13-01-2025 00:00:00 14.00 NA 12-01-2025 00:00:00 12.93 NA 11-01-2025 00:00:00 12.98 NA	20-01-2025 00:00:00	12.55	NA
17-01-2025 00:00:00 12.12 NA 16-01-2025 00:00:00 11.76 NA 15-01-2025 00:00:00 12.68 NA 14-01-2025 00:00:00 13.84 NA 13-01-2025 00:00:00 14.00 NA 12-01-2025 00:00:00 12.93 NA 11-01-2025 00:00:00 12.58 NA	19-01-2025 00:00:00	11.94	NA.
16-01-2025 00:00:00 11.76 NA 15-01-2025 00:00:00 12.68 NA 14-01-2025 00:00:00 13.84 NA 13-01-2025 00:00:00 14.00 NA 12-01-2025 00:00:00 12.93 NA 11-01-2025 00:00:00 12.58 NA 10-01-2025 00:00:00 11.94 NA	18-01-2025 00:00:00	11,69	NA.
15-01-2025 00:00:00 12:68 NA 14-01-2025 00:00:00 13:84 NA 13-01-2025 00:00:00 14:00 NA 12-01-2025 00:00:00 12:93 NA 11-01-2025 00:00:00 12:58 NA 10-01-2025 00:00:00 11:94 NA	17-01-2025 00:00:00	12,12	NA
14-01-2025 00:00:00 13.84 NA 13-01-2025 00:00:00 14.00 NA 12-01-2025 00:00:00 12.93 NA 11-01-2025 00:00:00 12.58 NA 10-01-2025 00:00:00 11.94 NA	16-01-2025.00:00:00	11.76	NA
13-01-2025 00:00:00 14:00 NA 12-01-2025 00:00:00 12:93 NA 11-01-2025 00:00:00 12:58 NA 10-01-2025 00:00:00 11:94 NA	15-01-2025 00:00:00	12,68	NA
12-01-2025 00:00:00 12.93 NA 11-01-2025 00:00:00 12.58 NA 10-01-2025 00:00:00 11.94 NA	14-01-2025 00:00:00	13.84	NA
11-01-2025 00:00:00 12.56 NA 10-01-2025 00:00:00 11.94 NA	13-01-2025 00:00:00	14.00	NA
10-01-2025 00:00:00 11.94 NA	12-01-2025 00:00:00	12.93	NA
	11-01-2025 00:00:00	12.58	NA
on no page nalabina 49 as 49 as 444	10-01-2025 00:00:00	11,94	NA:
	ou us abat up on up	19.00	166

FOI KIC METALING LTD

alue Type

Average ange Min

Max.

07-01-2025 00:00:00	11.99	NA NA
06-01-2025 00:00:00	12.01	NA.
05-01-2025 00:00:00	13.07	NA:
04-01-2025 00:00:00 01-02-00:00 03-01-2025 00:00:00	12.92 11.77	NA NA NA
02-01-2025 00:00:00	12.15	NA NA

Nevco Engineers Pvt. Ltd. 2078.

Server Current Date & Time 01-Feb-2025 99:42

Powered by Srijan Webmatics Pvt. Ltd.

FOR KIC METALING LTD

Note: Sinter Plant - 2 Tail ESP'S, Online data is missing from 11.12.2024 to till now, due to Problems of data logger. New data logger will be installed as early as possible.

"OM Tower" 32, Jawahar Lal Nehru Road, 3rd Floor, Room No. 304, Kolkata - 700 071 Phone: +91 33 3517 3005, 3507 2679

Ref. No. KIC/POLLU/2024-25/190

To

Date 03.03.2025

The Environmental Engineer

Durgapur Regional office, West Bengal Pollution Control Board City Centre, Durgapur – 16

Sub: Submitting monthly summary report of continuous stack emission and air quality monitoring.

Dear Sir,

Please find enclosed herewith the monthly summary reports of continuous stack emission (for the month of February' 2025). Copy attached herewith for your perusal.

This is for your information and does the needful.

Regards,

Yours faithfully,

For KIC METALIKS LTD.

PRADIP DAS

Dy. Manager

Mob. No.9874943332

Encl: as above

Hot Verified and Mot Verified

Enviro Connect


Historical Data

Plant Name: KIC METALIKS LTD

Plant Address: KIC Mataliks Ltd. Raturia, Angadpur, Durgapur (West Bangal)

Station Name : Stack 1_MBF From Date : 01-02-2025 00:00:00 To Date : 28-02-2025 10:24:00

Interval : Daily Function : Average



Legends: < - Average with less data, C - Calibration mode, M - Maintenance mode, S - Data under scrutiny,

B - Bart data H - High limit crossed L - Low nermissible limit crossed

Parameter	PM.	
Unit	mg/Nm3	
Limit	0.00 + 25.00	
01-02-2025 00:00:00	11.17	
02402-2025 00:00:00	11.16	
03-02-2025 00:00:00	11.17	
04-02-2025 00:00:00	11.17	
05-02-2025 00:00:00	10.96	
06-02-2025 00:00:00	10.39	
07-02-2025 00:00:00	10.39	
08-02-2025 00:00:00	10.77	
09-02-2025 00:00:00	11.11	
10-02-2025 00:00:00	11.17	
11-02-2025 00:00:00	. 11.06	
12-02-2025 00:00:00	10.55	
10 2 13-02-2025 00:00:00	10.38	
14-02-2025 00:00:00	10.52	
15-02-2025 00:00:00	10.53	
16-02-2025 00:00:00	10.42	
17-02-2025 00:00:00	10.95	
18-02-2025 00:00:00	10.99	
19-02-2025 00:00:00	10.99	
20-02-2025 00:00:00	11.00	
21-02-2025 00:00:00	10.99	
22-02-2025 00:00:00	10,99	
23-02-2025 00:00:00	11.00	
24-02-2025 00:00:00	10.99	
25-02-2025-00:00:00	11.01	
26-02-2025 00:00:00	10.99	
27-02-2025 00:00:00	10.97	
28-02-2025 00:00:00	10,97	

PRADIP DAS DY. MANAGER

LOGO

Enviro Country

Historical Data


LOGO

Plant Name: KIC METALIKS LTD

Plant Address : KIC Matuliks Ltd. Raturia, Angadpur., Durgapur (West Bangal)

Station Name: Stack 2_CPP From Date: 01-02-2025 00:00:00 To Date: 28-02-2025 10:33:00

Interval : Daily Function : Average



Legends: <-Average with less data, C-Calibration mode, M-Maintenance mode, S-Qata under scrutiny,

B - Bad data, H - High limit crossed, L - Low permissible limit crossed

Parameter	PM	
Init	mg/Nm3	
Limit	0.00 - 50.00	
01-02-2025 00:00:00	31.16	~
02-02-2025 00:00:00	30.15	<
03-02-2025 00:00:00	29.90	<
04-02-2025 00:00:00	* 30.70	<
05-02-2025 00:00:00	29.81	<
06-02-2025 00:00:00	28.89	<
07-02-2025 00:00:00	30.37	<
08-02-2025 00:00:00	28.08	
09-02-2025 00:00:00	29.41	
10-02-2025 00:00:00	30.23	<
11-02-2025 00:00:00	30.93	15

FOR KIC METALIAS LTD

DY. MANAGER



Historical Data




Plant Name: KIC METALIKS LTD

Plant Address : KIC Mataliks Ltd. Raturia, Angadpur, Durgapur (West Bangal)

Station Name : STACK | Exhaust Fan From Date : 01-02-2025 00:00:00 To Date : 28-02-2025 10:34:00

Interval : Daily Function : Average



Legends: < - Average with less data, C - Calibration mode, M - Maintenance mode, S - Data under scrutiny,

B - Bad data H - High limit crossed L - Low permissible limit crossed

Parameter	PM	
Unit	mg/Nm3	
Limit	0.00 + 25.00	
01-02-2025 00:00:00	18.73	
02-02-2025 00:00:00	18.86	
03-02-2025 00:00:00	18.80	
04-02-2025 00:00:00	+ 18.67	
05-02-2025 00:00:00	18.97	
06-02-2025 00:00:00	19.59	
07-02-2025 00:00:00	19.76	<
08-02-2025 00:00:00	20.08	
09-02-2025 00:00:00	20.57	
10-02-2025 00:00:00	20.83	
11-02-2025 00:00:00	20.59	
12-02-2025 00:00:00	20.41	
13-02-2025 00:00:00	20.22	
14-02-2025 00:00:00	20.59	H
15-02-2025 00:00:00	20.70	
16-02-2025 00:00:00	20.53)H
1.7-02-2025 00:00:00	20.09	
18-02-2025 00:00:00	20.21	<
19-02-2025 00:00:00	19,99	
20-02-2025 00:00:00	20.12	<
21-02-2025 00:00:00	20.09	
22-02-2025 00:00:00	20.26	
23-02-2025 00:00:00	20.38	
24-02-2025 00:00:00	20.20	Н
25-02-2025 00:00:00	. 19.90	
26-02-2025 00:00:00	19.80	
27-02-2025 00:00:00	19.72	
28-02-2025 00:00:00	19.85	<

FOR KIC METALIKATED

PRADIA DAS

DY. MANAGER

3/3/25, 10:36 AM about:blank



Historical Data




Plant Name: KIC METALIKS LTD

Plant Address : KIC Mataliks Ltd. Raturia, Angadpur., Durgapur (West Bangal)

Station Name: Stack2 Tail ID Fan From Date: 01-02-2025 00:00:00 To Date: 28-02-2025 10:35:00

Interval : Daily Function : Average



Legends: - Average with less data, C - Calibration mode, M - Maintenance mode, S - Data under scrutiny,

Parameter	PM	
Unit	mg/Nm3	
imit	0.00 - 25.00	
01-02-2025 00:00:00	18.80	< H
02-02-2025 00:00:00	19.40	<
04-02-2025 00:00:00	21.16	< H
05-02-2025 00:00:00	21.83	< H
06-02-2025 00:00:00	22.24	< H
07-02-2025 00:00:00	22.66	< H
08-02-2025 00:00:00	23.05	< H
09-02-2025 00:00:00	23.14	< H
10/02-2025 00:00:00	23.15	< H
11-02-2025 00:00:00	23.07	< H
12-02-2025 00:00:00	23.04	<h< td=""></h<>
13-02-2025 00:00:00	22.92	< H
17-02-2025 00:00:00	22.38	< H
18-02-2025 00:00:00	22.88	< H
19-02-2025 00:00:00	22.71	< H
21-02-2025 00:00:00	22.70	< H
22-02-2025 00:00:00	22.70	< H
23-02-2025 00:00:00	22.75	< H
24-02-2025 00:00:00	22.62	< H
25-02-2025-00:00:00	22.55	< H
26-02-2025 00:00:00	22.53	< H
27-02-2025 00:00:00	22.59	< H
28-02-2025 00:00:00	22.48	< H

FOR KIC METALIN PRADIP DAS DY. MANAGER

NA = Not Availab

NA- Disabled By CPCB

Not Meeting Sta

Continuous Emission Monitoring System

24 Hours Average Data from 01-02-2025 00:00 HRS to 28-02-2025 10:26 HRS

Company Name	KIC Metaliks	tamited:
	Stack_T_Sinter Main Plant_Head ESP	Strick_2_Sinter Plant_Tall ESP
Parameter Rains	- PARTED NEWS	PSEUHGOINGU
Permissible Range	150	150
28-92-2025 00:00:00	12.21	NA
27-02-2025 00:00:00	12.03	- NA
26-02-2025-00:00:00	12.17	NA :
25-02-2025 00:00:00	12.65	NA NA
24-02-2025 00:00:00	12.64	NA
23-02-2025 00:00:00	12,40	NA
22-02-2025 00:00:00	12.52	NA NA
21-02-2025 00:00:00	12.11	NA.
20-02-2025 00:00:00	12.90	NA
19-02-2025 00:00:00	12.00	. NA
18-02-2025 00:00:00	12,41	NA
17-02-2025 00:00:00	12.13	NA
16-02-2025 00:00:00	12.40	NA
15-02-2025 00:00:00	12.05	NA
14-02-2025 00:00:00	12.12	NA.
13-02-2025 00:00:00	12.09	NA
12-02-2025 00:00:00	12.28	. NA F
11-02-2025 00:00:00	13.01	NA .
10-02-2025 00:00:00	13.31	NA
09-02-2025 00:00:00	12.31	NA

OF KIC METALINS

Reports

24 Hours

01 02 3025 00:00 28 02 2025 10:26

From

Time Base

Value Type Range

08-02-2025 00:00:00	12.31	NA
07-02-2025 00:00:00	12.20	NA
06-02-2025 00:00:00	12.69	NA
05-02-2025 00:00:00	 11,70	NA
04-02-2025-00-00:00	11.46	NA.
03-02-2025 00:00:00	11.65	NA
02-02-2025 00:00:00	11.52	NA.

Neven Engineers Pvt. Ltd. 2025.

Server Current Date & Time 94-Mar-2025 10:27

CEMS - Real-Time Data Monitoring System - www.nevcodata.com - Paris - Real-Time Data Monitoring System - www.nevcodata.com

Powered by Srijan Webmatics Pvt. Ltd.

· VIC ME

FOI KIC ME

DY. MANAGER



"OM Tower" 32, Jawahar Lal Nehru Road, 3rd Floor, Room No. 304, Kolkata - 700 071 Phone : +91 33 3517 3005, 3507 2679

Ref. No. KIC/POLLU/2025-26/002

To

Date 01.04.2025

The Environmental Engineer

Durgapur Regional office, West Bengal Pollution Control Board City Centre, Durgapur – 16

Sub: Submitting monthly summary report of continuous stack emission and air quality monitoring.

0/1

Dear Sir,

Please find enclosed herewith the monthly summary reports of continuous stack emission (for the month of March' 2025). Copy attached herewith for your perusal.

This is for your information and does the needful.

Regards,

Yours faithfully,

For KTC METALIKS LTD.

PRADIP DAS

Dy. Manager Mob. No.9874943332

Encl: as above

Control San Parish San

Enviro Connect

Historical Data




Plant Name: KIC METALIKS LTD

Plant Address: KIC Mataliks Ltd. Raturia, Angadpur, Durgapur (West Bangal)

Station Name : Stack 1_MBF From Date : 01-03-2025 00:00:00 To Date : 31-03-2025 09:20:00

Interval : Daily Function : Average



Legends: < - Average with less data, C - Calibration mode, M - Maintenance mode, S - Data under scrutiny,

B - Bad data H - High limit crossed, L - Low permissible limit crossed

Parameter	PM
Unit	mg/Nm3
Limit	0.00 - 25.00
01-03-2025 00:00:00	10.67
02-03-2025 00:00:00	10.64
03-03-2025 00:00:00	10.63
04-03-2025 00:00:00	10.50
05-03-2025 00:00:00	10.44
06-03-2025 00:00:00	10.75
07-03-2025 00:00:00	10.79
08-03-2025 00:00:00	10.47
09-03-2025 00:00:00	10.11
10-03-2025 00:00:00	10.24
11-03-2025 00:00:00	10.50
12-03-2025 00:00:00	10.49
13-03-2025 00:00:00	10.38
14-03-2025 00:00:00	10.07
15-03-2025 00:00:00	10.59
16-03-2025 00:00:00	11.20
17-03-2025 00:00:00	11.23
18-03-2025 00:00:00	11.48
19-03-2025 00:00:00	11.32
20-03-2025 00:00:00	11.03
21-03-2025 00:00:00	11.47
22-03-2025 00:00:00	11.54
23-03-2025 00:00:00	11.54
24-03-2025 00:00:00	11.53
25-03-2025 00:00:00	11.51
26-03-2025 00:00:00	11.50
27-03-2025 00:00:00	11.40
28-03-2025 00:00:00	11.42
29-03-2025 00:00:00	11.29
30-03-2025 00:00:00	11.27
31-03-2025 00:00:00	For KIC METALIKS CAD

For KIC METALI

PRADTE DAS

EnviroConnect

Historical Data




Plant Name: KIC METALIKS LTD

Plant Address: KIC Mataliks Ltd. Raturia, Angadpur,, Durgapur (West Bangal)

Station Name: STACK 1_ Exhaust Fan From Date: 01-03-2025 00:00:00 To Date: 31-03-2025 09:21:00

Interval : Daily Function : Average



Legends: < - Average with less data, C - Calibration mode, M - Maintenance mode, S - Data under scrutiny,

Parameter	PM	
Jnit	mg/Nm3	
Limit	0.00 - 25.00	
01-03-2025 00:00:00	19.45	
02-03-2025 00:00:00	19.08	
03-03-2025 00:00:00	19.04	
04-03-2025 00:00:00	19.42	
05-03-2025 00:00:00	19.34	
06-03-2025 00:00:00	19.36	
07-03-2025 00:00:00	19.83	
08-03-2025 00:00:00	19.83	
09-03-2025 00:00:00	19,71	
10-03-2025 00:00:00	20.64	H
11-03-2025 00:00:00	20.31	H
12-03-2025 00:00:00	19.66	
13-03-2025 00:00;00	19.33	
14-03-2025 00:00:00	19.07	
15-03-2025 00:00:00	19.17	
16-03-2025 00:00:00	19.02	
17-03-2025 00:00:00	19.08	
18-03-2025 00:00:00	19.36	
19-03-2025 00:00:00	19.10	
20-03-2025 00:00:00	19.15	
21-03-2025 00:00:00	19.94	
22-03-2025 00:00:00	20.43	«
23-03-2025 00:00:00	20.22	
24-03-2025 00:00:00	20.00	
25-03-2025 00:00:00	19.61	
26-03-2025 00:00:00	19.21	
27-03-2025 00:00:00	19.13	
28-03-2025 00:00:00	19.14	<

FOR KIC METALINE PRADLE DAS

EnviroConnect

Historical Data




Plant Name: KIC METALIKS LTD

Plant Address : KIC Mataliks Ltd. Raturia, Angadpur,, Durgapur (West Bangal)

Station Name : Stack2_Tail_ID_Fan From Date : 01-03-2025 00:00:00 To Date : 31-03-2025 09:23:00

Interval : Daily Function : Average



Legends: < - Average with less data, C - Calibration mode, M - Maintenance mode, S - Data under scrutiny,

B - Bad data, H - High limit crossed, L - Low permissible limit crossed

Parameter	PM	
Unit	mg/Nm3	
Limit	0.00 - 25.00	
01-03-2025 00:00:00	22.05	<h< td=""></h<>
02-03-2025 00:00:00	21.60	<h .<="" td=""></h>
03-03-2025 00:00:00	21.78	< H
04-03-2025 00:00:00	22.03	< H
05-03-2025 00:00:00	21.98	< H
06-03-2025 00:00:00	22.41	< H
07-03-2025 00:00:00	22.45	< H
10-03-2025 00:00:00	22.59	< H
11-03-2025 00:00:00	22.36	<h< td=""></h<>
12-03-2025 00:00:00	22.25	< H
13-03-2025 00:00:00	21.40	< H
14-03-2025 00:00:00	21.24	< H
15-03-2025 00:00:00	20.10	< H
16-03-2025 00:00:00	19.87	<h< td=""></h<>
17-03-2025 00:00:00	19.61	<h< td=""></h<>
18-03-2025 00:00:00	20.52	< H
19-03-2025 00:00:00	19.85	< H
20-03-2025 00:00:00	20.75	< H
21-03-2025 00:00:00	22.11	< H
22-03-2025 00:00:00	22.78	<h< td=""></h<>
23-03-2025 00:00:00	22.71	<h< td=""></h<>
24-03-2025 00:00:00	22.64	< H
25-03-2025 00:00:00	22.45	< H
26-03-2025 00:00:00	22.07	< H
27-03-2025 00:00:00	21.65	< H
28-03-2025 00:00:00	20.98	< H
29-03-2025 00:00:00	19.60	< H
30-03-2025 00:00:00	19.94	<h <="" td=""></h>
31-03-2025 00:00:00	19.91	<h< td=""></h<>

FOR KIC METALIKE LTD

PRADIP DAS

CHARTER ON CORPORATE RESPONSIBILTY FOR ENVIRONMENTAL PROTECTION (CREP):

INTEGRATED IRON & STEEL INDUSTRY

"KIC METALIKS LIMITED"

Industrial development is an important constituent in our pursuits for economic growth, employment generation and betterment in the quality of life. On the other hand, industrial activities, without proper precautionary measures for environmental protection are known to cause pollution and associated problems. Hence, it is necessary to comply with the regulatory norms for prevention and control of pollution. Alongside, it is also imperative to go beyond compliance through adoption of clean technologies and improvement in management practices. Commitment and voluntary initiatives of industry formesponsible care of the environment will help in building a partnership for pollution control. Every Steel Industries / Industries should extend their motive to control Air Pollution. We at KICML are going fulfill the requirement.

The Charter on Corporate Responsibility (CREP) as laid down by Central Pollution Control Board (CPCB) for Iron and Steel Industry will guide the production in the proposed steel plant and consideration is given below.

	Sl. No.	Industrial Unit	Responsibility	Fulfillment	Conformation against extent of fulfillment
1	- April -	MBF	Direct inject of reducing agent	Pulverized coal injection has been introduced.	100 % fulfillment.
			Utilization of BFG and restriction of flaring	We are using 100 % BFG in process (stoves, sinter plant and CPP)	100 % fulfillment.
			Waste heat recovery	We installed WHRS to recover heat from waste flue gas.	100 % fulfillment
			Utilization of Slag	We are doing granulization of slag for using in cement plant.	100 % fulfillment
4					M

FOR KIC METAL

PRADIA DAS


		proper pollution control devices with proper	proper pollution control devices with modern technology.KIC invests extra fund periodically for maintenance and up gradation. (see annexure A)	90 % completed
	Sinter Plant	Installation of proper pollution control devices with proper maintenance and up gradation.	We installed proper pollution control devices with modern technology.KIC invests extra fund periodically for maintenance and up gradation. (see annexure A)	90 % completed
		Waste heat recovery	We installed WHRS to recover heat from sinter plant Cooler and using for Coke drying system	100 % fulfillment
3	Plantation	Plantation to be done for 33% of total land	Plantation is a continuous process which KIC is following.	
4	Water	Less water to be utilized with minimum effluent discharge,	KIC is working on it to use less water by close circuit cooling system AND KIC adopted "ZERO' discharge system.	KIC is a ZERO water discharge unit.

FOR KIC METALIKS LTD

PRAMP DAS

RAW MATERIAL COVERED WITH TARPAULIN





FOR KIC METALIKS LTD

PRADIR DAS
DY. MANAGER



FOR KIC METALIKS LTD

PRADIP DAS DY DIAMAGER

RAW MATERIAL COVER WITH TARPAULIN






FOR KIC METALIKS LTD

PRADIR DAS DY. MANAGER

PULVERIZED COAL INJECTION (COAL SHADE)



FOR KIC METALIKS LTD

PRADIA DAS

DY. MANAGER



INDICATIVE CONSULTANT INDIA





(GOVT. REGISTERED TEST HOUSE)





EMAIL: indicativeconsultantindia@gmail.com / indicativeconsultantindia.kol@gmail.com

TEST REPORT

Date: 12.02.2025	:	Report No: ICI/HL/W/RN-220A/2025	Format No: ICI/FM/I	1/67			
Customer Name	:	M/s, KIC METALIKS LIMITED	Sample ID No	:	2025/W- 220A		
Address	:	Raturia, Angadpur, Durgapur –7132 15, Bardhaman	Sampling Date	:	04.02.2025		
Walter State			Sampling Time	:	01:10 PM		
#Customer Representative Name & Contact Number	:	Dy. Manager	Analysis Start Date	:	06.02.2025		
			Analysis complete Date	:	11.02.2025		
#Work Order No.	:	Quotation Ref. No ICI/EQ/ENV/2025/141 Dtd. 27.0	1.2025				
#Sample Description	:	EFFLUENT	FFLUENT				
Sample Condition	:	In Plastic Bottle & Glass Bottle					
Sampling Method	:	APHA 24th Edition, 2023					
#Location	:	STP FINAL OUTLET					
# Material/ Test Specification	:	Schedule - VI: General Standards for Discharge Part A: Effluents: The Environment (Protectio	n) Rules, 1986				
DISCIPLINE: CHEMIC	AL	PRODUCT O	ROUP: POLLUTION &	ENV	IRONMEN.		

SI. No.	Parameters	Unit	Unit Result	Schedule – VI: General Standards for Discharge of Environmental Pollutants Part A: Effluents**		Method Followed	
		A A		Inland Surface			
L.	pH (at 25°C)	1-0	6.87	5.5-9.0	5.5-9.0	1S:3025(Part-11):2022 , APHA 24th Edition 4500-H ⁺ B	
2.	Total Suspended Solid (TSS)	mg/L	96.0	100 mg/L (max)	600 mg/L (max)	IS:3025 (Part-17): 2022 APHA 24th Edition 2540D	
3.	Chemical Oxygen Demand (COD)	mg/L	202,7	250 mg/L (max)	Not Specified	APHA 24th Edition 5220B	
4.	Bio-Chemical Oxygen Demand (for 3 days at 27°C)	mg/L	26.0	30 mg/L (max)	350 mg/L (max)	IS:3025 (Part-44): 2023	
5.	Oil and Grease	mg/L	9.5	10 mg/L (max)	20 mg/L (max)	IS:3025 (Part-39): 2021 APHA 24th Edition 5520B,	

^{**}The Environment (Protection) Rules, 1986

For, INDICATIVE CONSULTANT INDIA

Prepared By: N. Mondal

Checked By A. Patra

Parbati Golui (Quality Manager) Signatory Authority

Parbati Golui
Quality Manager
INDICATIVE CONSULTANT INDIA

Test Witnessed By: Nil (Sampling was done in front of customer representatives)
Estimated Uncertainty: Not Required

Nota

- # Information provided by customer
- Sample is drawn by M/s. Indicative Consultant India
- 3. Sample submitted and identified by customer as: N.A.
- 4. Test results shown in this test report relate only to the sample (s) only
- The test results referred in test report are based on observations & measurements under the stated environmental conditions.
- The reproduction of the report except in full is invalid without written approval of the laboratory
- 7. Once issued, the test report/certificate is in public domain and laboratory is not responsible for the authenticity of photocopied test report
- 8. Retention period of tested samples (Water) is 10 days from the date of issue of test report unless otherwise specified.
- 9. Location of Testing: Haldia Laboratory

End of Report-







N. D. INTERNATIONAL LAB LLP

GOVERNMENT REGISTERED An ISO 9001:2015 Certified Company

TEST REPORT

Certificate No.: W(D)-(NN)/25-26/0257

SAMPLE DRAWN BY : N.D. INTERNATIONAL LAB LLP

Date: 17.05.2025 Page 1 of 1

Name of Customer

: M/s. KIC Metaliks Limited

Address

: Factory, Raturia, Angadpur, Durgapur, Pin-713215

Description of Sample

: Ground Water

Collection Source

: Borewell Tap WaterBackside of the Factory)

Environmental Condition

: Temperature: 41°C

Humidity: 35%

Sampling Done by

: Mr. Rupak Deb.

Sample Drawn on Analysis Started on : 14.05.2025 : 14.05.2025

Analysis Completed on

: 17.05.2025

SI.	Test Parameters	Test Method	Unit	Results
1	pH value at 25°C	APHA 24th Edition, 4500-H ⁺ B		7.1
2	Chloride as CI	APHA 24th Edition, 4500 CI-B	mg/L	13
3	Fluoride as F	APHA 24th Edition, 4500- F D	mg/L	<0.1(DL.01)
4	Total Hardness as CaCO ₃	APHA 24th Edition, 2340C	mg/L	14
5	Iron as Fe	APHA 24th Edition, 3500- Fe B	mg/L	<0.1 (DL:0.1)
6	Lead as Pb	APHA 24th Edition, 3113B	mg/L	< 0.005
7	Barium as Ba	APHA 24th Edition, 3111B	mg/L	< 0.05
8	Zinc as Zn	APHA 24th Edition, 3111B	mg/L	< 0.05
9	Aluminium as Al	IS 3025 (Part 55)	mg/L	< 0.03
10	Total Chromium as Cr	APHA 24th Edition, 3111B	mg/L	< 0.005
11	Arsenic as As	APHA 24th Edition, 3114C	mg/L	< 0.002
12	Silver as Ag	APHA 24th Edition, 3111B	mg/L	< 0.002
13	Mercury as Hg	APHA 24th Edition, 3112B	mg/L	< 0.0004
14	Manganese as Mn	APHA 24th Edition, 3111B	mg/L	< 0.05
15	Nickel as Ni	APHA 24th Edition, 3111B	mg/L	< 0.02
16	Selenium as Se	APHA 24th Edition, 3114C	mg/L	< 0.005
17	Molybdenum as Mo	APHA 24th Edition, 3111B	mg/L	< 0.05
18	Cadmium as Cd	APHA 24th Edition, 3113B	mg/L	< 0.0002
19		APHA 24th Edition, 3111-B	mg/L	< 0.05
20	70.0 414 CO.	APHA 24th Edition, 4500-B C	mg/L	< 0.25

DL- Detection Limit

...END OF TEST REPORT...



For, N.D. International Lab LLP

K. P. De - CEO (Authorised Signatory)

^{1.} The rest report shall not be reproduced, except in full, without written approval of the company.

^{2.} Results relate only to the parameters tested.

^{3.} The remaining sample after test will be retained for 15 days from the date of issue of certificate.

SEWAGE TREATMENT PLANT (STP)








STP (Sewage Treatment Plant)



Picture - 1 (ADMIN Office)

Picture - 2 (Security Office)



Picture - 3 (Captive Power Plant)

Picture - 4 (Sinter Plant)

FOR KIC METALIKS LTD

PRADIO DAS
DY. MANAGER





NDICATIVE CONSULTANT INDIA









EMAIL indicativeconsultantindia@gmail.com/indicativeconsultantindia.kol@gmail.com

TEST REPORT

Date: 25.09.2024		Report No: ICI/HL/W/RN-1198A/2024	Format No: ICI/FM/I	1/67	
Customer Name	į	M/s. KIC METALIKS LIMITED	Sample ID No	:	2024/W- 1198A
Address		Raturia, Angadpur, Durgapur -7132 15, Bardhaman	Sampling Date		17.09.2024
			Sampling Time	1	11:00 AM
#Customer Representative Name & Contact Number	: Mr. Pradip Das		Analysis Start Date		20.09.2024
		Mr. Pradip Das	Analysis complete Date	1	25.09.2024
#Work Order No.		KIC/ADMIN/2024-25/008 Dtd. 09.09.2024	(#)		
#Sample Description	12	EFFLUENT			
Sample Condition	1	In Plastic Bottle & Glass Bottle			
Sampling Method	1	IS:3025 (Part I): 1987 (RA 2019), APHA 24th Edition	on, 2023		9
#Location		STP FINAL OUTLET (CPP)			
# Material/ Test Specification	(\$)	Schedule - VI: General Standards for Discharg Part A: Effluents: The Environment (Protecti	on) Rules, 1986		-
DISCIPLINE: CHEMIC	AL	PRODUCT GROU	JP: POLLUTION & ENVI	RON	MENT

Sì.	Parameters	Unit	Result	Schedule - VI: 0 for Discharge of Pollutants Par	Method Followed	
No.				Inland Surface Water	Public Sewers	
1.4	pH (at 26°C)		6.45	5.5-9.0	5.5-9.0	1S:3025(Part-11) 2022 , APHA 24th Edition 4500-H° B
2	Total Suspended Solid (TSS)	mg/L	92.0	100 mg/L (max)	600 mg/L (max)	IS:3025 (Part-17): 2022 APHA 24th Edition 2540D,
3	Chemical Oxygen Demand	mg/L	198.7	250 mg/L (max)	Not Specified	APHA 24th Edition 5220B
4.	Bio-Chemical Oxygen Demand (for 3 days at 27%C)	mg/L	28.0	30 mg/L (max)	350 mg/L (max)	IS:3025 (Part-44): 2023
5.	Oil and Grease	mg/L	9,2	10 mg/L (max)	20 mg/L (max)	IS:3025 (Part-39): 2021 APHA 24th Edition 5520B,

[&]quot;The Environment (Protection) Rules, 1986

For, INDICATIVE CONSULTANT INDIA

Checked By

Parbati Golui (Quality Manager) Signatory Authority

Test Witnessed By: Nil (Sampling was done in front of customer representatives) Estimated Uncertainty: Not Required

Parbati Golui Quality Manager INDICATIVE CONSULTANT INDI

None:

Information provided by customer

Sample is drawn by M/s. Indicative Consultant India

Sample submitted and identified by customer as: N.A.

Test results shown in this test report relate only to the sample (s) only

The test results referred in test report are based on observations & measurements under the stated environmental conditions.

The reproduction of the report except in full is invalid without written approval of the laboratory

Once issued, the test report/certificate is in public domain and laboratory is not responsible for the authenticity of photocopied test report

Resention period of tested samples (Water) is 10 days from the date of issue of test report unless otherwise specified.

Locusion of Texting: Haidia Laboratory


End of Report

Page 1 of 1

For KIC METAL

PRADIP DAS DY. MANAGER

Reviewed By: QM/TM





NDICATIVE CONSULTANT INDIA



(GOVT. REGISTERED TEST HOUSE)







LEAR indicative consultant india @ gmail.com / indicative consultant india.kol@gmail.com

TEST REPORT

		N. ACTON AVOIN 1357A/2024	Format No: ICI/FM/H/67		
Date: 11.11.2024	1	Report No: ICI/HL/W/RN-1357A/2024		(8)	2024/W-
Customer Name	4	M/s. KIC METALIKS LIMITED	Sample ID No		1357A
Address		Raturia, Angadpur, Durgapur -7132 15, Bardhaman	Receiving Date		04.11.2024
#Customer		Dardniman	Analysis Start Date	:	05.11.2024
Representative Name & Contact Number	1	Mr. Pradip Das	Analysis complete Date	:	09.11.2024
#Work Order No.	1			_	
#Sample Description	:	EFFLUENT		_	
#Sample Condition	1	In Plastic Bottle		_	
#Location	:	STP FINAL OUTLET (SINTER)			
# Material/Test Specification	ī	Schedule - VI: General Standards for Disch	arge of Environmental Ponds		
DISCIPLINE: CHEMI	CAL	PRODUCT C	ROUP: POLLUTION & EN	4 7 11	COLONIAL TA

SI.	Parameters	Unit	Result	for Discharge of	eneral Standards f Environmental tants ffuents**	Method Followed
740-		-3	TELETAN	Inland Surface Water	Public Sewers	
1	pH (at 26°C)	***	7.48	5.5-9.0	5.5-9.0	IS:3025(Part-11):2022 APHA 24 th Edition 4500-H*B
2	Total Suspended Solid (TSS)	mg/L	69.0	100 mg/L (max)	600 mg/L (max)	IS:3025 (Part-17): 2022 APHA 24th Edition 2540D.
3.	Chemical Oxygen Demand	mg/L	64.0	250 mg/L (max)	Not Specified	APHA 24th Edition 5220B
4	Bin-Chemical Oxygen	mg/L	16.0	30 mg/L (max)	350 mg/L (max)	IS:3025 (Part-44): 2023
4.	Demand (for 3 days at 27°C) Oil and Grease	mg/L	3.4	10 mg/L (max)	20 mg/L (max)	IS:3025 (Part-39) 2021 APHA 24th Edition 5520B.

^{**}The Environment (Protection) Rules, 1986

For INDICATIVE CONSULTANT INDIA

Prepared By N. Mondal

Checked By

Parbati Golui (Quality Manager) Signatory Authority

Parbati Golui Quality Manager INDICATIVE CONSULTANT INDIA

Test Witnessed By: Nil Estimated Uncertainty: Not Required

a Information provided by customer
Sample is not drawn by Ms. Indicative Consultant India
Sample submitted and identified by customer as: Effluent (STP Final Outlet)

Sample submitted and identified by customer as: Lipinent (STP run) outer)

Test results shown in this test report relate only to the sample (s) only

The test results referred in test report are based on observations & measurements under the stated environmental conditions.

The reproduction of the report except in full is invalid without written approval of the laboratory.

The reproduction of the report except in full is invalid without written approval of the laboratory of photocopied test report Once issued, the test report entition is in public domain and laboratory is not responsible for the authenticity of photocopied test report

Research period of tested samples (Water) is 10 days from the date of issue of test report unless otherwise specified.

Location of Testing: Haldia Laboratory

-Page I of I

Reviewed By: QM/TM

CENTRALLABORATORY

HPL Link Road, Basudevpur, Khanjanchak, Haldia, Purba Medinipur, Pin-721602

Phone No.: 03224-275765, 9434017E84, 9232395890, 7797506973 B1-1/22/1-2, Sanioshpur(M), Block-B, Maheshtala, Kolkata-700142, Mob.: 7797245819, 7797506970

KOLKATA LABORATORY

WEBSITE

www.indicat.veconsultantindia.com

FOR KIC METALIK PRADUP DAS DY. MANAGER

WATER METER



Fig.,- Water meter (Captive Power Plant)



Fig.,- DMC Water Meter (Sinter Plant)

Fig.,- DPL Water Meter (Cement Plant)

PRADIR DAS DY. MANAGER



INDICATIVE CONSULTAN'I INDIA





(GOVT. REGISTERED TEST HOUSE)

TC-11628

EMAIL: indicativeconsultantindia@gmail.com / indicativeconsultantindia.kol@gmail.com

TEST REPORT

Date: 12.02.2025	:	: Report No: ICI/HL/N/TC-025A/2025 Format No: IC		ICI/FM/H/68		
Customer Name	(1)	M/s. KIC METALIKS LIMITE				
Address		Raturia, Angadpur, Durgapur -7132 15,				
#Customer Representative Name & Contact No.	:	Dy. Manager				
#Work Order No.	14.	Quotation Ref. No ICI/EO/ENV/2025/141	Quotation Ref. No ICI/EO/ENV/2025/141 Dtd. 27.01.2025			
#Sample Description	1	AMBIENT NOISE				
Sampling Method	:	By Digital Noise Meter				
Test Method	:	IS 9989:1981 (RA 2020)				
Monitoring Details:						
Height from the floor	:	1.5 M	Total Time (T)	1:	18 Min	
Distance of Source	:	3.0 M	Difference (dt)	1	2 Min	
DISCIPLINE: CHEMICAL		PRODUCT O	ROUP: ATMOSPI	IER		

#Noise Source/	Location: NEAR	OXYGEN	PLANT			DAY TIME	
		Sampling		Results dB(A)			
Sample ID	Sampling Date	Time	Equivalent Noise (L _{eq}) dB(A)	Maximum Noise (L _{max}) dB(A)	Minimum Noise (L _{min}) dB(A)	Limit* dB(A)	
2025/N-113A	01.02.2025	12:50 PM	64.55	68.2	63.5	As per note	
#Noise Source/	Location: NEAR	ADMIN BU	JILDING			DAY TIME	
		Sampling		T too too			
Sample ID	Sampling Date	Time	Equivalent Noise (L _{eq}) dB(A)	Maximum Noise (Lmax) dB(A)	Minimum Noise (L _{min}) dB(A)	Limit* dB(A)	
2025/N-113B	01.02.2025	01:00 PM	63.67	65.5	62.3	As per note	
#Noise Source/	Location: BACK	SIDE OF S	INTER PLANT			DAY TIME	
	Complian			6/4//S449/			
Sample ID	Sampling Date	Sampling Time	Equivalent Noise (L _{eq}) dB(A)	Maximum Noise (Lmsz) dB(A)	Minimum Noise (L _{min}) dB(A)	Limit* dB(A)	
2025/N-113C	01.02.2025	01:10 PM	68.11	69.2	68.6	As per note	

*Note:

NOISE STANDARD

Area Code	Category of Area/ Zone	Limits dB (A) Leq			
Area Coue	Category of Area Zone	Day Time (06:00 AM to 10:00 PM)	Night Time (10:00 PM to 06:00 AM)		
A	Industrial Area	75	70		
В	Commercial Area	65	55		
C	Residential Area	55	45		
D	Silence Zone	50	40		
D Source: The N		55 50 2000	45 40		

Prepared by Amolondar

Checked By: A Patra

For, INDICATIVE CONSULTANT INDIA

(Quality Manager)

Par San Golds

Test Witnessed By: Sampling was done in front of customer's representative Estimated Uncertainty: Not Required

Note: 1. # Information provided by customer

2. Sample is drawn by M/s. Indicative Consultant India

3. Sample submitted and identified by customer as: N.A.

4. Test results shown in this test report relate only to the sample (s) only

5. The test results referred in test report are based on observations & measurements under the stated environmental conditions


Noise data was recorded at the customer site in presence of customer's representative.

7. Once issued, the test report/certificate is in public domain and laboratory is not responsible for the authenticity of photocol

8. The reproduction of the report except in full is invalid without written approval of the laboratory

9. Location of Testing: Plant Site & Report was generated from Haldia Laboratory

-End of Report-



CENTRAL LABORATORY: HPL Link Road, Basudevpur, Khanjanchak, Haldia, Purba Medinipur, Pin-721602 Phone No.: 03224-275765, 9434017584, 9232395890, 7797506973

ity of photocopied ies

INDICATIVE CONSULTANT INDIA



INDICATIVE CONSULTANT IND





(GOVT. REGISTERED TEST HOUSE)



EMAIL: indicativeconsultantindia@gmail.com / indicativeconsultantindia.kol@gmail.com

TEST REPORT

Date: 12.02.2025	:	Report No: ICI/HL/N/TC-025A/20	25 Format N	Format No: ICI/FM/H/6		
Customer Name	:	M/s. KIC METALIKS LIMI	M/s. KIC METALIKS LIMITED			
Address	:	Raturia, Angadpur, Durgapur -7132	15, Bardhaman			
#Customer Representative Name & Contact No.		Dy. Manager				
#Work Order No.	- 1	Quotation Ref. No ICI/EQ/ENV/2025/141 Dtd. 27.01.2025				
#Sample Description	;	AMBIENT NOISE				
Sampling Method	1	By Digital Noise Meter				
Test Method	:	IS 9989:1981 (RA 2020)				
Monitoring Details:						
Height from the floor	:	1.5 M	Total Time (T)	:	18 Min	
Distance of Source	:	3.0 M	Difference (dt)		2 Min	
DISCIPLINE: CHEMICAL		PR	ODUCT GROUP: ATMOS	PHE	RIC POLLUTION	

#Noise Source/	Location: NEAR	OXYGEN	PLANT			NIGHT TIME
	Committee	Complian		T. Santan		
Sample ID	Sampling Date	Sampling Time	Equivalent Noise (L _{eq}) dB(A)	Maximum Noise (Lux) dB(A)	Minimum Noise (L _{min}) dB(A)	Limit* dB(A)
2025/N-113D	01.02.2025	11:45 PM	62.58	65.7	61.2	As per note
#Noise Source/	Location: NEAR	ADMIN BI	UILDING			NIGHT TIME
		Company of the same	Results dB(A)			T 1 144
Sample ID	Sampling Date	mpling Date Sampling Time	Equivalent Noise (L _{ed}) dB(A)	Maximum Noise (Lmx) dB(A)	Minimum Noise (L _{min}) dB(A)	Limit* dB(A)
2025/N-113E	02.02.2025	12:00 AM	61.11	63.8	60.4	As per note
#Noise Source/	Location: BACK	SIDE OF S	SINTER PLANT			NIGHT TIME
		Campullan		- Thomas		
Sample ID	Sampling Date	ampling Date Sampling Time	Equivalent Noise (Leq) dB(A)	Maximum Noise (L _{max}) dB(A)	Minimum Noise (L _{min}) dB(A)	Limit* dB(A)
2025/N-113F	02.02.2025	12:15 AM	63.87	67.3	61.9	As per note

NOISE STANDARD

Laur Cada	Colombia Chamiltonia	Limits dB (A) Leq		
Area Code	Category of Area/ Zone	Day Time (06:00 AM to 10:00 PM)	Night Time (10:00 PM to 06:00 AM)	
A	Industrial Area	75	70	
В	Commercial Area	65	55	
С	Residential Area	55	45	
D	Silence Zone	50	40	
Source: The N	oise Pollution (Regulation & Co	ontrol) Rules, 2000		

Prepared By: N. Mond

Checked By: A. Parr

For, INDICATIVE CONSULTANT INDIA

Parbati Colui (Quality Manager) Signatory Authority Parbati Golui

Quality Manager INDICATIVE CONSULTANT INDIA

Test Witnessed By: Sampling was done in front of customer's representative Estimated Uncertainty: Not Required

Information provided by customer Sample is drawn by M/s. Indicative Consultant India

Sample submitted and identified by customer as: N.A.

Test results shown in this test report relate only to the sample (s) only

The test results referred in test report are based on observations & measurements under the stated environmental conditions to the customer site in presence of customer's representative.

Once issued, the test report/certificate is in public domain and laboratory is not responsible for the authenticity of Maria

The reproduction of the report except in full is invalid without written approval of the laboratory

Location of Testing: Plant Site & Report was generated from Haldia Laboratory






NOISE LEVEL METER



PRADIP DAS DY. MANAGER

SOLAR PANNEL





FORM 10

{ See Rule 19 (1)} MANIFEST FOR HAZARDOUS AND OTHER WASTE

1.	Sender's name and mailing address (including Phone No. and e-mail)	KIC metaliks Ltd. Raturia. Industrial Area. Anged pur. Durga pur. Dist. West Bardha man. Pin. 713215		
2.	Sender's authorisation No.	130/25 (HW)-3503/2018		
3.	Manifest Document No.	Bmo] / 900/37/2024-2025		
4.	Transporter's name and address : (including Phone No. e-mail)	Ba. ma oil Industries panehayat Road. VIII- Khazial - p.o. Dankuni e. c Dist. Hooghiy.		
5.	Type of vehicle	(Truck/Tanker/Special Vehicle)		
6.	Transporter's registration No.	110/25/HW)-155/98-99		
7.	Vehicle registration No.	WB -17/7080		
8.	Receiver's name and mailing address (including Phone No. and e-mail)	P.O. DANKUNI CC. DISTHOOGHLY -712310 2674-1678, 2659-2183, bmoind@yahoo.co.in		
9.	Receiver's authorisation No.	110/25 (HW)-155 98-99		
10.	Waste description	Used Oil		
11.	Total quantity No. of Containers	2.3.95.40.m³ or MT 		
12.	Physical form	(Solid/ Semi Solid/ Sludge/Qily/Tarry//SlurryLiquid)		
13.	Special handling instructions and additional information	Handling with care		
14.	Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
	Name and stamp. KIC METALIKS LTD FOR NORTH PROPERTY OF WARDEN CONTROL OF THE PROPERTY OF THE	Month Day Year IIII 9 2 0 2 4		
15.		asges		
	Name and Stamp COUSTRI Signature P.O. KONNAGAR, DIST- HOOREY AND AND DUTTA SARAY AND DUTTA SAR			
16.	Receiver's certification for receipt of hazardo			
	Name, and Steam an Dutta Signature P.O. KONNAGAR, DIST- HOODAY	Month Day Year		

FROM 10

WEST BENGAL WASTE MANAGEMENT LIMITED

VIII, : Pabayan, P. S. : Saltora, Dist. : Bankura, Pin : 722 158, West Bengal.

MANIFEST FOR HAZARDOUS AND OTHER WASTE

	1	Sender's name and mailing address (including Phone No. and e-mail) :	M/s KTC METALIKS LTD. RATURIA. ANGADPUR, DURGAPUR-15 130/25(114) - 3503/2018
	2	Sender's authorization No. :	4.00
	3	Manifest Document No. :	1 1825
	4	Transporter's name and address (including Phone No. and e-mail)	West Bengal Waste Management Limited Vill.: Pabayan, P. S.: Saltora, Dist.: Bankura, Pin: 722 158 Mobile: 9002983363/7477796110 E-mall: wbwml.saltora@resustainability.com
	5	. Type of vehicle :	(Truck/Tanker/Special Vehicle) DUMPER
	6	Transporter's registration No. :	1-MD(E)/X/06
	7	.Vehicle registration No. :	WB31N 0098
	8	Receiver's name and mailing address (including Phone No. and e-mail)	West Bengal Waste Management Limited Vill.: Pabayan, P. S.: Saltora, Dist.: Bankura, Pin: 722 158 Mobile: 9002983363/7477796110 E-mail: wbwml.saltora@resustainability.com
	9	Receiver's authorization No. :	34/29 CAW) - 4531 2022
	10	Waste description :	USED REJECTED SAFETY SHOES
	11	Total quantity No of Containers :	
	12	Physical form :	(Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid)
	13	Special handling instructions and additional information :	USE PPE
	14	Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping categorized, packed, marked and name and are labeled and are in all respects in proper conditions for transport by road according to applicable National Government Regulations.
	14	Name and Stamp	ALIKS LTD Signature Day Month Year
			The second
			PRADIP DAS Y. MANAGER 2 6 0 3 2 0 2 5
		Transporter acknowledgement of receipt	
	15	Name and Stanto	Signature Day Month Year 2 6 0 3 2 0 2 5
1	-	Receiver's certificate for receipt hazardo	us and other wastes :
3.	16		Signature Manual Day Month Year
			P.S. 260 820 25

3. Pink Colour retained by HzW Receiver.

5. Green Colour forwarded to WBPCP after disposal by HzW Receiver.

7. Grey Colour returned to SPCB of the HzW Sender (in case the Sender is in another Site) by HzW Receiver.

Yellow Colour retained by HzW sender.
 Orange Colour retained by transporter.

6. Blue Colour returned to sender after disposal by HzW Receiver.

^{1.} White Colour forwarded to WBPCB by HzW Sender.

FROM 10

WEST BENGAL WASTE MANAGEMENT LIMITED

Vill, : Pabayan, P. S. : Saltora, Dist. : Bankura, Pin : 722 158, West Bengal.

MANIFEST FOR HAZARDOUS AND OTHER WASTE

	1	Sender's name and mailing address (including Phone No. and e-mail):	RATURIA, ANGADPUR, DURGAPUR-15					
	2	Sender's authorization No. :	130 / 25 (HW) - 3503 /2018					
	3	Manifest Document No. :	1 1796					
	4	Transporter's name and address (including Phone No. and e-mail)	West Bengal Waste Management Limited Vill.: Pabayan, P. S.: Saltora, Dist.: Bankura, Pin: 722 158 Mobile: 9002983363/7477796110 E-mail: wbwml.saltora@resustainability.com					
	5	. Type of vehicle :	(Truck/Tanker/Special Vehicle) DUMPER					
	6	Transporter's registration No. :	1-MD(E)/X/06					
	7	.Vehicle registration No. :	WB31N 0098					
	8	Receiver's name and mailing address (including Phone No. and e-mail)	West Bengal Waste Management Limited Vill. : Pabayan, P. S. : Saltora, Dist. : Bankura, Pin : 722 158 Mobile : 9002963363/7477796110 E-mail : wbwml.saltora@resustainability.com					
	9	Receiver's authorization No. :	34 /23 (HW)- 4531 /2022					
	10	Waste description :	USED HAND GLOVES					
	11	Total quantity No of Containers :						
	12	Physical form:	(Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid)					
	13	Special handling instructions and additional information :	USE PPE					
	5	Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping categorized, packed, marked and name and are labeled and are in all respects in proper conditions for transport by road according to applicable National Government Regulations.					
	14	Name and Stamp	Signature Day Month Year					
			PRADIP NAS 2 6 0 3 2 0 2 5					
		Transporter acknowledgement of receipt						
	15	Name and Stamp	Signature Day Month Year 2608255					
-		Receiver's certificate for receipt hazardous and other wastes :						
		receiver a certificate for receipt flazardo	us and other wastes.					
1	16	Name and Stamp	Signature Month Year '					
			26032025					

6. Blue Colour returned to sender after disposal by HzW Receiver.

3. Pink Colour retained by HzW Receiver.
4. Orange Colour retained by HzW Receiver.
5. Green Colour forwarded to WBPCP after disposal by HzW Receiver.
7. Grey Colour returned to SPCB of the HzW Sender (in case the Sender is in another Site) by HzW Receiver.

^{1.} White Colour forwarded to WBPCB by HzW Sender.

Yellow Colour retained by HzW sender.
 Orange Colour retained by transporter.

Received From PRADIP DAS On Account of (Account Head) USER CHARGE The Sum of Rupees Thirty Six Thousand Only 1405005 GARBAGE COLLECTION FEES **DURGAPUR Municipal Corporation** Form No 97 [Vide Rules 17 & 249] [Cash:***********0.00 , Chq/DD:****36000.00] 0 Receipt Voucher TA 36000.00 36000.00 Amount 01/04/21 TO 31/03/22 Remarks(if any) Date 13-04-2021 1059

RAJKUMAR

13-04-21 12:44 PM

Vice Chairman/Auth. Signatory/% O.NO

Cashier

PRADIP DAS

MINISTRY OF ENVIRONMENT AND FOREST EASTERN REGIONAL OFFICE

A/3,CHANDRASEKHARPUR, BHUBANESWAR – 751023 FORMATE FOR PROVIDING PARTICULARS ON GREEN BELT/PLANATATION UNDER F(C)ACT 1980 AND E (P) ACT 1986

1	a)	Name of the project	KIC METALIKS LIMITED
	b)	Envt./Forest Clearance Nos.	F.No.J-11011/556/2009-1A II (I)
2	Locati	on, Block/Sub.Divn./Dist/State	DURGAPUR/DURGAPUR/BURDWAN/WB
3	Addre	ess for Communication	RATURIA ANGADPUR INDUSTRIAL AREA, DIST : BURDWAN , PS – COKE OVEN, DGP,WB
4	Existin	ng vegetation in the area/region	
			Sal, Segun, Neem, Series, Karanj, Sonajhuri, Mango
	a)	Species(trees/shrubs/grasses/climbers)	Bokul, Mehagini, Debdaru, Lambo, Kadam, Bay leaf Conocarpus etc.
	b)	Major prevalent species of each type.	
5	Land	coverage by the project	
	a)	Total area under the Project	75.73 acars
	b)	Area covered for basic infrastructure	30%
		(roads/building/ factory etc.	
6	Details about natural vegetation		
	a)	Name and number of trees/ species felled	Copy enclosed herewith in Annexure-A
	b)	Name and number of plant species still available in the area	15256
	c)	By protecting the area will indigenous stock come up	There are no specific indigenous species found.
	d)	Extent of greenbelt developed	33%
7	Plantation required to be carried out as per		
	a)	Condition of Environmental clearance in ha.	
	T.	/ Nos.	
		Condition for Forest Act (c) clearance in ha.	Not mentioned
	b)	/Nos.	

c) Voluntarily in ha. / Nos.

FOR KIC METALIKA ATD

DY. MANAGER

	a)	Total area available for plantation in each category				Total 25 Acres (approx)			
		i) Green Belt	ii) Dumps	iii) Back filled area	iv) Road sides	v) Block plantation			
		19.5 Acres (approx)	N/A	2 Acres	1.5 Acres	2 Acres			
	b)	b) Plantation details (category wise & methodology used)							
	Year of plantation	Species planted	Spacing	Height attained	Total area covered	Area still available			
		15256 Nos.	1M-2M	1M-12M	19.5 Acre approx.	5.5 Acres(approx)			
	c)	Survival of plantation	Within , 2018 - 2019	year 2019 - 2020	year 2020 - 2021	year 2021- 2022	year 2022 - 2023	year 2024 25 & 25 - 2026	
		Total plantations No.	6065	1250	3050	1022	1000	6485	
		Survival No.	4715	837	2311	648	377	6368	
9	Agency	Agency carrying out plantation and maintenance We have separate department Plantation and Gardening.							
10	Financial details (year wise) plantation wise and item wise								
SI. No.	Year	Funds allocated	Expenditure made	Average cost of each surviving plant in RS.					
				*					
11	Inspection of plantation by field experts and their comments and follow up actions			Weekly inspection of plantation by field experts and based on their comments we take immediate steps.					
12	Remarks/ any other information			Our intention is to increase the number of plantation every year by maximum limit.					

FOR KIC METALIKE LTD

PRADIP DAS DY. MANAGER

GREEN HOUSE GAS GENERATION

KIC METALIKS LTD.

RATURIA, ANGADPUR, DURGAPUR – 15

Average CO₂ gas generation amount is 11627.9 Nm³/hr. (In six months period from October '2024 to March '2025)

No NOx generation.

FOR KIC METALING LTD

DY. MANAGER

KIC METALIKS LTD.

RATURIA - ANGADPUR INDUSTRIAL AREA, DURGAPUR - 15, DIST - DURDWAN, WB

RISK ASSESSMENT & DISASTER MANAGEMENT PLAN:

Disaster may be defined as a sudden occurrence of incident in such a magnitude that could affect the normal pattern of life inside or in the vicinity of plant which have the potential of causing extensive injury or loss of life or damage to property and tend to cause disruption inside/outside the site.

Hazardous substances are being handled, generated and stored in increasing quantities at various manufacturing facilities in recent years. This has posed a serious risk for the plant, persons and the environment encompassing thereof. The following incidents in some industrial units handling during hazardous substances in the last 2 to 3 decades has made it imperative for all concerned to planned decisive measures and implement them immediately and effectively to mitigate their adverse effects, if not, to totally eliminate them. Urgency of protecting human being, the flora and fauna as well as our biodiversity against these potential dangers has prompted the government for promulgation of various statutory provisions for preparation of hazard mitigation plans based on their risk impacts.

The Factories (Amendment) Act 1987 and "Manufacture", Storage and Import of Hazardous Chemical Rules- 1989" has provided regulation making mandatory for all owners of hazardous materials undertakings to prepare for their Onsite Emergency Plan in a pragmatic way and keep those well re-harassed for rapid action in actual crisis situation.

The goal of DMP is to effectively containment of the emergency situation by proper action at the place of occurrence, cautioning people in adjoining affected localities; prompt rescue and provisions of medical aid to affected persons and communication with civil authorities for rushing for help from outside.

KIC METALIKS LTD.



FOR KIC METALIKE CTO

PRADIA DAS

This objective is to be achieve by defining the functions and responsibilities of all concerned managerial, operational and supporting services department personnel with respect to detection and effective implementation of emergency action plan.

Objectives of Disaster Management Plan (DMP):

The objectives of DMP is to describe and spell out industry's emergency response actions that requires to be deal with various emergencies that could occur at the facility, with the response organization that plan can be deployed in the shortest possible time. Thus the objective of emergency response plan can be summarized as:

- ✓ Rapid control and containment of the hazardous situation.
- ✓ Minimization of the risk and impact of event / accident.
- ✓ Effective rehabilitation of the affected persons and prevention of damage to property.

Elements of DMP:

In order to effectively achieve the above mentioned objective, the critical elements of the DMP are:

- Reliable and early detection of an emergency and careful planning.
- The command, co-ordination, and response organization structure along with clearly demarcated line and staff function.
- The availability of resources for handling emergencies.
- Appropriate emergency response actions forecasted with least margin of error.
- · Effective notification and communication facilities.
- Proper training of the concerned personnel.
- Regular review and updating of the DMP.

KIC METALIKS LTD.



FOR KIC METALIKE LTD

Responsibility of Implementation of DMP:

Responsibility for establishing and maintaining an Emergency Preparedness

Plan/DMP belongs to the Plant-in-charge. He is responsible for the control of the plan, and for ensuring that the plan is applicable and implementing procedures are operated during emergency situation and are reviewed and revised annually.

As a member of top management he is responsible for the training of personnel to ensure that adequate emergency response capabilities are maintained in accordance with the plan. He is also responsible for ensuring the regular conduct of drills and other measures, as outlined in the DMP.

(1) IDENTIFICATION OF HAZARDS

Hazard is infact the characteristics of a system/plant/storage that presents potential for an accident and risk is the probability of occurrence of hazard. Hence hazard identification is prime significance for the quantification of risk and for cost-effective control of accidents in any industrial installation. Various techniques of predictive hazard evaluation and quantitative risk analysis suggest identification of hazard has very important role in estimation of probability of an undesired event and its consequences on the basis of risk quantification in terms of damage to personnel, property and environment.

Hazards are mostly manifested in the form of fire/ explosion/ toxic release. Each anticipated hazard scenario associated in the unit at described along with its assessment of impact on plant and locality in the following table:

KIC METALIKS LTD.



FOR KIC METALIKETLED

PRADIP DAS

ANTICIPATED HAZARD SCENARIOS

Sl. No.	Area/Activity	Hazard	Impact	
1	Storage and Handling of HSD		Fire may propagate to the nearby areas leading into fire hazard.	
2	Handling of Hot Metal	Hot metal may spread out due to leakage/splashing.	Fire may propagate to the nearby areas leading into fire hazard	

IDENTIFICATION OF MOST CREDIBLE HAZARD SCENARIOS

All the anticipated hazard scenarios associated with the factory (as listed above) are critically analyzed and the following scenarios are identified as Credible Scenarios:

Credible Scenario 1 : Pool Fire in High Speed Diesel Storage Tank.

Credible Scenario 2 : Hot metal may spread out due to leakage/splashing.

Credible Scenario -: Pool Fire in High Speed Diesel Storage Tank.

Toxicological Information:

Moreover an emergency action plan for HSD for fire hazard (which is of higher magnitude than the fire hazard due to oxygen leakage) is already in place; which will take care of the fire hazards of lower magnitude is not a difficult task. Accordingly leakage of oxygen has been not considered as most credible scenario.

KIC METALIKS LTD.



FOR KIC METALIKS

PRADIR DAS

(2) ROLE OF KEY PERSONS

WORKS MAIN CONTROLLER:

The Plant Head of the unit is generally available in the factory or in the colony nearby except on tours. On emergency, he can reach work site at any odd hour within 20 minutes time. In his absence, GM (Plant) shall take up his charge as Works Main Controller (WMC).

On being informed of an incident, he has to:

- Rush to the emergency Site, collect all information from SIC.
- Decide if emergency is to be declared and advise Site incident Controller (SIC) accordingly and reach Emergency Control Room (ECR).
- Advise Rescue Team Leader (RTL)/ Security Gate to blow the siren with appropriate code for declaration of emergency.
 - Two minutes with a pause of five seconds for 3 times for fire hazard.
 - Three minutes with pause of five seconds for 5 times for Gas leakages.
- Advice (Auxiliary Team Leader) ATL for communication to statutory authorities and for mutual aid as required.
- Through (Auxiliary Team Leader) ATL ensure constant communication to statutory authorities and to mutual aid partners as required.
- Maintain continuous communication with Site Incident Controller (SIC) to review the situation and assess the possible course of action for emergency operations.
- ➤ To declare normalcy at the end of operation and advise Rescue team leader (RTL)/security Gate to blow "all clear siren" [for 1 minute continuously].
- > Ensure the record keeping of emergency operations chronologically.

SITE INCIDENT CONTROLLER:

He is available at the factory or in the colony nearby. At any point of time and on being informed about an accident, he has to:

- Intimate the works main Controller (WMC) and proceed to the emergency site.
- Take the necessary instruction from Combat Team Leader (CTL), assess the situation and call Rescue Team Leader (RTL) and Auxiliary Team Leader (ATL).

KE

KIC METALIKS LTD.

FOR KIC METALIKS LTD

PRADIP DAS

- > Inform Works Main Controller (WMC) regarding the situation.
- > Take necessary steps and provide guidance to Combat Team, Rescue Team, and Auxiliary Team Leaders to mitigate the emergency situation.
- > Examine for major emergency shutdown operation activities, decide safe escape route and announce for evacuation to Assembly Point.
- Inform Works Main Controller (WMC) about the status of the situation at regular intervals

COMBAT TEAM LEADER

He is the leader to attend in case of an emergency and should available in the factory or in the colony at any instant.

On being informed about an accident, he has to:

- Immediately rush to the site and lead the team to control the situation.
- > Inform Site incident controller (SIC) about the incident and request him to rush to the spot.
- Instruct the rescue Team leader (RTL) for fire fighting and medical assistance.
- > Co-ordinate the activities of team members and combat the emergency, so as to eliminate the root cause of the hazard.
- Shut-down the plant if necessary to take up repair measures.
- > To arrest the leakage and spillage from various equipments, shut down the concerned equipments.
- Take necessary action to remove unwanted persons from the site of the incident.
- Keep informed about the developments to Site incident Controller (SIC).

KIC METALIKS LTD.



FOR KIC METALIK

RESCUE TEAM LEADER

He is the person who conducts rescue operations and should be available at any instant.

On receiving the information about the incident he has to:

- > Rush to site of emergency through safe route.
- Ensure presence of all his team members, availability of fire fighting facilities and take necessary action to arrest the fires/leakage of gas.
- Arrange for safe escape of entrapped persons.
- Make necessary arrangements to send the affected persons for immediately medical attention through the medical officer.
- Search for the missing persons on the basis of role call taken by Auxiliary team leader (ATL).
- > Give the feedback to the site incident controller (SIC) about the developments.

(3) ACTION PLAN FOR ON-SITE EMERGENCY

SL NO	INITIATOR	ACTION TO TAKE
The person noticing the emergency		 Inform the Security Gate, Combat team leader and the concerned Shift-in –charge immediately.
2.	Combat team Leader (CTL) Security in-charge	 Inform site incident Controller (SIC) and rush to spot and organize his team. Take charge of the situation, arrange for fire fighting and medical first-aid available at site. To start combating, shut-down equipments, arrest the leakage of gas/fire.
3.	Site Incident Controller (SIC) Operation Shift –	 Inform works main controller (WMC) and rush to emergency site. Discuss with Combat Team Leader (CTL), assesses the situation and call the Rescue Team Leader (RTL) & Auxiliary Team Leader (ATL).



	Manager	 Organize the Rescue Team and Auxiliary Team and send the rescue Team to site. Arrange to evacuate the unwanted persons and call for additional help. Pass information to the works main controller (WMC) periodically about the position at site.
4.	Works main Controller (WMC) Factory Manager	 Rush to emergency site and observe the ongoing activities. Take stock of the situation in consultation with the SIC. Move to Emergency Control Room. Take decision on declaration of emergency. Advise Auxiliary Team Leader to inform the statutory authorities and seek help of mutual aid from partners as required. Take decision on declaration of cessation of emergency. Ensure that the emergency operations are recorded chronologically.
5.	Rescue Team (RTL)	 Consult with Site incident controller (SIC) and organize his team with amenities to arrest fire fighting and medical treatment. Rush to Emergency Site through safe route along with the team members. Arrangement fire fighting equipments and hydrant points to arrest the fire or to evacuate the area. Shift the injured persons to hospital by ambulance after providing necessary first aid. To inform the auxiliary team Leader for necessary help from mutual aid Partners.
6,	Team members	 Each of the team members should follow the instruction of concerned team leader to mitigate the emergency.

8

KIC METALIKS LTD.



ACTIVATION & CLOSING PROCEDURE FOR ON-SITE EMERGENCY

PRADIP DAS

ACTIVATION PROCEDURE

The person noticing the incident of fire or leakage of gas, shall inform about the location & nature of fire to the combat team Leader (CTL), security Gate and concerned Shift-incharge.

Combat team Leader (CTL) shall inform site incident controller (SIC) and shall rush to the site immediately. He shall arrange for fire fighting and first aid available at site. He shall arrange to take necessary steps to eliminate the root cause of fire.

Site incident controller (SIC) on getting information shall inform the WMC and reach the site at the earliest. He shall take over the charge and shall direct Rescue Team Leader (RTL)) to carry out rescue operations including fire fighting and medical attention. Site incident controller (SIC) shall co-ordinate with Combat team leader (CTL) to eliminate the root cause of fire.

Work main controller (WMC), on arrival at site shall take stock of the situation from site incident controller (SIC) and then rush to emergency control room (ECR) to declare emergency on the basis of assessment made by (Site incident controller (SIC). He shall give direction to the security gate/ (Rescue team Leader) RTL to activate siren.

Two Minutes with a pause of five seconds for 3 times for fire Accident.

Three Minutes with a pause of five seconds for 5 times for leakage of gas.

- Rescue Team Leader (RTL) shall mobilize fire fighting and medical resources to site and shall assist (Site incident Controller) SIC.
- Auxiliary Team Leader (ATL) shall take charge of Emergency Control Room (ECR), shall ensure smooth operation of ECR and shall inform relatives of casualties. Informs mutual Aid partners and ensures their arrival at site if required.

9

KIC METALIKS LTD.

Auxiliary Team Leader (ATL) informs statutory authorities and district administration regarding emergency suitably and coordinates their visit at site.



FOR KIC METALIKS LTD

PRADIP DAS

Works main controller (WMC) coordinates and keeps the track of all the activities at site and off the site and arranges the recording of the activities in a chronological manner for review of the Onsite emergency Plan.

(5) FACILITIES AVAILABLE FOR ON-SITE EMERGENCY PLAN

(a.) Assembly Point:

In any emergency it will be necessary to evacuate people from affected zones or the zones likely to be affected, to a safer place. Safer places are identified and designated as Assembly Points. Taking the area and hazard zones into consideration two assembly points have been marked in four different areas i.e. one near administrative building (Assembly Point-1) and other near the MBF Area (Assembly Point-2) Both the points are well connectable to the plant road and facilities like drinking water, temporary shelter and first aid is available there. This has been well marked in the lay out map as well as in the factory.

(b.) Escape routes:

Escape routes are those ,that allow reasonably safe passage of persons from the work area to assembly point during emergency situation. These routes would be different depending on wind direction, Fire and explosion scenario. Escape routes are ear marked on the drawings as well as on the routes, which will facilitate all for safe evacuation.

(c.) Emergency Control Room (ECR):

The emergency Control Room is a place from which all emergency management operation are directed and coordinated. Also it is the place from where all communication will be established, with outside agencies and district authority also.

10

KIC METALIKS LTD.



Facilities Available at ECR:

- a. Plant general Layout, ear marked with hazard zone, Assembly points and escape routes.
- b. List of working personnel in various shifts and general shift.
- c. Mobile telephone Nos., of emergency command structure personnel.
- d. Emergency command structure.
- e. Rhythmical siren code for different emergency situation.
- f. Relevant material safety data sheet.
- g. Emergency Control Room Register.
- h. First Aid Box with antidotes.
- i. Required personal protective equipments with self carrying breathing app.

(6) INSTRUMENTS / FACILITIES AVAILABLE

· Fire Hydrant System

Fire pumps are connected with main fire hydrant to maintain a pressure of 7Kg/cm². In case of temporary power failure, the fire pumps are to be run through DG. An underground tank supply water to the fire main. A security jeep is stationed at main gate (main control) to meet the emergency.

Fire Extinguishers

Required types of fire extinguishers are to be provided at different locations of the plant.

Fire Buckets

Fire buckets filled with dry sand must be provided in different locations of the plant.

Siren

Company must have Siren/ hooter arrangement, which can be activated manually during fire related emergency.

11

KIC METALIKS LTD.



FOR KIC METALING LTD

DY. MANAGER

Communication

Public address system and EPABX telephone is available for effective communication inside the plant. Telephone directory is available in the entire department.

First Aid Box

Company has provided First Aid boxes with required first aid medicines at different locations inside the plant for any injury. First aid boxes are checked by the pharmacists once in a month & and medicines are filled/replaced. The first aid boxes are provided in the following locations:

MBF Control Room, Power Plant, Electrical Room, Sinter Plant Control Room Store and Security Office.

(7) EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Controls:

- Control of dust through implementation of good housekeeping and maintenance;
- The bag filters will be installed to control dust emission.
- Use of PPE, as appropriate (e.g. masks and respirators)
- Use of mobile vacuum cleaning systems to prevent dust buildup on paved areas;

Personal Protective Equipment (PPE):

Respiratory Protection: When the dust level is beyond exposure limits or when dust causes irritation or discomfort, use Respirator.

- Eye Protection: Wear Safety goggles to avoid dust contact with the eyes. Contact lenses should not be worn when handling the materials.
- Skin Protection: Wear impervious abrasion and alkali resistant gloves, boots, long sleeved shirt, long pants or other protective clothing to prevent skin contact.

KE

KIC METALIKS LTD.

FOR KIC METALING LTD

PRADIP DAS

Preventive Measures

- > The storage yards are constructed and maintained as per the guidelines.
- Regular/ weekly inspections of storage yards will be carried out with regard to proper earthing, adequate fire fighting facilities, any combustible materials, prevention of growth of wild vegetation etc.
- No naked fires will be allowed in and around coal storage areas and height of coal/ coke heap should not be too high to prevent auto ignition.

P

Communication problems with seniors, colleagues; at work place, asking in a positive way and executing their guide lines and giving much importance to each & every job that comes on the way, can remove stress at work place.

Preventive Measures related to Health Hazard in Major Units

SI. No.	Group	Item	Potential Health hazard	Preventive measures Water sprinkling'	
I	Raw materials and products	Iron ore & Coke,	Eye/skin irritation		
b	handling	Coal , lime stone, Dolomite	Respiratory track diseases	Dry fogging in conveyors, ID fan	
		Other fluxing minerals	due to Dust, burning due to	bag filter, PPE like safety shoes,	
	1111	Pig Iron	local fire	Fire Extinguishers / sand bucket	
		Acids/Alkalis	Eye/skin irritation	Water jet for eye washing	



FOR KIC METALIKE LTD

DY. MANAGER

	MBF			Gas cleaning plan ,Flare stack
		Noise	Headache	Use of PPE like ear muf
	Sinter Plant	Dust, heat	Respiratory track diseases	Well ventilated work place with air ventilation systems. PPE like gloves, nose mask to prevent dust inhalation
		Noise	Head Ache	Use of PPE like Earplug
	Captive power plant	Explosion, Noise, Vibration, Energized Electrical equipments, Acid & alkali	Electric shock, injury due to chemicals, burn/ eye injury	Use of PPE, barricading ,Isolation of high voltage area.
	Cement Plant	Dust, Noise	Respiratory track diseases, Headache	Well ventilated work place with air ventilation systems. Use of PPE's like nose mask, Earplug
Ш	Utilities			
	Fuel gas	Gas leaks	Fire and gas	Use of PPE
	Distribution		Poisoning	
	Electric power Supply	Short circuit	Electric shock	Use of PPE
IV	All shops			



	Falling from height	Collapse of scaffoldings Breaking of slings	Injury, breaking of bone	Proper scaffolding to withstand Load and use of safety belt Tested from time to time.	
V	Major Shop				
	O ₂ & N ₂ Plant	Liquid O ₂ & N ₂	Cold Burn	Using nitrile gloves	
			Frost Bite	while handling Liquid O ₂ & N ₂ equipment.	
		Gaseous N ₂ ingress	Asphyxiation	Multi-gas detector to be carried while in plant site.	
		Gaseous CO ₂ ingress	Asphyxiation	Multi-gas detector to be carried while in plant site.	
		Running Compressor and Blower	Noise Hazard	Ear plug or ear muffs to be used while in plant site.	


KIC Metaliks Ltd. has already implemented requisite preventive methods in the existing plant to avoid any measure accident and risk thereby.





FOR KIC METALIKS KTD

PRADIA DAS

HEAT WORK WITH PPE PROTECTION









PRADIP DAS DY, MANAGER



K I C METALIKS LIMITED

"OM Tower" 32, Jawahar Lal Nehru Road, 3rd Floor, Room No. 304, Kolkata - 700 071 Phone: +91 33 3517 3005, 3507 2679

Heat Stress Prevention and Policies

Management of KIC Metaliks Ltd. is deeply committed to the health and safety of our workforce, especially those working in high-temperature zones.

In today's era of rapidly changing climates, addressing heat stress has become a critical aspect of workplace health, safety, and environmental management. KIC approach this challenge under the broader umbrella of "Heat Illness Prevention." This initiative recognizes the severe risks of heat exposure, which claims numerous lives and affects thousands of workers annually.

Heat-related hazards can arise both indoors and outdoors, throughout the year—not just during heat waves. Understanding the seriousness of this issue, we have implemented a range of measures to protect our workforce.

Key Risk Factors and Preventive Measures at KIC Metaliks Ltd.

1. Environmental Factors

- Temperature, humidity, and airflow significantly influence heat stress. To combat this, we following measures has been taken:
- Well-ventilated work place with high capacity man coolers.
- Rest rooms with fans and water coolers for drinking water,
- To avoid continuous work manpower increased in such a way so that employees take rest intermittently.
- We are providing vehicles for employees with free of cost as conveniences to avoid heat stress in their way.
- Providing lime water in day time.
- Providing such foods in canteen which works against heat stress

2. Physical Factors

- High-intensity physical activities heighten the risk of heat stress.
- We closely monitor and manage such tasks to safeguard our workers.
- We are using automation to avoid high intensity physical work.
- We never in the favor of high intensity physical work and for which we are using different machines.

3. Personal Factors

Age, fitness levels, and acclimatization vary among individuals, impacting susceptibility to heat stress. For this reason we are providing medical checkup periodically and if physical fitness found less than the desired for hot zone ,we immediately transfer to the suitable place.

CIN: L01409WB 1986PLC041169

Factory: Raturia, Angadpur, Durgapur - 713 215, Phone: 9874943345 Email: info@kicmetaliks.com • Website: www.kicmetaliks.com



4. Workplace Policies and Training

 KIC emphasizes educating employees and enforcing robust heat stress prevention policies.

5. Hydration

 We are encouraging our employees for regular water intake to prevent heat stress and it is the simplest way for this.

6. Rest Breaks

Scheduling regular breaks in shaded or air-conditioned areas provides workers with necessary recovery time which we are maintaining by keeping extra manpower.

7. Acclimatization

 Gradual exposure to hot conditions helps workers adapt more effectively to their environment which are maintaining properly and we never send the new or inexperienced person to hot areas directly.

8. Appropriate Clothing

We are providing heat resistance aprons, face guard helmets. gloves, nose masks, goggles to the employees who are working in hot areas to resist direct heats.

9. Monitoring and Awareness

- Our Heads of Departments (HODs) oversee the implementation of heat stress prevention measures.
- Continuous monitoring ensures these strategies are refined and tailored to meet workers' needs.

10. Dedicated Safety Teams

 Our Occupational Safety and Health Administration (OSHA) team and plant safety officers are vigilant in addressing heat stress risks and ensuring compliance with preventive measures.

Our Commitment

At KIC Metaliks Ltd., we firmly believe that incorporating heat stress prevention strategies into our workplace is not just a regulatory requirement but a moral obligation. Our ongoing efforts reflect our commitment to creating a safer, more comfortable work environment for our employees.

Stay Alert: Heat-Related Medical Emergencies

Heat-related emergencies demand immediate action, and our teams are always prepared to respond promptly and effectively.

Together, we aim to make heat stress prevention an integral part of our workplace culture, ensuring the health and safety of all our workers.





K I C METALIKS LIMITED

"OM Tower" 32, Jawahar Lal Nehru Road, 3rd Floor, Room No. 304, Kolkata - 700 071 Phone: +91 33 3517 3005, 3507 2679

Ref. No.KIC/PLANT/ADMIN/24-25/010

Date: 10.09.2024

DIAGNOS PATH LAB

Vidyasagar Abasan, Sagarbhanga, Durgapur-713211, West Bengal. PAN Number: BOIPM1089Q

Kind Attn: Mr. TONMOY MONDAL: 7384336966/ Mr. PRADIP PRASAD: 9331890763)

Dear Sir,

Sub: Work Order for Employee Health Check-Up at our Durgapur Plant premises

Ref: Your quotation Dated: 01.09.2024

With reference to the above and subsequent discussion had with you, we are pleased to place Employee Health Cheakup - Programme (Approx 500 Employee) as per following details & terms & Condition:-

INVESTIGATION	RATE (Rs.)
1 Blood for TC, DC. Hb% ESR	100/-
2. ECG	200/-
3.Pulmonary function tests (P.F.T)	600/-
4. Audiometry	600/-
5 .Chest X-Ray (PA-VIEW)	200/-
Total	1700/-
Corporate Discount	(-)1100/
Final Price	600/-

OTHER TERMS & CONDITIONS

G.S.T: Inclusive

Payment Terms : 100 % advance against Performa Invoice.

Please sign and return the duplicate copy of this W. O. As a taken of your acceptance. Supplier will raise the invoices on K I C Metaliks Limited and Invoice to be raise in Kolkata office address.

Thanking you

Yours faithfully,

FOR KICMETALIKS LIMITED

AUTHORISED SIGNATORY CIN: L01409WB 1986PLC041169

Factory: Raturia, Angadpur, Durgapur - 713 215, Phone: 9874943345 Email: info@kicmetaliks.com • Website: www.kicmetaliks.com







INVOICE

Name:

KIC METALIKS LIMITED

Address: A

Angadpur, Raturia, Durgapur, PIN Code: 713215

Date:

08-11-2024

Bill No:

2024-25-513

Sr. No.	Particulars	Rate @	No. Ut Employee	Amount
	Medical Test			
1	WORKER HEALTH CHECKUP HB TC DC ESR ,ECG.PFT.CHEST X-RAY PA -VIEW.AUDIOMETRY	600	500	30000
				Ŀ.,
				1
A. S.			1,	
100	Rupees Three Lacs Only.		Total	30000

BANK ACCOUNT DETAILS

Account Name

: DIAGNOS PATH LAB

Account No

: 40463548156

Bank Name

: State Bank of India

Branch

: F.C.I Durgapur

IFS Code

: SBIN0001556

PAN NO

: BOIPM1089Q

Note: Please Pay 25% of the invoice amount as advance.

For DIAGNOS Path Lab



Authorized Signatory

FOR KIC METALIKS LTD

PRADIRIDAS DY. MANAGER











Patient Name : MR. AJAY SHAW

Age / Gen : 27 years / Male

Referred By :-Lab Code :6



Barcode No : 004636424 Invoice Generated : 15/09/2024

Sample Received : 15/09/2024 Report Generated : 15/09/2024

Investigation Result Unit(s) Reference Range

HAEMATOLOGY

HBTCDCESR			
Haemoglobin (Hb)	14.3	g/dL	13 - 17
Total Leucocytes (WBC) Count Method : Impedance	8900	/cumm	4000 - 11000
Differential count of Leucocytes			
Neutrophils	66	%	40 - 70
Lymphocytes	31	%	20 - 40
Eosinophils	01	%	01 - 06
Monocytes	02	%	02 - 08
Basophils	00	%	00 - 01

Method: Electrical Impedance.

INSTRUMENTS USED: "Sysmex XP-300"(Japan)

ESR - Erythrocyte Sedimentation Rate 05 mm/h(1st Hr.) 0 - 15

Method: Westergren &Manual

-END OF REPORT-

DR. GAURAV PAL MD (Pathology) Reg. No. 71015 (WBMC) DE CHARLEY
DR. DEBKUMAR RAY

MD (Biochemistry) Reg. No. 54126 (WBMC) Udayan Chantra
DR. UDAYAN CHANDRA
MD (Pathology)

Reg. No. 63760 (WBMC)







Sample Received



PatientName

: MR. AJAY SHAW

Age / Gen

: 27 years / Male

Referred By

. -

Lab Code : 6

Barcode No : 004636424

Invoice Generated : 15/09/2024

: 15/09/2024

Report Generated : 15/09/2024

X-RAY

X-RAYCHESTPAVIEW

Observation:

The lung fields are clear.

The cardio thoracic ratio is within normal limit.

The apices, costo and cardio phrenic angles are clear.

Thecardiovascularshadowandhilashownoabnormalfeature. The

bony thorax shows no significant abnormality.

The domes of diaphragm are well delineated.

IMPRESSION: No significant abnormality noted.

---END OF REPORT-----

Probled Hope

M.B.B.S.D.M.R.D(CAL) Consultation Radiologist Reg No- 44517 WBMC









AUDIOMETRY REPORT

Name	AJAY SHAW	Sex	Male	
SI. No.	KIC6	Test Date	15/09/2024	
Age	27 Years	Report Date	15/09/2024	

Pure Tone Average


RE: 13dB


LE: 13dB

Findings

Hearing sensitivity is within normal limit in both ears.

(Please correlate clinically.)





Mr.Tapas Roy MASLP Audiologist











Report Status: Reviewed Center:ID-EDPD291233 TestID:DM:B-2014:F:2132

Pt's Name: AJAY SHAW Date: 15/09/2024

Age&Gender:27Y/M Reviewed by: Dr. Pranjal Pratim Sarma(MD)

> Reg.No:14591(AMC) Referred By: DR

Test Name: ECG

ECG Status: Normal ECG Pts History & Symptoms:

Report for: Normal checkup Dr. Advice: Sinus Rhythm No Significant Changes

> **ECG found in Normal Limit** Final Impression: Normal ECG

Report Analysis

Heart Rate -50-100 BPM Heart Rate: Normal **70BPM**

97ms

PR Interval: Normal QRS

Interval: Normal QT/QTcInterval: Normal AV Block: Normal

84 ms 370/377ms Normal Heart Conduction Values

PRIntervals-120-200ms ORSInterval-70-120ms QTcInterval-350-470ms

Cardiologist Dr. Pranjal Pratim Sarma MBBS,MD(Medicine), DNB(Cardiology) Reg.No: 14591











: MR. ANIRUDDHA DAS

Age / Gen

: 32 Years / Male

Referred By

Investigation

-

Lab Code

: KIC8

Invoice Generated : 20/01/2025

Sample Received

: 20/01/2025

Report Generated

: 20/01/2025

Result Unit(s) Reference Range

HAEMATOLOGY

		-	MAN
HH	10:	116:	ESR

Haemoglobin (Hb)	14.3	g/dL	13 - 17
Total Leucocytes (WBC) Count	7900	/cumm	4000 - 11000
Method : Impedance			

Differential count of Leucocytes

STREET COURT OF MCHOOLING			
Neutrophils	62	%	40 - 70
Lymphocytes	33	%	20 - 40
Eosinophils	03	%	01 - 06
Monocytes	02	%	02 - 08
Basophils	00	%	00 - 01

Method: Electrical Impedance.

INSTRUMENTS USED: "Sysmex XP-300"(Japan)

ESR - Erythrocyte Sedimentation Rate	03	mm/h(1st Hr.)	0 - 15

Method: Westergren &Manual

-END OF REPORT-

DR. GAURAV PAL MD (Pathology) Reg. No. 71015 (WBMC) DR. DEBKUMAR RAY MD (Biochemistry) Reg. No. 54126 (WBMC)

DR. UDAYAN CHANDRA MD (Pathology) Reg. No. 63760 (WBMC)

DIAGNOS PATH LAB

VIDYASAGAR ABASAN, (NEAR GHOSH MARKET SBI ATM), SAGARBHANGA, DURGAPUR-713211



ID: KIC8

Name: ANIRUDDHA DAS

Age: 32 YEARS

Gender: Male

Weight: 53Kg.


Height: 169 Cms.

Smoker: YES

Refd By:


Date: 20/01/2025


Equation Set: INDIAN



-2 h	_	-			-	1987
	~ :	/				
	-	P+1111				
-9.						
5.	-					
-8						
10-						
10						
- 4	urren!					
2.5						
-						
100						
71-						
1						
100						
200						
9111						
- 1111						
-						
9)						
1111						
2						
4 11						
1000						
3						
0.17	-					
4 100						
2 1						
1						
0.0						
1 7						
110						
1	100 000		111		13111	
0	6 16	11.75	100	1 25	- 25	100 110 100
	1112	3	19	-2	0	5
211					11540	N. 20.

Parameters	Rredisted:	Pse Medecine	% Pred	Post Medecine	% Pred	%Improvement
FVC. (L)	2.11	252	81	T-1111111		*******
FEV1 (L)	2.62	2.31	88	Antonio .	*****	*******
FEV1/FVC (%)	84.24	91.67	109	-	*******	*******
FEF 25-75 (US)	4.99	3.06	76	-	-	********
PEFR (US)	8.16	7.11	84	-	*******	*******
FIVC (L)	District Co.	2.27	******	-	*******	*******
FEV 5 (L)	Principles -	1.83		******	*******	*****
FEV3 (L)	3.02	0	0	******		*******
PIFR (L/S)	Account 1	3.71		******	********	*******
FEF 75-85 (L/S)	- December 1	0.95			********	*******
FEF25% (L/S)	7.7	5.31	69			*******
FEF50% (L/S)	5.58	3.08	55	100 miles	******	******
FEF75% (L/S)	2.85	1.26	44	******		******
FEV.5/FVC (%)	-	72.62		******	*****	******
FEV3/FVC (%)	97.11	0	0	*******		*******
FET (Sec)	- Annual Control	1.84	-	-	*******	*******
Lung Age (Yrs)	31	38	-	-	-	*******
FEV6 (L)	3.11	and the last of th	-	12000	-	-
SVC (L)	personal contract	2.7		******		
ERV (L)	1.35	0.14	10	*******	(*************************************	*******
RV (L)	-	1.24		******		******
VE (L/min)	Contract Contract	30.49	-	weening.		
RF (1/min)		22.08	-	******	-	
Ti (sec)	Tables .	4.48	-	bearings.	Comme	
Te (sec)	1	-1.76			******	passes.
/T (L)	-	132	-		*******	1,000,000
/T/Ti	_	0.29			- TTTTT	
TVTot	anness .	1.65	_	-		******
C (L)	Annual :	256	-	-	******	Assessed
M/V	127.81	85.1	67	Tereston.	*******	******
MRF	woman .	125	-		2000000	******





Doctor's Note: Spirometry is in Normal Limits.











AUDIOMETRY REPORT

Name	ANIRUDDHA DAS	Sex	Male	
SI. No.	KIC8	Test Date	20/01/2025	
Age	32 Years	Report Date	20/01/2025	

Pure Tone Average


RE: 17dB


LE: 17dB

Findings

Hearing sensitivity is within normal limit in both ears.

(Please correlate clinically.)





Mr.Tapas Roy MASLP Audiologist











: MR. ANIRUDDHA DAS

Age / Gen

: 32 Years / Male

Referred By

22

Lab Code

: KIC8

Invoice Generated : 20/01/2025

Sample Received : 20/01/2025

Report Generated : 20/01/2025

X-RAY

X-RAY CHEST PA VIEW

Observation:

- Trachea is central.
- Lung fields show normal lucency.
- Domes & costophrenic angle are normal.
- Cardio thoracic ratio within normal limit.
- Mediastinum central.
- Rib cage/ soft tissues are normal.

IMPRESSION: Normal study.


Suggested further clinical correlation & follow-up.

----END OF REPORT---

Problem God

M.B.B.S.D.M.R.D(CAL) Consultation Radiologist Reg No- 44517 WBMC

Page 3 of 3













: MR. BABLU SINGH

Age / Gen

: 47 Years / Male

Referred By

Investigation

Lab Code

: KIC7

Invoice Generated : 20/01/2025

Sample Received : 20/01/2025

Report Generated : 20/01/2025

Result Unit(s) Reference Range

HAEMATOLOGY

LIP	TO	no	FOR
HH	11.	DC.	ESR

Haemoglobin (Hb) 12.9 g/dL 13 - 17 4000 - 11000 Total Leucocytes (WBC) Count 7900 /cumm Method : Impedance

Differential count of Leucocytes

Neutrophils	62	%	40 - 70
Lymphocytes	35	%	20 - 40
Eosinophils	01	%	01 - 06
Monocytes	02	%	02 - 08
Basophils	00	%	00 - 01

Method: Electrical Impedance.

INSTRUMENTS USED: "Sysmex XP-300"(Japan)

ESR - Erythrocyte Sedimentation Rate 04 mm/h(1st Hr.) 0 - 15

Method: Westergren &Manual

-END OF REPORT-

DR. GAURAV PAL MD (Pathology) Reg. No. 71015 (WBMC) JobCinranky DR. DEBKUMAR RAY MD (Biochemistry)

Reg. No. 54126 (WBMC)

Udayan Chandle

DR. UDAYAN CHANDRA MD (Pathology) Reg. No. 63760 (WBMC)











: MR. BABLU SINGH

Age / Gen

: 47 Years / Male

Referred By

: KIC7

Lab Code

Invoice Generated : 20/01/2025 Sample Received : 20/01/2025

Report Generated : 20/01/2025

X-RAY

X-RAY CHEST PA VIEW

Observation:

Problem Speck

M.B.B.S.D.M.R.D(CAL) Consultation Radiologist Reg No- 44517 WBMC

The lung fields are clear.

The cardio thoracic ratio is within normal limit.

The apices, costo and cardio phrenic angles are clear.

Thecardiovascularshadowandhilashownoabnormalfeature. The

bony thorax shows no significant abnormality.

The domes of diaphragm are well delineated.

IMPRESSION: No significant abnormality noted.

END OF REPORT-

Page 3 of 3

DIAGNOS PATH LAB

VIDYASAGAR ABASAN, (NEAR GHOSH MARKET SBI ATM), SAGARBHANGA, DURGAPUR-713211



ID: KIC7

Name: BABLU SINGH

Age: 47 YEARS

Gender: Male

Weight: 55Kg.


Height: 164 Cms.

Smoker: YES


Refd By:


Date: 20/01/2025

Equation Set: INDIAN




Paramoters .	Predicted	Pre Medecine	% Pred	Post Medecine	% Pred	%Improvement
FVC (L)	2.95	2.2	108	- Comment	************	
FEV1 (L)	2.36	2.43	163		*******	*********
FEV1/FVC (%)	80	75.94	95		*******	
FEF 25-75 (L/S)	3.42	2.43	70	********	-	
PEFR (L/S)	II. 014	2.50	32	********	*******	******
FIVC (L)		2.84	-	CHARLES		-
FEV.5 (L)	1000	0.83		******	Characteristic	-
FEV3 (L)	2.86	0	0	*******	******	******
PIFR (L/S)	-	25	-	*******	******	******
FEF 75-85 (US)	-	2.05		-	*******	
FEF25% (US)	7.46	2.33	31	*****	*******	*******
FEF50% (L/S)	5.2	2.48	-48	1 Charles	*******	*******
FEF75% (L/S)	2.52	2.17	04	*******	*******	********
FEV.5/FVC (%)	2011177	25.94	control.	- ************************************	*******	******
FEV3/FVC (%)	96.95	0	0		******	*******
FET (Sec)	******	1.52	-		******	
Lung Age (Yrs)	407	46	-			******
FEV6 (L)	2.95	-		-	Assessed	
SVC (L)	Seeming.	4.23	-	-	******	
ERV (L)	12	-		*****	******	******
IRV (L)		-	-	*******	********	******
VE (L/min)		29.99	-		******	******
RF (1/min)	-	25,86		Total Control	-	
Ti (sec)	Shimme	3.44	-	-	*******	******
Te (sec)	*******	-112	and the same of	******	******	******
VT (L)	-	-	-	*******	******	-
VT/Ti	200000	300000			*****	******
Ti/Tot	******	1.48	-	-	*****	******
IC (L)	-	-	*******	******	******	Anderso
MVV	517.75	100.92	86	-		
MRF	- positive	115	-	*******	******	*****





Doctor's Note: Spirometry is in Normal Limits.













AUDIOMETRY REPORT

Name	BABLU SINGH	Sex	Male	
SI. No.	KIC7	Test Date	20/01/2025	
Age	47 Years	Report Date	20/01/2025	

Pure Tone Average


RE: 15dB


LE: 15dB

Findings

Hearing sensitivity is within normal limit in both ears.

(Please correlate clinically.)







Mr.Tapas Roy MASLP Audiologist



Scanned with CamScanner



Scanned with CamScanner



Scanned with CamScanner



Scanned with CamScanner



Scanned with CamScanner




K I C METALIKS LIMITED

"OM Tower" 32, Jawahar Lal Nehru Road, 3rd Floor, Room No. 304, Kolkata - 700 071 Phone: +91 33 3517 3005.3507 2679

	MEMI	BERS OF ENVIRON	MENTAL MA	ANAGEME	NT CELL	
No	Name	Qualification	Designation	Contract No	Mail Id	Signature
1	Mr.Arun Kumar Das	B.Sc (D), Diploma in Metallurgical Engg., PG Diploma in Production Management	Asst. Vice President	9874943305	arun@kicmetaliks .com	D 2
2	Mr. P. Bhupendra Kumar	B. Tech Mechanical	Sr. General Manager	9874943314	p.bhupendra@kic metaliks.com	Sec)
3	Mr. Manoj Prasad	Diploma in Mechanical	Dy. General Manager	9874943370	mprasad@kicmet aliks.com	Mount
4	Mr. Jitendra Kumar Lal	Diploma in Mechanical	Sr. Manager	9874943336	jitendra@kicmeta liks.com	J. h. Laf
5	Mr.Vinay Kumar Singh	Diploma in Mechanical	Asst. General Manager (Sinter Plant)	9874943309	vinay@kicmetalik s.com	Torre
6	Mr. Supriya Banerjee	Diploma in Electrical	Manager (Elect.	9874943313	supriya@kicmetal iks.com	Jeny .
7	Mr. Biswajit Bhowmik	Diploma in Electrical	Manager (Elect. - Sinter)	9874943333	biswajit@kicmeta liks.com	Haly
8	Mr. Pradip Das	Diploma in Industrial Relation & Personnel Management	Dy. Manager	9874943332	pradipdas@kicme taliks.com	
9	Miss.Sudeshna Sarkar	M.Sc in Environmental Science	Environmental Officer	7432877685	sudeshnakic735@ gmail.com	Sankar
10	Mr. Sudipta Bhattacharya	B.Tech Electrical	Manager E & T	9874943349	sudipta@kicmetal iks.com	Swe.1.
11	Mr. Dalim Ghosh	B.Sc	Asst. Manager	7001900349	dalim123ghosh@ gmail.com	Dalin Kile
12	Mr.Manabendra Mukherjee	B.Sc	Deputy Manager	9874943344	manab.mukherje e@kicmetaliks.co m	Mys:
13	Mr. Bishnu Brata Ghosh	B.Sc	Asst. Manager	9641788422	bishnubrata475gh osh@gmail.com	Bloom
14	Mr. Samir Das	B.Sc	Officer	9874943343	samir.kic@gmail.c om	100
15	Mr. Avishek Khan	Diploma in Mechanical, ADIS	Sr. Safety Officer	8101765456	safety@kicmetali ks.com	
16	Mr.Suvaraj Baneriee	B.Sc, ADIS	Safety Officer	9874943362	safety@kicmetali ks.com	Baylory .
17	Mr.Dipaloke Das	B.Tech in Civil Engineering	Assistant Executive	7908566920	hrd dgp@kicmet aliks.com	A Roy

CIN: L01409WB 1986PLC041169

Factory: Raturia, Angadpur, Durgapur - 713 215, Phone: 9874943345 Email: info@kicmetaliks.com • Website: www.kicmetaliks.com



The environment is a shared space where all life forms coexist. However, increasing population density and human activities have led to significant environmental degradation worldwide. Even smaller nations face similar challenges. Recognizing that the environment is not a disposable resource, KIC Metaliks Ltd. has committed to spreading awareness about environmental conservation and protection.

KIC Environmental Team conducts workshops for school children and gram panchayats to instill the importance of protecting nature. We believe that a collective effort, fueled by awareness and responsibility, is key to addressing environmental challenges.

In urban and rural communities, our team organizes awareness campaigns, emphasizing ecological safety and sustainable practices. While the State and Central Governments have implemented several initiatives for environmental conservation, we at KIC take additional proactive steps to ensure a sustainable future.

Technological Initiatives at KIC

As an integrated steel unit, KIC Metaliks Ltd. ensures that all technological processes are equipped with advanced Air Pollution Control (APC) devices. To maintain their efficiency, we have a dedicated team that oversees their performance and maintenance, ensuring our operations; remain eco-friendly.

Why Environmental Protection Matters

Protecting the environment is essential for the well-being of humans, animals, and the planet. Here's why:

1. Human Health: A clean environment is vital for healthy living.
Pollution can lead to severe health issues, including respiratory
diseases and cancer.

Biodiversity: The balance of ecosystems depends on the diversity of species. Losing one species can disrupt the entire ecosystem.

3. Sustainability: Preserving natural resources today ensures their availability for future generations.

FOR KIC METALIKS LTD

DY MANAGER

Global Environmental Challenges

Some of the significant environmental issues impacting the planet include:

1. Global Warming & Climate Change: Human activities have increased greenhouse gases, causing temperature rises and threatening ecosystems.

 Pollution & Ocean Acidification: Improper industrial waste disposal, oil spills, and carbon emissions have polluted water bodies and oceans, disrupting marine life and ecosystems.

 Biodiversity Loss: Over exploitation and habitat destruction have led to significant biodiversity loss, affecting food security and ecosystem functioning.

Educating the Future: Lessons from KIC

Our environmental team shares practical examples with students to inspire action:

 Saving Water: Fixing leaks and using water-efficient appliances can significantly conserve water.

 Reducing Plastic Use: Avoiding single-use plastics and switching to reusable alternatives help reduce plastic pollution.

 Conserving Energy: Simple practices like using energy-efficient lighting and turning off unused devices lower greenhouse gas emissions.

Our Commitment

At KIC Metaliks Ltd., we understand that addressing environmental problems requires collective action and a shift in societal values. Our organization is steadfast in its dedication to combat global warming and foster a sustainable future for all.

Let's join hands to create a healthier, greener planet.

FOR KIC METAL

PRADIP DAS DY. MANAGER



K | C METALIKS LIMITED

"OM Tower" 32. Jawahar Lal Nehru Road, 3rd Floor, Room No. 304, Kolkata - 700 071 Phone: +91 33 3517 3005, 3507 2679

Environment Management Plan (EMP)

EMP - IMPLEMENTATION AND MONITORING.

Environment Management Plan (EMP) is a description of the administrative aspects of ensuring the mitigation measures are implemented and their effectiveness monitored.

OBJECTIVES OF EMP

The long-term objectives of the EMP for all the environmental attributes are as under:-

- Overall conservation of environment.
- To comply with all the norms and environmental standards stipulated by MoEF & CC & State Pollution Control Boards.
- Minimization of waste generation and pollution.
- Judicious use of natural resources and water.
- · Generation of good working conditions (devoid of air & noise pollution) for employees.
- Safety, welfare and good health of the workforce.
- To encourage and attain the highest performance regarding pollution and environmental condition.
- To ensure the effective operation of all control measures.
- To plan out the complete strategy to take care of stakeholder engagement.
- Budgeting and allocation of funds for environment management expenditure.
- Providing support to achieve environmental standards and develop methods of environment management.
- Initiate Research & Development culture in the organization for innovative technologies for a cleaner and better environment.
- Contribute to sustainable development.

ENVIRONMENT MANAGEMENT CELL

M/s.KIC Metaliks Ltd. from the very beginning set-up an Environment Management Cell, represented by Senior personnel's. Various aspects of environment are discussed monthly to assess and review how and what initiatives are required to provide for a better environment. We are very conscious for taking all necessary steps for environment.

The routine work of EMC is as follows:

Regular monitoring of stack emission & fugitive emission and in case of any abnormalities taking immediate corrective measures.

Regular monitoring of ambient air quality in and around the plant. For KIC METAL II.

PRADIP DAS DY. MANAGER

CIN: L01409WB 1986PLC041169

Factory: Raturia, Angadpur, Durgapur - 713 215, Phone: 9874943345 Email: info@kicmetaliks.com • Website: www.kicmetaliks.com

- iii. Regular monitoring of re-circulating water quality, the water quality of the storage
- iv. ponds, groundwater quality and surface water quality. Regular noise monitoring of the work zone and surrounding area.
- v. Green belt like Plantation, maintenance and development of new lawns, nurseries, gardens, etc. along the plant boundary and inside the plant premises.
- vi. Regular monitoring solid wastes quantity and ascertaining its utilization.
- vii. Development of schemes for water conservation, rainwater harvesting and reuse of treated wastewater.

Various measures have been suggested in the Environmental Management Plan (EMP) for the mitigation of impacts. These have to be implemented according to the suggestions and will be monitored regularly to prevent any lapse.

The cell will be responsible for the monitoring of the plant safety and safety-related systems which include checking of safety-related operating conditions and preparation of a maintenance plan and documentation of maintenance work specifying different maintenance intervals and the type of work to be performed. Other responsibilities of the cell will include:

- Timely renewal of Consent to Operate & Hazardous Waste Authorization (CC & A).
- Submitting environmental monitoring report to SPCB. Data monitored by the cell
 will be submitted to the Board regularly and as per the requirement of SPCB. The
 cell will also take corrective measures as required or suggested by the Board.
- Keeping the management updated on regular basis about the conclusions/results
 of monitoring activities and proposed measures to improve environment
 preservation and protection.
- Conducting regular safety drills and training programs to educate employees on safety practices. A qualified and experienced safety officer employed for the identification of the hazardous conditions and unsafe acts of workers and advice on corrective actions, organize training programs and provide professional expert's advice on various issues related to occupational safety and health.
- The comprehensive EMP also included greenbelt development, disaster management plan and the peripheral socio-economic development plan for the region. The EMP will implement by the "Environment Management Department (EMD)" members created by the management of the plant.

For effective implementation of the mitigations to reduce impacts, it is necessary to have a permanent organizational setup. EMC is the main link between departments and top management to take up the responsibility of environment management. All the project activities are monitored to ensure the appropriate implementation of all environmental mitigation activities and to identify areas where environmental compliance is not satisfactory.

For KIC METALIK

DY. MANAGER

Regular monitoring of environmental parameters like air, water, noise and soil as well as the performance of pollution control facilities and safety measures in the plant are important for proper environmental management of any project. Therefore, the environment and safety cell (EMP cell) has already been formed to handle monitoring of air and water pollutants as well as the solid wastes management as per the requirements of the State Pollution Control Board and Central Pollution Control Board.

All the CREP recommendations will be implemented & followed strictly. The following are the compliance with CREP recommendations.

- Online Ambient Air Quality Monitoring Stations established in consultation with SPCB during the operation of the plant.
- Fugitive emission monitoring will be carried out as per CPCB norm
- Rainwater harvesting pits are being constructed in consultation with CGWB.

AIR POLLUTION & CONTROL

Predominant are pollutants particularly the Particulate Matter and gaseous pollutants are generated, the sources of which are given below:

- MBF (Mini Blast Furnace)
- Sinter Plant
- CPP (Captive Power Plant)

Particulate Matter is removed to meet the emission standard from each of the above sources by providing Dust Catcher, Saturator, Ventury, Mositure Separator, Thickner, Bag Filters and Electro Static Precipitators (ESP). Collected dust has been dealt with under Solid Pollution.

FUGITIVE EMISSION CONTROL

S. No	Fugitive Emission Sources	Control T	
1.	Active Storage Area	Control Technique	Control Equipment
		WateringPlantation	Water sprinkling on yard
2.	Loading & Un-loading	r iditation	Covering with Tarpaulin.
		 Water spray 	Water sprinkling on
3.	Internal Road Transportation		yard
	Transportation	Water sprayConcrete	Dust suppression systems

WATER POLLUTION & CONTROL

The industrial waste water will be treated and reused. Domestic waste water treated at STP. Treated sewage used for Plantation and Dust suppression. The unit adopted rainwater harvesting system, which ultimately reduce the freshwater requirement. Maximum use of harvested water for watering plants. The plant is based on Zero Liquid Discharge (ZLD) system. There is no process effluent discharge from the plant.

SOLID & HAZARDOUS WASTE

FOR KIC METALIK

DY. MANAGER

All types of solid waste generated like Iron ore fines, coke fines, under size sinter which reused in Sinter Plant. And Granulated slag sold to third party.

NOISE POLLUTION CONTROL

Different sources of noise are mentioned below:

- Compressors, pumps, fans
- Traffic movement

Most of these generate higher noise. The movement of vehicles may create a noise. The machinery and techniques used for the manufacturing process would be such that there is the minimal nuisance of noise in the surrounding region. However, as a precautionary measure, enclosures provided where ever possible for all the major noisemaking mechanical units to arrest the sound waves and minimize noise pollution, the unit proposes the following noise control measures:

- Noise generation due to friction from the machines shall be avoided by regular proper maintenance and lubrication.
- Reduction of noise at source and well lubrication of the rotating equipment.
- Noise suppression measures such as enclosures, buffers and/or protective measures should be given if required (wherever noise level is more than 75 dB (A)
- The transportation contractor shall be informed to avoid unnecessary speeding of the vehicles inside the premises. (max 10 km/hr)
- All the vibrating parts will be checked periodically and serviced to reduce the noise generation.
- Provide acoustic enclosure for rotating equipment.
- To prevent noise pollution in the surrounding area, the greenbelt area will be developed within industrial premises and around the periphery.
- Employees shall be provided with ear protection measures like earplugs or earmuffs.

GREENBELT DEVELOPMENT

Plants are an effective mode to control the air and noise pollution. Plants form a surface capable of absorbing air pollutants and attenuating noise. Locally available trees, which are resistant to pollution, will be planted. Maximum attention shall be paid to the creation of greenery. Greenbelt will be created on 25.254 acres (33.3%) of available land inside the plant and plantation will be done as per CPCB Norm in consultation with Forest Department. The list of trees considered for plantation is given in

Table 1 Species Considered for Greenbelt Development

Sl. No.	Spinntiff N.	
TALLETON I	Scientific Name	Common Name
I.	Butea monosperma	Palash
2.	Dalbergia sissoo	Sissoo
3.	Neolamarckia cadamba	
4.	Ficus benghalensis	Kadam
5	Ficus religiosa	Banyan
	1 icus religiosa	Peepal

PRADIP DAS

6.	Madhuca latifolia	Mahua
7.	Cassia fistula	Sonajhuri
8.	Terminalia arjuna	Arjun
9.	Azadirachta indica	Neem
10.	Mangifera indica	Mango
11.	Albizzia lebbeck	Siris
12.	Artocarpus heterophyllum	Jackfruit

During developing the green belt, the following general considerations should be considered:

- Local/native fast-growing trees will be planted.
- Plantation of trees should be undertaken in appropriate encircling rows.
- To avoid browsing by animals, the trees should be protected by plantations of nonpalatable shrub species.

RAINWATER HARVESTING

KIC will have a system of rainwater harvesting within the plant premises by storage reservoirs for paved and green areas. The aim of rain-water harvesting is utilizing rainwater for process, watering plants & sprinkling.

As such, about 4.5 lakh KL water is available for storage and reuse during peak month of July. The maximum size of storage pit is designed for storing rainfall of July the total volume of storm water available will be 4.5 Lakh KL. Assuming the storage area 1500 m². The storage is not expected to overflow as extraction for reuse will be continuous till water is available in the RWH Storage.

FOR KIC METALINS LT

PRABIP DAS

			AIR POLLUTION CONT	TROL DEV	AIR POLLUTION CONTROL DEVICES, FUNCTION AND FUND ALLOTMENT	FUND ALLOTM	TENT	
UNIT	MACHINE	APC	FUNCTION	STATUS	FUND INVESTED IN 2022(Rs.)	FUND INVESTED IN 2023	FUND INVESTED IN 2024	REMARKS
	1.49		Coarse particles removal from		1000			
MBF	MBF	DUST CATCHER	Blast Furnace gas	ACTIVE	Rs.20,00000.00			
		SATURATOR	Fine particles removal from Blast	ACTIVE	Rs.1,14434.00 +Contractoe Price WO - Hindustan		Rs.5,09939.00 +contractor	D.K.ENTERPRISE (KIC/MBF/MEC
					23-23 DT.16/12/22		price	DT.10/9/23
	4	VENTURY SCRUBBER-1	Fine particles removal from Blast Furnace gas	ACTIVE				=
		VENTURY SCRUBBER-2	Fine particles removal from Blast Furnace gas	ACTIVE				
		Cyclonic	moisture particles removal from Blast Furnace gas	ACTIVE				
								8
		WHRS	Heat collection from flue gas	ACTIVE				DVE
	211940	200		and the same			3	25.0
	KIMHS	0.55	Suppression of fuggitive dust	ACTIVE			Rs.5,000000.00	4
								1
SINTER PLANT-1	SINTER	GRAVITY DEDUSTER	Coarse particles removal from flue/exhaust gas	ACTIVE				CIC W
		HEAD ESP	Fine particles removal from flue/exhaust gas	ACTIVE	Rs.56,90421.00 (see	Rs.19,41,626.00		107
	SINTER COOLER	TAIL ESP	Fine particles removal from flue/exhaust air	ACTIVE	Annexure-1) including Sinter 2	including Sinter 2(see anexture 2)		
	FLUX CRUSHER	BAG FILTER	Fuggitive dust removal .	ACTIVE				
								1

CEMEN T PLANT GR	PCI		SIN		PLANT-2	SINTER		P	CC	
GRINDING UNIT	COAL		SINTER COOLER		MACHINE	SINTER	M1& NM1 CONVEYOR	FLUX SCREEN	COKE CRUSHER	
BAG FILTER	BAG FILTER	COKE DRYING SYSTEM	TAIL ESP	HEAD ESP	DEDUSTER	GRAVITY	DSS	BAG FILTER	BAG FILTER	
Cement collection from exhaust air	Dust collection from exhaust air	Heat collection from exhaust air	Fine particles removal from flue/exhaust air	Fine particles removal from flue/exhaust gas	flue/exhaust gas	Coarse particles removal from	Fuggitive dust suppression .	Fuggitive dust removal.	Fuggitive dust removal.	
ACTIVE	ACTIVE	ACTIVE	ACTIVE	ACTIVE	ACTIVE		ACTIVE	ACTIVE	ACTIVE	
			ace anner T (Annicydie-T)	(t carrow) Laters cos						
		Rs.1,25,00000.00	(Annexure-2)	See Sinter 1						
							200000			
		-								

PRADIP DAS

Annexture- 1

Area	Matrial	Supplier/Contr actor	Date	Order No.	Amt.in Rs.
Head and Tail ESP (Sinter 1 and 2)	Contractor	Chabi Narayan Jena	10.01.22	KIC/SINTER/ELEC/WO/52 /21-22	850000
Head and Tail ESP (Sinter 1 and 2)	Contractor	Maa Mahamaya Engineering	03.01.22	KIC/SINTER/ELEC/WO/50 /21-22	1400000
Head and Tail ESP (Sinter 1 and 2)	STEEL	Hindusthan Ispat	09.02.22	KIC/SINTER/MECH/718/ 21-22	1100491
Head and Tail ESP (Sinter 1 and 2)	Electrodes	Filter Flow Engineering Pvt.Ltd.	08.03.22	KIC/SINTER/MECH/CSD/ 811/21-22	223610
Head and Tail ESP (Sinter 1 and 2)	ACCESS DOOR	Filter Flow Engineering Pvt.Ltd.	12.01.22	KIC/SINTER/MECH/CSD/ 602/21-22	169920
Head and Tail ESP (Sinter 1 and 2)	Insulation	G & K Insulation and Engineers	04.02.22	KIC/SINTER/MECH/CSD/ 855/21-22	1746400
Head and Tail ESP (Sinter 1 and 2)	Controller	KRAFT POWERCON INDIA LTD.	10.01.22	KIC/SINTER/MECH/CSD/ 595/21-22	200000
	Head and Tail ESP (Sinter 1 and 2) Head and Tail ESP (Sinter 1 ESP (Sinter 1 ESP (Sinter 1 ESP (Sinter 1	Head and Tail ESP (Sinter 1 and 2) Head and Tail ESP (Sinter 1 Controller	Head and Tail ESP (Sinter 1 and 2) Head and Tail ESP (Sinter 1 Electrodes Engineering Pvt.Ltd. Head and Tail ESP (Sinter 1 and 2) Head and Tail ESP (Sinter 1 ACCESS DOOR Engineering Pvt.Ltd. Head and Tail ESP (Sinter 1 and 2) Head and Tail ESP (Sinter 1 and 2) Head and Tail ESP (Sinter 1 Electrodes Engineering Pvt.Ltd. G & K Insulation and Engineers KRAFT POWERCON INDIA LTD	Head and Tail ESP (Sinter 1 and 2) Head and Tail ESP (Sinter 1 Electrodes Engineering Pvt.Ltd. Head and Tail ESP (Sinter 1 and 2) Head and Tail ESP (Sinter 1 Controller KRAFT POWERCON INDIA LTD. 10.01.22	Head and Tail ESP (Sinter 1 and 2) Head and Tail ES

PRADIP DAS DY, MANAGER

				Annext	ure-z
Area	Matrial	Supplier/Contr actor	Date	Order No.	Amt.in Rs
Head and Tail ESP (Sinter 1 and 2)	Contractor	LNB TECHNICALS	07.12.2023	KIC/SITER/ELEC/G/31/23- 2024	944000
Head and Tail ESP (Sinter 1 and 2)	Contractor & supplier	KRISHNA INSULATION	29.09.2023	KIC/SINTER/MECH/WO/ 22/23-24	256000
CAAQMS	Contractor	Ms.Thermo Fisher Scientific India Pvt.Ltd.	27.009.2023	KIC/POLLUTION/DIV/429 /23-24	3200000
Head and Tail ESP (Sinter 1 and 2)	Conical support Insulator	HELIOUS INFRAPRO PVT.LTD	16.05.2023	KIC/SINTER/ELEC/113/23 24	217126
Head and Tail ESP (Sinter 1 and 2)	Controller	KRAFT POWERCON INDIA LTD.	19.07.2023	KIC/SINTER/MECH/265/ 23-24	200000
Head ESP	Spares	Filter Flow Engineering Pvt.Ltd.	17.02.2024	KIC/SINTER/MECH/CSD/ 761/21-22	324500
	Head and Tail ESP (Sinter 1 and 2) Head and Tail ESP (Sinter 1 and 2) CAAQMS Head and Tail ESP (Sinter 1 and 2) Head and Tail ESP (Sinter 1 and 2)	Head and Tail ESP (Sinter 1 and 2) Head and Tail ESP (Sinter 1 and 2) CAAQMS Contractor & supplier Contractor & supplier Contractor Contractor Contractor Head and Tail ESP (Sinter 1 and 2) Head and Tail ESP (Sinter 1 and 2) Contractor Contractor	Head and Tail ESP (Sinter 1 and 2) Contractor & KRISHNA INSULATION CAAQMS Contractor Scientific India Pvt.Ltd. Conical support Insulator PvT.LTD Head and Tail ESP (Sinter 1 and 2) Contractor Scientific India Pvt.Ltd. KRISHNA INSULATION Ms. Thermo Fisher Scientific India Pvt.Ltd. KRAFT POWERCON INDIA LTD. Filter Flow Engineering	Head and Tail ESP (Sinter 1 and 2) Contractor & KRISHNA INSULATION CAAQMS Contractor Scientific India Pvt.Ltd. Conical support Insulator PVT.LTD Contractor KRAFT POWERCON INDIA LTD. KRAFT POWERCON INDIA LTD. Filter Flow Engineering 17.02.2024	Head and Tail ESP (Sinter 1 and 2) Contractor CAAQMS Contractor Ms.Thermo Fisher Scientific India Pvt.Ltd. Conical support Insulator Conical support Insulator Contractor Contractor Contractor Ms.Thermo Fisher Scientific India Pvt.Ltd. Conical support Insulator Conical support Insulator Contractor Contractor Conical support Insulator Contractor Contractor Ms.Thermo Fisher Scientific India Pvt.Ltd. Contractor Contractor Contractor Ms.Thermo Fisher Scientific India Pvt.Ltd. Contractor Contractor Contractor Ms.Thermo Fisher Scientific India Pvt.Ltd. Contractor Contractor Contractor Contractor Ms.Thermo Fisher 27.009.2023 KIC/SINTER/ELEC/113/23 24 KIC/SINTER/ELEC/113/23 24 Filter Flow Engineering Tool.2024 KIC/SINTER/MECH/265/ 23-24 KIC/SINTER/MECH/265/ 23-24 KIC/SINTER/MECH/CSD/ 761/21-23

PRAMP DAS DY. MANAGER



KIC METALIKS LIMITED

"OM Tower" 32, Jawahar Lal Nehru Road, 3rd Floor, Room No. 304, Kolkata - 700 071 Phone: +91 33 3517 3005, 3507 2679

Date: 05.06.2025

Ref. No. KIC/POLLU-FORM-V/2025-26/037

The IGF & Incharge

GOI, MOEF & CC Integrated Regional Office, Kolkata 1B-198, Salt Lake City, Sector – III, Kolkata – 700 106

Sub :- Submit the Environmental Statement for the year of 2024 - 2025

Ref: Ministry's Environmental clearance No. J- 11011/556/2009-IA.II (I) Dated 11.11.2019

Dear Sir.

With reference to the above subject we would like to inform you that we are Submitting the Environmental Statement Form - V for the year of 2024-25.

Please find enclosed herewith other related documents for your ready reference.

We would be obliged for your kind cooperation in this regard.

Thanking you,

Yours faithfully,

FOR KIC METALIKS LTD.

Pradip Das/WI Dy. Manager

Mob. No. 9874943332

Copy to: The Environmental Engineer

Durgapur Regional office, West Bengal Pollution Control Board City Centre, Durgapur - 16

CIN: L01409WB 1986PLC041169

Factory: Raturia, Angadpur, Durgapur - 713 215, Phone: 9874943345 Email: info@kicmetaliks.com • Website: www.kicmetaliks.com

[FORM - V] (See rule 14)

Environmental Statement for the financial year ending the 31 March 2025

PART - A

(i) Name and address of the owner/occupier: Sandeep Agarwal of the industry operation or process. KIC METALIKS LTD.

Factory: Raturia, Angadpur, DGP -15 (WB)

Reg. Office: "OM Tower" 32 Jawahar Lal Nehru Road, 3rd Floor, Room No. 304, Kol-700071

(ii) Industry category Primary -----(STC code) Secondary.----(SIC Code)

: Red Category

- (iii) Production capacity.------Units 1. Pig Iron ----- 2,35,000 MTPA

 - 2. Cement ----- 30,000 MTPA
 - 3. Sinter 2 Nos.---- 3,60,000 MTPA
 - 4. CPP -----4.7 MW
 - 5. PCI 100 TPD
 - 6. Oxygen -----50 TPD
 - 7. Nitrogen -----50 TPD

(iv) Year of establishment

- : Year : 1998
- (v) Date of the last environmental statement submitted: The financial year ending the 31st March' 2024

PART - B

Water and River Material Consumption

Enclosed Annexure - A

(1) Water consumption m³/d:

Process -----29380.70 KL/PA Cooling -----130580.88 KL/PA Domestic -----3264.52 KL/PA

FOR KIC METAL

Name of Products:

During the previous financial Year

1. PIG IRON 212615.440 MT

2. SINTER 259822.000 MT

PIG IRON & SINTER.

During the Current financial year 172037.220 MT 179731.000 MT

 Substituted by Rule 2 (b) of the Environment (Protection) Amendment Rules, 1993 notified vide G.S.R 3'6 (E) dated 22.04.1993.

Raw Material Consumption Enclosed Name of raw materials Name of products Consum

ANNEXURE - B

Consumption of raw material per
Unit of output

During the previous financial year 2023-24

During the current financial year 2024-25

*Industry may use codes if disclosing details of raw material would violate contractual obligations, otherwise all industries have to name the raw materials used.

PART - C

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)

1) Pollutants	Quantity of pollutants discharged (mass/day)	Concentrations of pollutants in discharges (mass/volume)	Percentage of variation from prescribed standards with reasons
---------------	--	--	---

a) Water
 : Zero discharges is maintained .Treated domestic water is being used in horticulture and green belt development.

b) Air : Stack Emission :

(i) Stack attached with Stove--- Stack Emission within the permissible Limit.

(II) Stack attached with CPP --- Stack Emission within the permissible Limit.

(III) Stack attached with Tail ESP (SP-1) Stack Emission within the permissible Limit.

(IV) Stack attached with Head ESP(SP-1) Stack Emission within the permissible Limit.

(V) Stack attached with Tail ESP (SP-2) Stack Emission within the permissible Limit.

(VI) Stack attached with Head ESP(SP-2) Stack Emission within the permissible Limit.

FOR KIC METALWES LT

DY. MANAGED

PART-F

Please specify the characterizations (in terms of composition of quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

Hazardous Waste:

All used chemical Galan / Jar generated from the different section of the Plant is being collected and then stored at Hazardous waste room & used container takes back by the supplier and after refilling they again supply us and other Hazardous Waste will be sale out to authorizes recycler.

Solid Waste:

Granulated Slag is generated during the process of Pig Manufacturing and sold out to Cement Industry.

PART-G

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production.

Utilization of raw materials for the manufacturing of Pig Iron :

We consume different types of raw materials which are using in our plant receiving from different place / mines by Railway and Lorries with tarpaulin covering.

CFL and LED lights are using to conserve energy.

Green Area – Well maintained green area is developed within the Factory premises to reduce the air pollution and to clean the entire Environment.

FOR KIC METALIKS

PRADIP DAS DY, MANAGER

PART-H

Additional measures/investment proposal for environmental protection including abatement of pollution, prevention of pollution.

(1) Optimizing the water requirement

(2) Acoustic Enclosure - Reduce the noise level.

PART-I

Any other particulars for improving the quality of the environment.

Green Area development day to day - Reduce Noise level, & Reduce air pollution.

FOR KIC METALI

DY. MANAGER

26998 1645 1750 2248 2356 2465 3285 2565 2275 2135 2355 1965 1954 ¥ ANNEXURE - A FROM RAIN WATER RESERVER YEAR 2024 2024 2024 2024 2024 2024 2024 2025 2025 2025 2024 2024 CONSUMPTION 10 TOTAL SEPTEMBER NOVEMBER DECEMBER FROM OCTOBER FEBRUARY IANUARY AUGUST MARCH APRIL IUNE MAY ULY KIC METALIKS LTD.RATURIA, ANGADPUR, DGP 15 PERIOD FROM 01.04.2024 TO 31.03.2025 DETAILS OF WATER CONSUMPTION 578.30 602.40 303.70 332.80 408.80 734.40 772.60 230.10 555.3 686.80 11.50 1001.40 6218.10 AS PER DMC REPORT WISE ¥ YEAR 2024 2024 2024 2024 2024 2024 2025 2025 2025 2024 2024 2024 CONSUMPTION 10 TOTAL DECEMBER '2024 ANUARY '2025 FROM SEPTEMBER **APRIL** '2024 NOVEMBER FEBRUARY OCTOBER AUGUST MARCH IUNE IULY MAY 28760 28010 7990 28090 25250 130010 11910 코 2024-25 AS PER DPL REPORT WISE YEAR 2024 2024 2024 2025 2024 TOTAL CONSUMPTION MARCH -- 2025 JANUARY'2025 SEPTEMBER NOVEMBER 0 JULY MAY APRIL,2024 DECEMBER FEBRUARY FROM OCTOBER AUGUST UNE

163226 KL TOTAL WATER CONSUMPTION FROM 1ST APRIL'24 TO 31ST MARCH'2025

3264.52 130580.88

APPROX

PURPOSE USED PURPOSE USED

DOMESTIC

COOLING

29380.70

APPROX

INDUSTRIAL PURPOSE USED

APPROX

163226.1

DIMC - DURGAPUR MUNICIPAL CORPORATION DPL - DURGAPUR PROJECT LIMITED

KIC METALIKS LTD.

ANNEXURE- B

RAW MATERIAL CONSUMPTION FROM 1ST APRIL 2024 TO 31 MARCH 2025

ATERIALS NAME OF PRODUCTION DURING TH		USED		CONSUMPTION OF RAW MATERIALS	ATERIALS.
DURING THE PREVIOUS FINANCIAL DURING THE CURRENT FINANCIAL FROM 01.04.23 TO 31.03.2024 FROM 01.04.2024 TO 31.03 TO 31.03.2024 FROM 01.04.23 TO 31.03.2024 FROM 01.04.2024 TO 31.03 TO 3	SL.NO.	NAME OF RAW MATERIALS	NAME OF PRODUCTION	M/TON	M / TON
PIG IRON PIG IRON 11,623.330 2023-24-212615.440 MT 2024-25-172037.220 MT 2023-24-259822.000 MT PIG IRON 11,623.330 2024-25-179731.000 MT PIG IRON 11,623.330 13,145.300 13,145.300 13,145.300 13,145.300 13,145.300 13,145.300 13,145.300 13,145.300 13,145.300 13,145.300 13,145.300 13,145.300 13,145.300 14,564.700 14,564.700 14,564.700 10,151 DURING THE PREVIOUS FINANCIAL PENAPRODUCT 105120.000 MT 105120.000 MT PIG IRON 104183.590 MT	8		DETAILS	DURING THE PREVIOUS FINANCIAL	DURING THE CURRENT FINANCIAL YEAR
2023-24- 212615.440 MT 2023-24- 212615.440 MT 2024-25- 172037.220 MT SINTER SINTER SOZ4-25- 179731.000 MT BY-PRODUCT BY-PRODUCT DURING THE PREVIOUS FINANCIAL 11,415.100 11,623.330 11,623.330 11,623.330 11,623.330 11,623.330 11,623.330 11,623.330 130,425.300 130,455.800 14,564.700 14,564.700 101.51 BY-PRODUCT 105120.000 MT 11,623.330 11,623.330 130,425.330 14,564.700 101.51 BY-PRODUCT 105120.000 MT 11,623.330 11,623.330 11,623.330 11,623.330 130,425.330 101.51 104183.590 MT				TEAN PRODUCTION: 23 TO 31.03.2024	
2023-24-212615.440 MT 2023-24-212615.440 MT 2024-25-172037.220 MT 2024-25-172037.220 MT 2024-25-179731.000 MT	Н	IRON ORE		117,415.100	104,984.850
2023-24-212615.440 MT	2	SINTER	PIG IRON	276,519.000	180,518.750
2023-24-212615.440 MT 2023-24-212615.440 MT 2024-25-172037.220 MT 2024-25-172037.220 MT 2024-25-172037.220 MT 2024-25-172037.220 MT 2024-25-179731.000 MT	ti,	DOLOMITE		11,623.330	7,854.900
2024-25-172037.220 MT SINTER SINTER SINTER SO23-24 - 259822.000 MT A34.14 2023-24 - 259822.000 MT BY-PRODUCT BY-PRODUCT BY-PRODUCT SO24-25-172037.220 MT A34.14 A34.14 A34.14 A36.20 A36.320 A37.14 A	4	LIME STONE	2023-24- 212615.440 MT	19,119,950	7,518.650
2024-25-172037.220 MT SINTER SINTER 2023-24 - 259822.000 MT 2024-25 - 179731.000 MT NAME OF BY-PRODUCT A43.14 A34.14 A34.14 A30.351.400 30,351.4000 30,351.4000 30,351.4000 3	5	PCI COAL		7,040.250	18,513.500
2023-24 - 259822.000 MT 2024-25 - 179731.000 MT NAME OF BY-PRODUCT BY-PRODU	9	QUARTZITE	2024-25-172037.220 MT	783.250	1,594.950
130,455.800 130,455.800 130,455.800 130,455.800 130,455.800 130,455.800 1434.14 1434.14 143,542.100 144,564.700 145,647.00 1	7	GRAVELS		4,239.05	5,732.74
SINTER SINTER SINTER SO23-24 - 259822.000 MT 2023-24 - 259822.000 MT 2023-24 - 259822.000 MT 30,351.400 35,392.080 35,392.080 35,392.080 14,564.700 14,564.700 101.51 GENERATION M / TON DURING THE PREVIOUS FINANCIAL YEAR FROM 01.04.23 TO 31.03.2624	80	COKE		130,455.800	95,046.550
2023-24 - 259822.000 MT 2023-24 - 259822.000 MT 2024-25 - 179731.000 MT 2024-25 - 179731.000 MT 2024-25 - 179731.000 MT 2024-25 - 179731.000 MT 30,351.400 35,392.080 36,392.080 36,3	6	Mn ORE		4	29.410
2023-24 - 259822.000 MT 2024-25 - 179731.000 MT 30,351.400 M / TON 104183.590 MT	10	FERRO SLUDGE		• 7/	24,057.470
2023-24 - 259822.000 MT 2023-24 - 259822.000 MT 2024-25 - 179731.000 MT 2024-25 - 179731.000 MT 2024-25 - 179731.000 MT 30,351.400 35,392.080 35,392.080 35,392.080 35,392.080 35,392.080 36,892.080 36,892.080 36,892.080 36,892.000 MT 2024-25 - 179731.000 MT 2024-25	11	IRON ORE FINES	SINTER	272,122.18	149,775.860
2023-24 - 259822.000 MT 2024-25 - 179731.000 MT	12	SINTER FINES		434.14	
2024-25 -179731.000 MT 28,695.290 14,564.700 101.51 GENERATION M / TON BY-PRODUCT 105120.000 MT 10513.092.000	13	COKE FINES	2023-24 - 259822.000 MT	30,351.400	18,246.460
2024-25 -179731.000 MT	14	LIME STONE FINES		35,392.080	18,759.540
14,564,700	15	DOLOMITE FINES	2024-25 -179731.000 MT	28,695.290	19,855.950
NAME OF BY-PRODUCT DURING THE PREVIOUS FINANCIAL BY-PRODUCT BY-PRODUCT DURING THE PREVIOUS FINANCIAL TO5120.000 MT TO5120.000 MT TO5120.000 MT TO5120.000 MT TO5120.000 MT	16	MILL SCALE		14,564.700	5,517.000
NAME OF BY-PRODUCT DURING THE PREVIOUS FINANCIAL PEAR FROM 01.04.23 TO 31.03.2024 BY-PRODUCT DOTRING THE PREVIOUS FINANCIAL PEAR FROM 01.04.23 TO 31.03.2024	17	QUICK LIME		101.51	•
NAME OF BY-PRODUCT DURING THE PREVIOUS FINANCIAL YEAR FROM 01.04.23 TO 31.03.2024 BY-PRODUCT 105120.000 MT	18	FLUE DUST		1	5,436.11
NAME OF BY-PRODUCT DURING THE PREVIOUS FINANCIAL YEAR FROM 01.04.23 TO 31.03.2024 BY-PRODUCT 105120.000 MT				GENERATION	
BY-PRODUCT DURING THE PREVIOUS FINANCIAL YEAR FROM 01.04.23 TO 31.03.2024	SL.NO	NAME OF RAW MATERIALS	NAME OF BY-PRODUCT	M/TON	M/TON
GRANULATED SLAG BY-PRODUCT 105120.000 MT			*	DURING THE PREVIOUS FINANCIAL YEAR FROM 01.04.23 TO 31.03.2024	DURING THE CURRENT FINANCIAL YEAR FROM 01.04.2024 TO 31.03.2025
	11	GRANULATED SLAG	BY-PRODUCT	105120.000 MT	104183.590 MT

FOR KIC METALIKS AND

PRADIP DAS DY. MANAGER

FORM 10 { See Rule 19 (1)} MANIFEST FOR HAZARDOUS AND OTHER WASTE

1,	Sender's name and mailing address (including Phone No. and e-mail)	KIC metaliks Atd. Raturia. Industrial Area, Angadour Durga pur.
ES HAT	mising providing and a many	Dist. West Bardha man. Pin-713215
2.	Sender's authorisation No.	130/25 (HW)-3503/2018
3.	Manifest Document No.	BMOI/9U0/37/2024-2025
4.	Transporter's name and address : (including Phone No. e-mail)	Ba ma Oil Industries. panetayat Road. VIII- Kharial - p. b. Dankuni e. e. Dist - Hooghly.
5.	Type of vehicle	(Truck/Tanker/Special Vehicle)
6.	Transporter's registration No.	110/25 (HW)-155/98-99
7.	Vehicle registration No.	WB -17/7480
8.	Receiver's name and mailing address (including Phone No. and e-mail)	BA-MA OIL INDUSTRIES PANCHAYAT ROAD, VILL-KHARIAL P.O. DANKUNI CC. DISTHOOGHLY -712310 2674-1678, 2659-2183, bmoind@yahoo.co.in
9.	Receiver's authorisation No.	110/25 (HW)-155/98-99
10.	Waste description	used Oil
11.	Total quantity No. of Containers	2395 47 m³ or MT 11. Nos.
12.	Physical form	(Solid/ Semi Solid/ Sludge/Qily/Tarry//SlurryLiquid)
13.	Special handling instructions and additional information	Handling with care
14.	Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
. 1	Name and stamp. Forsignature TALI	KS LTD Month Day Year
		DIP DAS
15.	Transporter acknowledgement of receipt of	The state of the s
	Name and stamp. Signature P.O KOHMAGAR, DIST. HOUSE,	Month Day Year 1 1 1 9 2 0 2 4
16.	Receiver's certification for receipt of bazard	ous and other waste
	Name and stamp Signature	Month Day Year

Forwarded to WBPCB by sender,

PRADIR DAS DY. MANAGER

FROM 10

WEST BENGAL WASTE MANAGEMENT LIMITED

Vill.: Pabayan, P. S.: Saltora, Dist.: Bankura, Pin: 722 158, West Bengal.

MANIFEST FOR HAZARDOUS AND OTHER WASTE

1	Sender's name and mailing address (including Phone No. and e-mail) :	M/s KIC METALIKS LTD. RATURIA, ANGADOUR, DURGAPUR-15
2	Sender's authorization No. :	130/25(HH) - 3503/2018
3	Manifest Document No. :	1. 1825
4	Transporter's name and address (including Phone No. and e-mail)	West Bengal Waste Management Limited Vill.: Pabayan, P. S.: Saltora, Dist.: Bankura, Pin: 722 158 Mobile: 9002983363/7477796110
		E-mail: wbwml.saltora@resustainability.com
5	Type of vehicle:	(Truck/Tanker/Special Vehicle) DUMPER
6	Transporter's registration No. :	1-MD(E)/X/06
7	Vehicle registration No. :	MB31N 0098
8	Receiver's name and mailing address (including Phone No. and e-mail)	West Bengal Waste Management Limited Vill.: Pabayan, P. S.: Saltora, Dist.: Bankura, Pin: 722 158 Mobile: 9002983363/7477796110 E-mall: wbwml.saltora@resustainability.com
9	Receiver's authorization No.:	34/28 (HW)-4531/2022
10	Waste description :	USED REJECTED SAFETY SHOES
11	Total quantity No of Containers :	M3 or MT Nos.
12	Physical form :	(Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid)
13	Special handling instructions and additional information:	USE PPE
	Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping categorized, packed, marked and name and are labeled and are in all respects in proper conditions for transport by road appointing to applicable National Government Regulations.
14	Name and Stamp	Signature Day Month Year
		PROOP DAS DY. MANAGER 2 6 0 3 2 0 2 5
	Transporter acknowledgement of receip	t of Wastes :
15		Signature Day Month Year NAT 2 6 0 3 2 0 2 5
	Received's contillists for personal barrando	
-	Receiver's certificate for receipt hazardo	nus and other wastes .
16	Name and Stamp	Signature Day Month Year
		752 26032025

1. White Colour forwarded to WBPCB by HzW Sender.

Yellow Colour retained by HzW sender.
 Orange Colour retained by transporter.
 Blue Colour returned to sender after disposal by HzW Receiver.

3. Pink Colour retained by HzW Receiver.

4. Orange Colour retained by 5. Green Colour forwarded to WBPCP after disposal by HzW Receiver.

5. Grey Colour returned to SPCB of the HzW Sender (in case the Sender is in another Site) by HzW Receiver.

FOR KIC METALN

DY. MANAGER

FROM 10

WEST BENGAL WASTE MANAGEMENT LIMITED

Vill.: Pabayan, P. S.: Saltora, Dist.: Bankura, Pin: 722 158, West Bengal.

MANIFEST FOR HAZARDOUS AND OTHER WASTE

1	Sender's name and mailing address (including Phone No. and e-mail):	M/s KIC METALIKS LID. RATURIA, ANGADPUR, DURGAPUR-
	(including Phone No. and e-mail).	
2	Sender's authorization No. :	130/2S(HW) - 3503/2018
3	Manifest Document No. :	1_ 1796
4	Transporter's name and address (including Phone No. and e-mail)	West Bengal Waste Management Limited Vill.: Pabayan, P. S.: Sallora, Dist.: Bankura, Pin: 722 158 Mobile: 9002983363/7477796110 E-mail: wbwml.saltora@resustainability.com
5	Type of vehicle :	(Truck/Tanker/Special Vehicle) DUMPER
6	Transporter's registration No. :	1-MD(E)/X/06
7	Vehicle registration No. :	WB31N 0098
8	Receiver's name and mailing address (including Phone No. and e-mail)	West Bengal Waste Management Limited VIII.: Pabayan, P. S.: Saltora, Dist.: Bankura, Pin: 722 158 Mobile: 9002983363/7477796110 E-mail: wbwml.saltora@resustainability.com
9	Receiver's authorization No. :	34 /23 (HW) - 4531/2022
10	Waste description:	USED HAND GLOVES
11	Total quantity No of Containers :	0 · 9 4
12	Physical form:	(Solid/Semi-Solld/Sludge/Oily/Tarry/Slurry/Liquid)
13	Special handling instructions and additional information:	USE PPE
	Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurate described above by proper shipping categorized, packed, marked and not and are labeled and are in all respects in proper conditions for transport by reaccording to applicable National Government Regulations.
14	Name and Stamp	Signature Day Month Year
	E D	PRADIP DAS 2 6 0 3 2 0 2 Y. MANAGÉR
	Transporter acknowledgement of receip	ot of Wastes:
	Name and Stamp	Signature Day Month Year
15	(Lastainability)	MANY 2603202
7	Receiver's certificate for receipt hazard	ous and other wastes :
16	Name and Stamp	Signature Day Month Year
, ,		7.500 2603202
3	White Colour forwarded to WBPCB by HzW Sender Pink Colour retained by HzW Receiver. Green Colour forwarded to WBPCP after disposal	Orange Colour retained by transporter.

FOR KIC METAL

PRADIADAS DY. MANAGER

	Name of the Project : KIC METALIKS LTD.	Project Code: IA/WB/IND/60981/2016	
	11011/556/2009-IA II (I) DATED 24.05.2011		
	Period of Conpliance Report :	October'2024 - March'2025	
A.	SPECIFIC CONDITIONS:		
	Condition	Compliance Status	
i.	levels in the ambient air and a time bound action plan shall be submitted. On-line ambient air quality monitoring and continuous stack monitoring facilities for all the stacks shall be provided and sufficient air pollution control devices viz. Electrostatic Precipitator (ESP), gas cleaning plant, bag filters etc. shall be provided to keep the emission levels below 50 mg/Nm³ by installing energy efficient technology. Fume extraction system shall	We have already Instaled On-line ambient air quality monitoring and continuous stack monitoring facilities for all the stacks and also installed sufficient air pollution control devices viz. Electrostatic Precipitator (ESP), gas cleaning plant, bag filters etc. and provided to keep the emission levels below 50 mg/Nm³ by installing energy efficient technology. Fume extraction system already installed and control the emissions within the prescribed standards. Pl. see the annexure- 4 and 6 of Compliance report (October 2024 - March 2025) for the clerance File no.J-11011/556/2009-1A-II(I), Dated 11.09.2019	
ii.	Pet coke shall be used as fuel instead of charcoal from unknown sources. No charcoal should be used as fuel.	We are using metallurgical low ash coke. No	
iii.	Secondary fugitive emissions from all the sources shall be controlled within the latest permissible limits issued by the Ministry and regularly monitored Guidelines/Code of practice issued by the CPCB should be followed.	conveyors to control the secondary fuggitive emmision. Control measures applying like Routine water sprinkling on roads and work zone to	
iυ.	The National Ambient Air Quality Standards issued by the Ministry vide G.S.R.No. 826(E) dated 16 th November, 2009 shall be followed.	We are following "The National Ambient Air Quality Standards "issued by the Ministry vide G.S.R.No. 826(E) dated 16 th November, 2009.	

FOR KIC METALIKS KTD

PRADIADAS DY. MANAGER

	Condition	Compliance Status
υ.	latest permissible limits issued by the Ministry and regularly monitored. Guidelines/Code of practice issued by the CPCB shall be followed. New standards for	We have controlled all Gaseous emission levels including secondary fugitive emissions within the latest permissible limits issued by the Ministry and regularly monitored and we have followed as per the CPCB norms and also inform that we have not installed the sponge iron plant till date.
vi.	Total makeup water requirement shall not exceed 4940 m³/d. Permission to draw water from the competent authority shall be obtained. Efforts shall further be made to use maximum water from the rain water harvesting sources. Use of air cooled condensers shall be explored and closed circuit cooling system shall be provided to reduce water consumption and water requirement shall be modified accordingly. All the effluent should be treated and used for ash handling dust suppression and green belt development. No effluent shall be discharged and zero discharge shall be adopted Sanitary sewage should be treated in septic tank followed by soak pit.	Total makeup water requirement not exceed as per EC Condition. Rain water harvesting system is already exists in our plant and use the same dust suppression and green belt development as well as in process. Plant adopted 'zero discharge' system. Sanitary sewage water treated in septic tank followed by soak pit. Pl. see the annexure-1 of Compliance report (October 2024 - March 2025) for the clerance File no.J-11011/556/2009-1A-II(I), Dated 11.09.2019

PRADIP DAS

	Condition	Compliance Status	
vii.	water harvested if needed capacity of the reservoir should be enhanced to meet the maximum water requirement. Only	Rain water harvesting system is already existing in our plant & it is planned to extend reservoir for maximum holding capacity, probably it may be completed by the end of this year (2025-26). Pl. see the annexure-2 of Compliance report (October 2024 - March 2025) for the clerance File no.J-11011/556 /2009-1A-II(I), Dated 11.09.2019	
viii.	ensured and treated wastewater should meet the norms prescribed by the State Pollution Control Board or described under the E(p) Act whichever are more stringent. Leachate study for the effluent generated and analysis shall also be	Total generated waste water is treated, recycled & reused for different purposes in the plant. Total effluent water is recycled and reused. Time to time report submitted to the Ministry's Regional Office at SPCB and CPCB. Pl. see the annexure- 1 of Compliance report (October 2024 - March 2025) for the clerance File no.J-11011/556/2009-1A-II(I), Dated 11.09.2019	
ìx.	as per the standard prescribed for the steel plants.	We ensure that our water consumption per ton of pig iron production is well within the specified permission limit given for Pig iron industries details in Annexure- 1 of Compliance report (October 2024 - March 2025) for the clerance File no.J-11011/556/2009-1A-II(I), Dated 11.09.2019	

PRADIP DAS DY. MANAGER

	Condition	Compliance Status	
x.	of raw material and finished products shall be controlled. Proper arrangements shall also be made to control dust	To mitigate vehicular pollution and control fugitive emissions within the plant premises, the following measures have been implemented: Regular Water Sprinkling: Internal roads are regularly sprinkled with water to minimize fugitive dust emissions. Enhanced Green Cover: Plantation activities have been intensified within the premises to act as a natural barrier against fugitive emissions. Speed Limit Enforcement: A strict speed limit of 10 km/h has been enforced for all vehicles inside the plant to reduce the risk of accidents and minimize emissions caused by friction. Proper Material Covering: All incoming raw materials and outgoing finished goods are covered with tarpaulin to prevent dust dispersion during transportation. Pl. see the annexure- 10 of Compliance report (October 2024 - March 2025) for the clerance File no.J-11011/556/2009-1A-II(I), Dated 11.09.2019	
xi.	mechanical sweepers. A 3-tier avenue plantation using native species shall be developed along the roads. Facilities for	Around 90% of internal road is already made of concret and rest of the roads will be completed during the financial year 2025-26. The roads regularly cleaned with mechanical sweepers. A 3-tier avenue plantation using native species is	
xii.	Proper handling, storage, utilization and disposal of all the solid waste shall be ensured and regular report regarding toxic metal content in the waste material and its composition end use of solid/hazardous waste should be submitted to the Ministry's Regional Office	No disposal of solid waste is being done as all are either recycled or reused in the plant.	
xiii.	A time bound action plan shall be submitted to reduce solid waste its proper utilization and disposal.	We have regularly submitting the Form -4 in stipulated time as per norms.	

PRADIP DAS

	Condition	Compliance Status		
xiv.	Risk and Disaster Management Plan along with the mitigation measures shall be prepared and a copy submitted to the Ministry's Regional Office at Bhubaneswar, SPCB and CPCB within 3 months of issue of environment clearance letter.	installation of all the units as per EC. A separate cell will be kept to deal with the emergency like situation. Pl. see the annexure- 23 of		
xv.		Our plant consist of approx 75.73 acres of land out of which we kept and planned for plantation approx 25 acres land. 15.78 acres land is already planted and more then 9620 Nos., of trees are existing of different species such as Sirish, Mango, Sal, Sagun, Mahogany, Devdaru, etc 3 (three) acres of gardening consisting various types of flowers such as rose, chrysanthemun, palm tree, mari gold, rubber plant, boganvally, jasmine, papaya, guava, banana tree and various type of herbs for hedging. Pl. see the annexure-21 of Compliance report (October 2024 - March 2025) for the clerance File no.J-11011/556/2009-1A-II(I), Dated 11.09.2019		
xvi.	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Steel Plants should be implemented.	October 2024 - March 2025) for the clerance		
xvii	All the commitments made to the public during the Public Hearing/Public Consultation meeting held on 19 th August, 2010 shall be satisfactorily implemented and a separate budget for implementing the same should be allocated and information submitted to the Ministry's Regional Office at Bhubaneswar.	The status of public hearing commitments with budgetary provisions was already provided in previous half-yearly report and information submitted to the Ministry's Regional Office at Bhubaneswar.		

PRADIP DAS DY, MANAGER

	Condition	Compliance Status		
cviii.	wise details along with time bound action plan should be prepared and submitted to	Corporate social responsibility and item-wise details prepared and same submitted to the Ministry's Regional Office at Bhubaneswar and also enclosed details for your perusal in Annexure - A		
xix.	The company shall provide housing for construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	The company do not provided housing for construction labours within the factory premises.		
В	GENERAL CONDITIONS			
i	The project authority shall adhere to the stipulation made by West Bengal Pollution Control Board (WBPCB) & State Government.	West Bengal Pollution Control Board (WBPCB) &		
ii	No further expansion or modification of the plant shall be carried out without prior approval of this Ministry.	This is being followed as per the directions.		
iii.	The gaseous emissions from various process units shall conform to the load/mass based standards notified by this Ministry on 19th May, 1993 and standards prescribed from time to time. The WBPCB may specify more stangent standards for the relevant parameters keeping in view the nature of the industry and its size and locaion. At no time, the emission level shall go beyond the prescribed standards. Interlocking facilities shall be provided so that process can be automatically stopped in case emission level exceeds the limit.	The emission level does not go beyond the prescribed standards. Interlocking facilities already provided so that process can be automatically stopped in case emission level exceeds the limit.		

FOR KIC METALINE LTD

PRABIP DAS DY. MANAGER

	Condition	Compliance Status	
iv.	control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the	The noise level study is being done & it is observed that the level is within the standards of 85 dB(A). The Sampling date of Test Report is (dt.01.02.2025) attached with Pl. see the annexure- 16 and 17 of Compliance report (October 2024 - March 2025) for the clerance	
υ	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Occupational health check-up 2024-2025 was completed on 20.01.2025 and records maintained as per the Factories Act. The summarized Occupational Health Checkup includes Blood test, PFT, ECG, general health checkup, Eye test etc. Some photo copy enclosed for your perusal in annexure -25 of Compliance report (October 2024 - March 2025) for the clerance File no.J-11011/556/ 2009-1A-II(I), Dated 11.09.2019	
vi	All the environment management measures given in the EIA/EMP shall be implemented and complied with.	Implemented as per the direction. Pl. see the annexure- 27 of Compliance report (October 2024 - March 2025) for the clerance File no.J-11011/556/2009-1A-II(I), Dated 11.09. 2019	
vii	harvesting structures to harvest the rain	The Company already made two nos. rain water harvesting pond, water from which using for watering plants and sprinkling on roads during lean seation. Pl. see the annexure- 2 of Compliance report (October 2024 - March 2025) for the clerance File no. J-11011/556/2009-1A-II(I), Dated 11.09. 2019	
vii	Proper house keeping and adequate occupational health programmes shall be taken up as per the Factory Act.		

	Condition	Compliance Status
ix	The company shall undertake eco-	KIC is conteneously working on developing the society by providing drinking water machines to nearby schools for clean, fresh, cool and hygenic drinking water. Also proving sanitary machines for girl students, computers, furnitures etc. to schools.
x	A separate environmental management cell to carry out various management and monitoring functions shall be set up under the control of Senior Executive.	We have established a dedicated Environmen tal Cell with qualified personnel as per your guidance. Monthly meetings are organized to discuss all environment-related topics and initiatives. Pl. see the annexure- 26 of Compliance report (October 2024 - March 2025) for the clerance File no.J-11011/556/2009-1A-II(I), Dated 11.09.2019
xi	Requisite funds shall be earmarked towards total capital cost and recurring cost/annum for environmental pollution control measures and used judiciously to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government. The funds so provided shall not be diverted for any other purpose.	Done as per the direction. Pl. see the annexure- 27 of Compliance report (October 2024 - March 2025) for the clerance File no.J- 11011/556/2009-1A-II(I), Dated 11.09. 2019
xii	The Project Authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	This is being followed as per the directions and respective CTO is obtained from the WBPCB.
xiii	A copy of clearance letter shall be sent by the proponent to concerned Panchaya Zila Parishad/Municipal Corporation Urban Local Body and the local NGO, it any, from whom suggestions/representations, if any, were received while processing the proposal The clearance letter shall also be put on the web site of the company by the proponent.	The information is shared as per directions.

PRADIP DAS DY. MANAGER

	Condition	Compliance Status
xiv	The project proponent shall uplod the status of compliance of the stipulated environment clearance condition including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the regional office of the MOEF, the respective Zonal office of CPCB and the WBPCB. The criteria pollutant levels namely, RSPM, SO2, NOX (ambient levels as well as stack emissions) or critical sectoral parameters indicated for the projects shall be monitored and displayed at a convenient location near the Main gate of the Company in the public domain.	Maintaining as per the direction.
χυ	The project proponent shall also submit six monthly reports on the status of the compliance of the stipuliated environmental condition including results of monitored data (borh in hard copies as well as email to the respective regional office of MOEF, the respective zonal office of CPCB and the WBPCB. The regional office of this ministry at Bhubaneswar / CPCB/WBPCB shall monitor the stipulated conditions.	Maintaining as per the direction.
xvi	The environmental statement for each financial year ending 31 st March in Form – V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Offices of the MOEF by e-mail.	Done as per the direction.

PRADIP DAS DY. MANAGER

	Condition	Compliance Status
xvii	available with the W.B. Pollution Control Board and may also be seen at the Website of the Ministry of Environment and Forests at http://envfor.nic.in. This should be advertised within seven days from the date of issue of the clearance letter at least in two local newspapers that	Published in two nos. popular news papers No. 1. ANANDA BAZAR PATRIKA (the vernacular language of the locality) and 2. THE TELEGRAPH published on 27.09.2019 that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the W.B. Pollution Control Board and may also be seen at the Website of the Ministry of Environment and Forests. Adv.paper copy enclosed herewith in Annexure - B
10	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted the point.
11	The Ministry reservers the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Noted for compliance and It will be done as per the direction.
12	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and the Public (Insurance) Liability Act, 1991 along with their amendments and rules.	Noted for compliance and It will be done as per the direction.

FOR KIC METALINES LTD

PRADIP DAS DY. MANAGER

	Total CSR Expenses for F.Y 2020-21					
SI.NO	DATE	PARTICULARS	AMOUNT	Event	HEAD U/S 135 OF COMPANIES ACT 2013	
1	01.05.2020	Procare	89,901.85	Sanitizer Distribuition	Promotion of Healthcare	
2	25.08.2020	Procare	31,779.66	Sanitizer Distribuition	Promotion of Healthcare	
3	23.09.2020	Procare	39,999.96	Mask Distribuition	Promotion of Healthcare	
4	25.12.2020	Thakurpukur Nawjawan Welfare Society	5,000.00	Distribuition of school bag	Promotion of Education	
5	14.01.2021	Bengal Tenpin Bowling Association	100,000.00	Bowling	Promotion of Sports	
6	01.03.2021	Ashirbad Engineering Co.	310,317.80	Water purifier at Durgapur	Promotion of Safe Drinking Water	
7	30.03.2021	Friends of Tribunals Society	2,200,000.00	Running of 100 ekal vidhyalaya	Promotion of Education	
8	31.03.2021	Gouri Devi Institute of Medical Sciences & Hospitals	201,000.00	Expense incurred for healthy check up of person stay in Durgapur	Promotion of Healthcare	
	То	tal	2,977,999.27			

PRADIP DAS DY, MANAGER

SI.NO	DATE PARTICULARS	AMOUNT	HEAD U/S 135 OF COMPANIES ACT 2013	
1	16.04.2021	VMVK Pharma Pvt Ltd	71,750.00	Promotion of Healthcare
2	19.04.2021	Maharaja Agrasain Nyas	1,000,000.00	Promotion of Education
3	20.05.2021	R.M.S Industries	251,340.00	Promotion of Healthcare
4	22.06.2021	Medel	1,070,000.00	Promotion of Healthcare
5	02.09.2021	R.M.S Industries	228,920.00	Promotion of Healthcare
6	08.01.2022	Suravi Agencies	25,001.00	Promotion of Healthcare
7	15.03.2022	Bengal Tenpin Bowling Association	100,000.00	Promotion of Sports
	Т	otal	2,747,011.00	

PRADIP DAS DY. MANAGER

SI.NO	DATE	PARTICULARS	AMOUNT	HEAD U/S 135 OF COMPANIES ACT 2013
1	19.06.2022	Ashirbad Engineering Co.	355,932.20	Promotion of Safe Drinking Water
2	23.06.2022	Malakar Book Stall	3,400.00	Promotion of Education
3	06.07.2022	Samir Book Suppliers	5,228.00	Promotion of Education
4	02.08.2022	A.M.Constructor	38,000.00	Promotion of Safe Drinking Water
5	08.09.2022	Shree Ganesh Stores	33,040.00	Promoting Employment
6	09.09.2022	Titas Biswas	39,965.00	Promotion of Healthcare
7	22.09.2022	Ashirbaad Mega Showroom	4,530.00	Promotion of Education
8	03.10.2022	Gazinadaspur Jyoti Prasad High School	63,362.00	Promotion of Safe Drinking Water
9	10.10.2022	The Refuge	32,200.00	Eradicating Hunger, Poverty and malnutrition
10	26.10.2022	Prince Trading Agency	5,150.00	Promotion of Education
11	3.11.2022	A.M.Constructor	10,000.00	Promotion of Safe Drinking Water
12	03.11.2022	A.M.Constructor	55,000.00	Promotion of Safe Drinking Water
13	20.01.2023	Ayush Print & Stationery Works	3,172.00	Promotion of Healthcare
14	22.01.2023	Ruchika Fogla	10,376.00	Promotion of Healthcare
15	22.01.2023	Susanta Jha	22,847.00	Promotion of Healthcare
16	16.02.2023	M S Optical	126,500.00	Promotion of Healthcare
17	20.02.2023	M MK Enterprise	35,438.00	CSR Overhead Expenses
18	25.02.2023	Susanta Jha	8,895.00	Promotion of Healthcare
19	07.03.2023	Amar Travels	1,926.00	Promotion of Healthcare
20	18,19,20.03.2023	eye check up	87,226.00	Promotion of Healthcare
21	28.03.2023	M.S. Optical	221,500.00	Promotion of Healthcare
22	29.03.2023	Ashirbad Engineering Co.	400,000.00	Promotion of Safe Drinking Water
23	31.03.2023	Om Jalan Foundation	100,000.00	Promotion of Education
24	31.03.2023	bengal templin	200,000.00	Promotion of Sports
		Total	1,863,687.20	



SI.NO	DATE	NEAME OF PARTY	AMOUNT	HEAD U/S 135 OF COMPANIES AC 2013
1	11.04.2023	Salipur Autonomous College ,Salipur	21,000.00	Promoting Education
2	17.06.2023	M S Optical	136,500.00	Promoting Health care
3	20.06.2023	Durgapur Nursery	3,000.00	protection of flora and fauna
4	30.06.2023	Durgapur Nursery	1,000.00	protection of flora and fauna
5	30.06.2023	A.M Constructor	62,540.00	Promotion of Safe Drinking Water
6	14.08.2023	Diagnos Path Lab	351,000.00	Promoting Health care
7	15.08.2023	Mrityunjoy Dutta	20,000.00	Eradicating Hunger, Poverty and malnutrition
8	15.08.2023	Satyanarayan Decorators and General Order Suppliers	40,000.00	Eradicating Hunger, Poverty and malnutrition
9	16.08.2023	Shree Ganesh Stores	98,700.00	Promoting Health care
10	17.08.2023	Shree Ganesh Stores	98,700.00	Promoting Health care
11	17.08.2023	Shree Ganesh Stores (Liluah)	63,300.00	Eradicating Hunger, Poverty and malnutrition
12	18.08.2023	Shree Ganesh Stores	51,818.00	Promoting Health care
13	19.08.2023	Shree Ganesh Stores	1,481.00	Promoting Health care
14	19.08.2023	Shree Shyam Traders	17,200.00	Eradicating Hunger, Poverty and malnutrition
15	20.08.2023	Shree Shyam Caterers	45,000.00	Eradicating Hunger, Poverty and malnutrition
16	22.08.2023	A.M Constructor	51,920.00	Promotion of Safe Drinking Water
17	17.10.2023	Eureka Forbes Limited	12,540.00	Promotion of Safe Drinking Water
18	19.12.2023	MMK ENTERPRISE	60,900.00	Promotion of Sports
19	01.02.2024	COMPUTER PERIPHERALS AND NETWORK	183,007.00	Promoting Education
20	21.02.2024	Ashirbad Engineering Co.	80,000.00	Promotion of Safe Drinking Wate
21	23.02.2024	RANGABELIA BINA SMRITI SANGHA	40,000.00	Women Empowerment
22	26.02.2024	Durgapur Nursery	47,200.00	protection of flora and fauna
23	28.02.2024	Distribuition of sweater and schoool shoes	164,558.00	Promoting Education
24	01.03.2024	A.M.Constructor	106,200.00	Promotion of Safe Drinking Wate
25	05.03.2024	Shree Ganesh Stores	267,750.00	Promoting Health care
26	05.03.2024	COMPUTER PERIPHERALS AND NETWORK	191,151.00	Promoting Education
27	14.03.2024	Bengal Tenpuin bowling Association	200,000.00	Promotion of Sports
28	28.03.2024	HI FFLYERS INCORP	148,680.00	Promoting Education
29	28.03.2024	M.S.optical	182,500.00	Promoting Health care
29	29.03.2024	Ashirbad Engineering Co.	400,000.00	Promotion of Safe Drinking Wate
30	31.03.2024	Om Jalan Foundation	4,263,518.00	Promoting Education
		Total	7,411,163.00	

FOR KIC METALIKS LTD

PRADIP DAS DY. MANAGER

		CSR Ex	openses for F.Y 20	24-25	
SI.NO	DATE	NEAME OF PARTY	ACTIVITY TYPE	AMOUNT	HEAD U/S 135 OF COMPANIES ACT 2013
1		Archana Chakraborty	Food Distribuition	1,597,500.00	Eradicating Hunger, Pover and malnutrition
2		Swadeshi Jagaran Foundation		500,000.00	Promoting Education
3		Shree Ganesh Stores	Raincoat Distribuition	288,740.00	Promoting Health Care
4	31.05.2024	Eureka Forbes Limited	Maintenance of Water Purifier	i Com manual	Promoting Health Care
5	22.08.2024	Durgapur Nursery	Plantation	7,500.00	protection of fauna and flora
6	18.10.2024	A M Constructor	Installation Water Purifier	59,590.00	Promoting Health Care
7	21.10.2024	Eureka Forbes Limited	Maintenance of Water Purifier	36,000.00	Promoting Health Care
8	04.11.2024	Banner	Distribuition of Bag	380.00	Promoting Education
9	19.11.2024	Ashirbaad Engineering Co	Water Purifier	160,000.00	Promoting Health Care
10	19.11.2024	Susant Jha	Water Purifier	12,800.00	Promoting Health Care
11	09.12.2024	Eureka Forbes Limited	Maintenance of Water Purifier	48,000.00	Promoting Health Care
12	09.12.2024	Eureka Forbes Limited	Maintenance of Water Purifier	60,000.00	Promoting Health Care
13	14.12.2024	Biswas Stores	Tshirts	16,000.00	Promoting Sports
14	24.01.2025	Classic Print	banner	452.00	Promoting Health Care
15	24.01.2025	M s Optical	Eye Check Up Camp	186,770.00	Promoting Health Care
16	23.02.2025	M s Optical	Distribuition of Optics	4,850.00	Promoting Health Care
17	21.03.2025	Ashirbaad Engineering Co	Water Purifier	240,000.00	Promoting Health Care
18	27.03.2025	Bengal Tempin Bowling Association	Sports	200,000.00	Promoting Sports
19	29.03.2025	Angel Charitable Trust		3,060,301.00	Promoting Education
		Total		6,502,883.00	

PRADIP DAS DY. MANAGER



K I C METALIKS LIMITED

Regd. Office : "Se RNM House", 3B, Lei Bazer Street, 4" Fext, Room No. 2, Kolkata -700 001 NOTICE

This is to inform all concerned that Environmental Clearance has been granted by Ministry of Environment & Foresta Govt: of India vide their letter No. F. No. J. -11011 / 556 / 2008 - IA II(I) ds. 24 05 2011 to Mis. R I C Metallist Limited at 24.05.2011 to M/s. RTC Metallics Lamited at Staturia. Durgapur. District Bustwan - 713.215 for their expansion cum modernization of existing Pig. Ison Plant from 1,09,000 TPA to Integrated Steel Plant 1,00,000 TPA steel Bales, Cament Staturia guntiform 30,000 TPA of 0,000 TPA or staturing unit (from 30,000 TPA of 0,000 TPA or staturing Plant for production of 3,00,000 TPA steel Billiot, 24,000 TPA of Spun Pipe. 25,000 TPA of Ferro Alloy with 5 MW of Contine Power Plant. Captive Power Plant.

KIC Metaliks Limited Managing Director



কে আই দি মেটালিয়া লিমিটেড

ক্ষেত্ৰ সংগ্ৰহণ কৰা কৰা কৰা কৰিছে। কৃষ্টি কুমাৰকে কিছে কৰা কৰা কৰিছে। THE LANSIE LANGUAGE

Ruft

CATH OF THE IN CASHING INTECTS CAPIT OF THE IN CASIFER INFORMATION OF THE STATE OF THE S নতৰ ৯ মেন্যাওছট কচপতিত প্ৰতেউব। বাব (MBJK NT 49 41-09-53033/409/ \$003 EEE2(3) Hilly 42 of 10331

to will be callifing federal

FOR KIC METALIKE PRADIR DAS DY. MANAGER

CHALLAN

WEST BENGAL POLLUTION CONTROL BOARD

Paribesh Bhawan

10 A, Block-LA, Sector-III, SaltLake City, Kolkata-700098

(3 rd Copy)
(To be sent by the Company / Unit along with the application)

PAY-IN-SLIP

UNITED BANK OF INDIA

Datos sistant Environmental Engineer Cell Board

Environment Republican Control Board

Environment Republican Control Board

Name & Adress of the Company

Name:

KIC METALIKS LIMITED

Street/Road Name :

Post Office:

ANGADPUR

District:

Burdwan

Pin Code:

713215

Telephone:

2590720

Police Station:

Coke Oven

Category:

Special Red

Please Credit:

WEST BENGAL POLLUTION CONTROL BOARD

Particular of Fees	Amount
Consent to Establish (NOC)	592500.0
TOTAL: FIVE Lac Ninety Two Thousande Aux Hundara up	592500.0
K	IC METALIKS LT
Deposi	tor's Name resignaturech
Particulars of Cash/Cheque/Draft	
Rupees (in words):	

Signature of Receiving Cashier

PAY		UBI A/C WEST BENGAL P	OLLUTION CONTROL			
अवा	कर्र	BOARDF#######			OR ORDER	-
ОТ	Rupees Five Lakh Minety Two Thousand Five Hundred only					
П	रुपये	THE REAL PROPERTY LAW .	nessens live nameres only			
OL						Z
N		The state of the s		As.	*******5,92,500.00	4
376	PO Sr.No.	88210	AJC PAYEE ONLY	3	21/2/2007	0
CC	DALHO	USIE SQUARE ID FLOOR, MUKTI CHAMBERS, E BOW, USIE SQUARE	Shee Somer		M abstract	1

"OBB 210" 700 2110 13":

PRADIP BAS DY. MANAGER